VOLUME 84 • AUTHOR INDEX

Aabed B *see* Tabbara KF *et al*
Abdulrazik M *see* Chowers I *et al*
Abe T *et al*. Variable R1 region in varicella zoster virus in fulminant type of acute retinal necrosis syndrome, **193**
Abecasis P *see* Santos PS *et al*
Abiose A *see* Alhassan MB *et al*
Abu El-Asrar AM *et al*. Chemokines in the limbal form of vernal keratoconjunctivitis, **1360**
Expression of gelatinase B in trachomatous conjunctivitis, **85**
Acaroglu G *see* Kazim M *et al*
Achi IB *see* Alhassan MB *et al*
Adams GGW *see* Mehta JS and Adams GGW *see* Watts P *et al*
Agostini H *see* Reis A *et al*
Ahn B-S, Kee C. Ability of a confocal scanning laser ophthalmoscope (TopSS) to detect early glaucomatous visual field defect, **852**
Ahuja RM *et al*. Polypoidal choroidal vasculopathy in exudative and haemorrhagic pigment epithelial detachments, **479**
Ainsworth JR *see* Kumar V *et al*
Aisenbrey S *see* Lafaut BA *et al* *see* Lafaut BA *et al*
Ajewole J *see* Faal H *et al*
Akatsu T *et al*. Oriental herbal medicine induced epithelial keratopathy: *letter*, **934**
Akbar MK *see* Muzaffar W *et al*
Akimune C *et al*. Corneal guttata associated with the corneal dystrophy resulting from a βig-h3 R124H mutation, **67**
Albon J *et al*. Age related changes in the non-collagenous components of the extracellular matrix of the human lamina cribrosa, **311**
Age related compliance of the lamina cribrosa in human eyes, **318**
Alcorn DM, Fredrick DR. Ophthalmic features of primary oxalosis after combined liver/kidney transplantation: *letter*, **1326**
Alhassan MB *et al*. Audit of outcome of an extracapsular cataract extraction and posterior chamber intraocular lens training course, **848**
Al-Kharashi SA *see* El-Asrar AMA *et al* *see* El-Asrar AMA *et al*
Allen MCA *see* Sandeman SR *et al*
Al-Mosallam AA *see* El-Asrar AMA *et al*
Alonso J *see* Castells X *et al*
Alp MN *et al*. Colour Doppler imaging of the orbital vasculature in Graves' disease with computed tomographic correlation, **1027**
Alsagoff Z *et al*. Necrotising scleritis after bare sclera excision of pterygium, **1050**
Alsbirk PH *see* Foster PJ *et al*
Alster Y *et al*. Intraocular penetration of vancomycin eye drops after application to the medial canthus with closed lids, **300**
Althaus C *see* Reis A *et al*
Alves MR *see* Caldato R *et al*
Alwitry A. Vitamin A deficiency in coeliac disease: *letter*, **1079**
Al-Yousuf N *et al*. Acute zonal occult outer retinopathy : *letter*, **118**
Amano S *et al*. Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery, **618**
Ameen M *see* Dhar-Munshi S *et al*
Amias A *et al*. Report of a family with dominantly inherited upper lid entropion, **1303**
Anastassiou G *et al*. Expression of VLA-2, VLA-3, and α_v integrin receptors in uveal melanoma: association with microvascular architecture of the tumour and prognostic value, **899**
Ando A *see* Uyama M *et al*
Ando A *et al*. Enhancement of dedifferentiation and myoid differentiation of retinal pigment epithelial cells by platelet derived growth factor, **1306**
Ang A *et al*. Improvement of reproducibility of macular volume measurements using the Heidelberg retinal tomograph, **1194**
Angeli CD *see* Midena E *et al*
Anwar R *see* Booth AP *et al*
Aoki K *see* Uchio E *et al*
Aosai F *see* Norose K *et al*
Apple DJ *see* Pandey SK *et al*
Araie M *see* Kanno M *et al* *see* Nagahara M *et al*
Araujo AAQ *et al*. Early treatment with cyclosporin in serpiginous choroidopathy maintains remission and good visual outcome, **979**
Arden GB *et al*. Effect of alcohol and light on the retinal pigment epithelium of normal subjects and patients with retinal dystrophies, **881**
Arend O *et al*. Altitudinal visual field asymmetry is coupled with altered retinal circulation in patients with normal pressure glaucoma, **1008**
Macular circulation in patients with diabetes mellitus with and without arterial hypertension, **1392**
Armbrecht AM *et al*. Is cataract surgery justified in patients with age related macular degeneration? A visual function and quality of life assessment, **1343**
Armitage WJ *see* Panda A *et al*
Arné JL *see* Malecaze FA *et al*
Arnold JD *see* Mumford AD *et al*
Asaria RHY *see* Kon CH *et al* *see* Parmar DN *et al*
Ashworth JL *et al*. Fibrillin and the eye: *perspective*, **1312**
Aslanides IM. Bilateral optic disc oedema associated with latanoprost: *letter*, **673**
Aspinall P *see* Armbrecht AM *et al*
Assi A *see* Jain R *et al*
Assink JJM *et al*. Sorsby fundus dystrophy without a mutation in the TIMP-3 gene, **682**
Atalay Y *see* Ergenekon E *et al*
Au Eong KG *see* Beatty S and Eong KGA
Avizemer H *see* Rock T *et al*
Axer-Siegel R *see* Weinberger D *et al*
Axer-Siegel R *et al*. Diode laser treatment of posterior retinopathy of prematurity, **1383**
Aydin P *see* Dursun D *et al*
Aylward GW *see* Kon CH *et al*
Aymart A *see* Paques M *et al*
Ayzac L *see* Chiquet C *et al*
Azuara-Blanco A *see* Dua HS and Azuara-Blanco A *see* Pillai CT *et al*

Baasanhu J *see* Foster PJ *et al* *see* Nolan WP *et al*
Backhouse O *see* Churchill AJ *et al*
Baddini-Caramelli C *see* Matayoshi S *et al*
Baguley DM *see* Richards AJ *et al*
Bailey TA *see* Sethi CS *et al*
Baines PS *see* Ellis JD *et al*
Baker IA *see* Gray SF *et al*
Baker K *see* Kaye SB *et al*
Balcer LJ *see* Hollander DA *et al*
Balira R *see* Wedner SH *et al*
Bamashmus MA *et al*. Genetic heterogeneity in familial exudative vitreoretinopathy; exclusion of the EVR1 locus on chromosome 11q in a large autosomal dominant pedigree, **358**
Bang K *see* Cour ML *et al*
Banin E *see* Chowers I *et al*
Barker S *see* Zakir R *et al*
Barmettler A *see* Sutter FKP *et al*
Barry CJ *et al*. Comparison of optic disc image assessment methods when examining serial photographs for glaucomatous progression, **28**
Bartlett JR *see* Parmar DN *et al*
Barton K *see* Lehmann OJ *et al*
Bartov E *see* Rock T *et al*
Bartz-Schmidt KU *see* Lafaut BA *et al* *see* Lafaut BA *et al*
Bartz-Schmidt K-U *see* Jonas JB *et al*
Başçi NE *see* Çekiç O *et al*
Bates CJ *see* van der Pols JC *et al*
Batman C *see* Çekiç O *et al*
Bawazeer AM *et al*. Atopy and keratoconus: a multivariate analysis, **834**
Beach M *see* Sarhan ARS *et al*
Beatty S, Eong KGA. Local intra-arterial fibrinolysis for acute occlusion of the central retinal artery: a meta-analysis of the published data, **914**
Bechmann M *see* Gandorfer A *et al*
Bechmann M *et al*. Central corneal thickness determined with optical coherence tomography in various types of glaucoma, **1233**
Optical coherence tomography findings in early solar retinopathy: *letter*, **547**
Bechrakis NE *see* Heimann H *et al*
Behrens-Baumann W *see* Schmitz K *et al*
Beigi B *see* Chang BYP *et al*
Bek T. Ocular changes in heredo-oto-ophthalmo-encephalopathy, **1298**
Bereczki A *et al*. Histological examination of the pigment epithelium-Bruch membrane-choriocapillaris complex after macular translocation: *letter*, **550**
Berendschot TTJM *see* Hardus P *et al*
Berenschot T *see* van den Biesen PR *et al*
Berenstein A *see* Huna-Baron R *et al*
Bergen AAB *see* Assink JJM *et al*
Berger JW *see* Madjarov BD and Berger JW
Bergua A *see* Jonas JB *et al*
Berland JE *see* Saunders RA *et al*
Bernhard L *see* Hesse RJ *et al*
Berninger TE *see* Arden GB *et al*

VOLUME 84 • AUTHOR INDEX

Aabed B *see* Tabbara KF *et al*
Abdulrazik M *see* Chowers I *et al*
Abe T *et al*. Variable R1 region in varicella zoster virus in fulminant type of acute retinal necrosis syndrome, **193**
Abecasis P *see* Santos PS *et al*
Abiose A *see* Alhassan MB *et al*
Abu El-Asrar AM *et al*. Chemokines in the limbal form of vernal keratoconjunctivitis, **1360**
Expression of gelatinase B in trachomatous conjunctivitis, **85**
Acaroglu G *see* Kazim M *et al*
Achi IB *see* Alhassan MB *et al*
Adams GGW *see* Mehta JS and Adams GGW *see* Watts P *et al*
Agostini H *see* Reis A *et al*
Ahn B-S, Kee C. Ability of a confocal scanning laser ophthalmoscope (TopSS) to detect early glaucomatous visual field defect, **852**
Ahuja RM *et al*. Polypoidal choroidal vasculopathy in exudative and haemorrhagic pigment epithelial detachments, **479**
Ainsworth JR *see* Kumar V *et al*
Aisenbrey S *see* Lafaut BA *et al* *see* Lafaut BA *et al*
Ajewole J *see* Faal H *et al*
Akatsu T *et al*. Oriental herbal medicine induced epithelial keratopathy: *letter*, **934**
Akbar MK *see* Muzaffar W *et al*
Akimune C *et al*. Corneal guttata associated with the corneal dystrophy resulting from a βig-h3 R124H mutation, **67**
Albon J *et al*. Age related changes in the non-collagenous components of the extracellular matrix of the human lamina cribrosa, **311**
Age related compliance of the lamina cribrosa in human eyes, **318**
Alcorn DM, Fredrick DR. Ophthalmic features of primary oxalosis after combined liver/kidney transplantation: *letter*, **1326**
Alhassan MB *et al*. Audit of outcome of an extracapsular cataract extraction and posterior chamber intraocular lens training course, **848**
Al-Kharashi SA *see* El-Asrar AMA *et al* *see* El-Asrar AMA *et al*
Allen MCA *see* Sandeman SR *et al*
Al-Mosallam AA *see* El-Asrar AMA *et al*
Alonso J *see* Castells X *et al*
Alp MN *et al*. Colour Doppler imaging of the orbital vasculature in Graves' disease with computed tomographic correlation, **1027**
Alsagoff Z *et al*. Necrotising scleritis after bare sclera excision of pterygium, **1050**
Alsbirk PH *see* Foster PJ *et al*
Alster Y *et al*. Intraocular penetration of vancomycin eye drops after application to the medial canthus with closed lids, **300**
Althaus C *see* Reis A *et al*
Alves MR *see* Caldato R *et al*
Alwitry A. Vitamin A deficiency in coeliac disease: *letter*, **1079**
Al-Yousuf N *et al*. Acute zonal occult outer retinopathy : *letter*, **118**
Amano S *et al*. Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery, **618**
Ameen M *see* Dhar-Munshi S *et al*
Amias A *et al*. Report of a family with dominantly inherited upper lid entropion, **1303**
Anastassiou G *et al*. Expression of VLA-2, VLA-3, and α_v integrin receptors in uveal melanoma: association with microvascular architecture of the tumour and prognostic value, **899**
Ando A *see* Uyama M *et al*
Ando A *et al*. Enhancement of dedifferentiation and myoid differentiation of retinal pigment epithelial cells by platelet derived growth factor, **1306**
Ang A *et al*. Improvement of reproducibility of macular volume measurements using the Heidelberg retinal tomograph, **1194**
Angeli CD *see* Midena E *et al*
Anwar R *see* Booth AP *et al*
Aoki K *see* Uchio E *et al*
Aosai F *see* Norose K *et al*
Apple DJ *see* Pandey SK *et al*
Araie M *see* Kanno M *et al* *see* Nagahara M *et al*
Araujo AAQ *et al*. Early treatment with cyclosporin in serpiginous choroidopathy maintains remission and good visual outcome, **979**
Arden GB *et al*. Effect of alcohol and light on the retinal pigment epithelium of normal subjects and patients with retinal dystrophies, **881**
Arend O *et al*. Altitudinal visual field asymmetry is coupled with altered retinal circulation in patients with normal pressure glaucoma, **1008**
Macular circulation in patients with diabetes mellitus with and without arterial hypertension, **1392**
Armbrecht AM *et al*. Is cataract surgery justified in patients with age related macular degeneration? A visual function and quality of life assessment, **1343**
Armitage WJ *see* Panda A *et al*
Arné JL *see* Malecaze FA *et al*
Arnold JD *see* Mumford AD *et al*
Asaria RHY *see* Kon CH *et al* *see* Parmar DN *et al*
Ashworth JL *et al*. Fibrillin and the eye: *perspective*, **1312**
Aslanides IM. Bilateral optic disc oedema associated with latanoprost: *letter*, **673**
Aspinall P *see* Armbrecht AM *et al*
Assi A *see* Jain R *et al*
Assink JJM *et al*. Sorsby fundus dystrophy without a mutation in the TIMP-3 gene, **682**
Atalay Y *see* Ergenekon E *et al*
Au Eong KG *see* Beatty S and Eong KGA
Avizemer H *see* Rock T *et al*
Axer-Siegel R *see* Weinberger D *et al*
Axer-Siegel R *et al*. Diode laser treatment of posterior retinopathy of prematurity, **1383**
Aydin P *see* Dursun D *et al*
Aylward GW *see* Kon CH *et al*
Aymart A *see* Paques M *et al*
Ayzac L *see* Chiquet C *et al*
Azuara-Blanco A *see* Dua HS and Azuara-Blanco A *see* Pillai CT *et al*

Baasanhu J *see* Foster PJ *et al* *see* Nolan WP *et al*
Backhouse O *see* Churchill AJ *et al*
Baddini-Caramelli C *see* Matayoshi S *et al*
Baguley DM *see* Richards AJ *et al*
Bailey TA *see* Sethi CS *et al*
Baines PS *see* Ellis JD *et al*
Baker IA *see* Gray SF *et al*
Baker K *see* Kaye SB *et al*
Balcer LJ *see* Hollander DA *et al*
Balira R *see* Wedner SH *et al*
Bamashmus MA *et al*. Genetic heterogeneity in familial exudative vitreoretinopathy; exclusion of the EVR1 locus on chromosome 11q in a large autosomal dominant pedigree, **358**
Bang K *see* Cour ML *et al*
Banin E *see* Chowers I *et al*
Barker S *see* Zakir R *et al*
Barmettler A *see* Sutter FKP *et al*
Barry CJ *et al*. Comparison of optic disc image assessment methods when examining serial photographs for glaucomatous progression, **28**
Bartlett JR *see* Parmar DN *et al*
Barton K *see* Lehmann OJ *et al*
Bartov E *see* Rock T *et al*
Bartz-Schmidt KU *see* Lafaut BA *et al* *see* Lafaut BA *et al*
Bartz-Schmidt K-U *see* Jonas JB *et al*
Başçi NE *see* Çekiç O *et al*
Bates CJ *see* van der Pols JC *et al*
Batman C *see* Çekiç O *et al*
Bawazeer AM *et al*. Atopy and keratoconus: a multivariate analysis, **834**
Beach M *see* Sarhan ARS *et al*
Beatty S, Eong KGA. Local intra-arterial fibrinolysis for acute occlusion of the central retinal artery: a meta-analysis of the published data, **914**
Bechmann M *see* Gandorfer A *et al*
Bechmann M *et al*. Central corneal thickness determined with optical coherence tomography in various types of glaucoma, **1233**
Optical coherence tomography findings in early solar retinopathy: *letter*, **547**
Bechrakis NE *see* Heimann H *et al*
Behrens-Baumann W *see* Schmitz K *et al*
Beigi B *see* Chang BYP *et al*
Bek T. Ocular changes in heredo-oto-ophthalmo-encephalopathy, **1298**
Bereczki A *et al*. Histological examination of the pigment epithelium-Bruch membrane-choriocapillaris complex after macular translocation: *letter*, **550**
Berendschot TTJM *see* Hardus P *et al*
Berenschot T *see* van den Biesen PR *et al*
Berenstein A *see* Huna-Baron R *et al*
Bergen AAB *see* Assink JJM *et al*
Berger JW *see* Madjarov BD and Berger JW
Bergua A *see* Jonas JB *et al*
Berland JE *see* Saunders RA *et al*
Bernhard L *see* Hesse RJ *et al*
Berninger TE *see* Arden GB *et al*

Berry V *see* Francis P *et al*
Beun L *see* Jackson TL and Beun L
Bhattacharya S *see* Francis P *et al*
Bhisitkul RB. New online features at the *eBJO*: *editorial*, **812**
Binder S *see* Kröger RHH and Binder S
Biousse V *see* Kerrison JB *et al*
Biousse V *et al.* Is non-arteritic anterior ischaemic optic neuropathy related to homocysteine?: *letter*, **555**
Bird AC *see* Ahuja RM *et al*
see Lois N *et al*
Birngruber R *see* Roider J *et al*
Bishop P. Matrix metalloproteinases and their natural inhibitors: *editorial*, **1087**
Biswas S *et al.* Graft failure in human donor corneas due to transmission of herpes simplex virus, **701**
Black GCM *see* Stewart HS *et al*
Blades KJ *et al. Acanthamoeba* keratitis occurring with daily disposable contact lens wear: *letter*, **805**
Bleckmann H *see* Hundsdoerfer P *et al*
Boccato P *see* Midena E *et al*
Bodaghi B *see* Cassoux N *et al*
Bodner E *see* Muellner K *et al*
Boers M *see* Moll AC *et al*
Bohl B *see* Zander E *et al*
Bom S *et al.* Sudden bilateral visual loss in acute myeloid leukaemia: *letter*, **1318**
Bonini S *see* Centofanti M *et al*
Bonshek R *see* Kaye SB *et al*
see Stewart HS *et al*
Bonshek RE *see* Biswas S *et al*
Booth AP *et al.* Genetic screening in a large family with juvenile onset primary open angle glaucoma, **722**
Booth NA *see* Wileman SM *et al*
Bornfeld N *see* Anastassiou G *et al*
see Heimann H *et al*
see Heine B *et al*
Bosanquet R *see* Setty R *et al*
Bosco D *see* Giusti C *et al*
Bouwens D *see* Paridaens DA *et al*
Bowman R *see* Parmar DN *et al*
Bowyer JD *et al. Ochroconis gallopava* endophthalmitis in fludarabine treated chronic lymphocytic leukaemia: *letter*, **117**
Bozkurt A *see* Çekiç O *et al*
Brahma A *et al.* Visual function after penetrating keratoplasty for keratoconus: a prospective longitudinal evaluation, **60**
Brannan S *et al.* Acquired capillary haemangioma of the eyelid in an adult treated with cutting diathermy: *letter*, **1322**
Brink JBT *see* Assink JJM *et al*
Brinkmann R *see* Roider J *et al*
Broadway DC *see* Chang BYP *et al*
Brodsky MC *see* Scruggs JT *et al*
Broecke CV *see* Lafaut BA *et al*
see Lafaut BA *et al*
Brookes ST *see* Gray SF *et al*
Brooks AMV, Gillies WE. New techniques in glaucoma surgery: *editorial*, **1339**
Brown B *see* Chan HHL and Brown B
Brown GC *see* Smith AF and Brown GC
Brufani C *see* Giusti C *et al*
Bucci MG *see* Centofanti M *et al*
Budde WM *see* Iester M *et al*
see Jonas JB *et al*
see Velten IM *et al*
Buhrmann RR *see* Quigley HA *et al*
Bunce C *see* Jenkins C *et al*
see Kirwan JF *et al*
see Lehmann OJ *et al*
see Membrey WL *et al*
see Membrey WL *et al*
see Watts P *et al*
Burgett R *see* Biousse V *et al*
Burgos R *see* Cantón A *et al*
Busato F *see* Leonardi A *et al*

Cahill M *et al.* Bilateral endogenous bacterial endophthalmitis associated with pyogenic hepatic abscess: *letter*, **1436**
Raised plasma homocysteine as a risk factor for retinal vascular occlusive disease, **154**
Cai S *see* Ghiasi H *et al*
Cakar P *see* Alp MN *et al*
Caldato R *et al.* Role of reinsertion of the lower eyelid retractor on involutional entropion, **606**
Calder V *see* Pappa A *et al*
Campinchi-Tardy F *see* Paques M *et al*
Campochiaro PA *see* Kent D *et al*
Can I *see* Alp MN *et al*
Cantón A *et al.* Hepatocyte growth factor in vitreous and serum from patients with proliferative diabetic retinopathy, **732**
Cantor LB *see* Arend O *et al*
Caprioli J *see* Morgan JE *et al*
Carcelain G *see* Cassoux N *et al*
Cardascia N *see* Vetrugno M *et al*
Cardia L *see* Vetrugno M *et al*
Carta F *see* Sharma S *et al*
Cassidy L *et al.* Reverse and converse ocular bobbing with synkinetic blinking and opsoclonus in a child with Epstein-Barr virus encephalitis after bone marrow transplant for MPS I: *letter*, **1207**
Cassoux N *et al.* Relapses of CMV retinitis after 2 years of highly active antiretroviral therapy: *letter*, **1203**
Casswell AG *see* Newsom RSB *et al*
Castells X *et al.* Factors associated with second eye cataract surgery, **9**
Castilla M *see* Castells X *et al*
Cats BP *see* Schalij-Delfos NE *et al*
Çekiç O *et al.* Subretinal fluid levels of topical, oral, and combined administered ciprofloxacin in humans, **1061**
Centofanti M *et al.* Do sex and hormonal status influence choroidal circulation?, **786**
Chakravarthy U *see* Mallah MKE *et al*
see McClure ME *et al*
Chan HHL, Brown B. Pilot study of the multifocal electroretinogram in ocular hypertension, **1147**
Chan T-K *see* Lee S-B *et al*
Chang B *see* Cahill M *et al*
Chang BYP *et al.* Local anaesthetic techniques and pulsatile ocular blood flow, **1260**
Chang TS *see* Morris R *et al*
Chapotot EM *see* Malecaze FA *et al*
Char DH *see* Pitz S *et al*
Char DH. Coats' syndrome: long term follow up, **37**
Charles SJ *see* Lee WH and Charles SJ
Charteris DG *see* Parmar DN *et al*
see Salzmann J *et al*
Charukamnoetkanok P *see* Egwuagu CE *et al*
Chauvel P *see* Chiquet C *et al*
Chee SP *see* Ti SE *et al*
Chee S-P *see* Alsagoff Z *et al*
Chen E *see* Qian W *et al*
Chen H *see* Booth AP *et al*
Chen H-J *et al.* Amniotic membrane transplantation for severe neurotrophic corneal ulcers, **826**
Chen J *et al.* Mooren's ulcer in China: a study of clinical characteristics and treatment, **1244**
Chen L *see* Chen J *et al*
Chen M *see* Norose K *et al*
Chen MS *see* Liao SL *et al*
Chew PTK *see* Wong TY *et al*
Chiba T *see* Kogure S *et al*
Chignell AH *see* Salzmann J *et al*
see Tanner V *et al*
Chiquet C *et al.* Effects of proton beam irradiation on uveal melanomas: a comparative study of Ki-67 expression in irradiated versus non-irradiated melanomas, **98**
Choi MY *et al.* Long term refractive outcome in eyes of preterm infants with and without retinopathy of prematurity: comparison of keratometric value, axial length, anterior chamber depth, and lens thickness, **138**
Chong NHV *see* Sethi CS *et al*
Chowers I *et al.* Blunt trauma in Best's vitelliform macular dystrophy: *letter*, **1330**
Christopoulou D *see* Murray DC *et al*
Chua JKH *see* Lai JSM *et al*
Churchill AJ *see* Booth AP *et al*
Churchill AJ *et al.* What factors influence cataract waiting list time?, **429**
Ciampalini P *see* Giusti C *et al*
Ciardi A *see* Pecorella I *et al*
Claerhout I *see* Meire FM *et al*
Clark B *see* McKibbin M *et al*
Cleary M. Efficacy of occlusion for strabismic amblyopia: can an optimal duration be identified?, **572**
Cleary PE *see* Cullinane AB and Cleary PE
Clifton-Bligh P *see* Domniz Y *et al*
Cochrane AL *see* Wolffsohn JS *et al*
Cocker R *see* Demirci H *et al*
Coffey M *see* Minassian DC *et al*
Coldrick I *see* Newsom RSB *et al*
Cole A, Dutton GN. Leber's hereditary optic neuropathy and maturity onset diabetes mellitus: is there a metabolic association?: *letter*, **439**
Cole M *see* Rajesh CV and Cole M
Collin JRO *see* Amias A *et al*
see Heyworth P *et al*
Congdon NG *see* Ng EWM *et al*
Cook SD *see* Waldock A and Cook SD
Corbitt G *see* Biswas S *et al*
Corden LD *et al.* A novel keratin 12 mutation in a German kindred with Meesmann's corneal dystrophy, **527**
Coscas G *see* Glacet-Bernard A *et al*
Costen MTJ, Olson JA. Central serous chorioretinopathy may be a manifestation of the primary antiphospholipid syndrome: *letter*, **667**
Coster DJ *see* Smith JR *et al*

Cotlear D *see* Axer-Siegel R *et al*
Coupland SE *see* Heimann H *et al*
see Heine B *et al*
see Hundsdoerfer P *et al*
Courtright P *see* Lewallen S *et al*
Craig JP *see* McGhee CNJ *et al*
Cree IA *see* Jenkins C *et al*
see Mathen LC *et al*
see Miszkiel KA *et al*
see Mumford AD *et al*
Crick M *see* Zakir R *et al*
Crocker J *see* Brannan S *et al*
Crowston J *see* Kirwan JF *et al*
Crukley C *see* Sheidow TG *et al*
Cullinane AB, Cleary PE. Prevention of visual field defects after macular hole surgery, **372**
Cumberland WG *see* Tufail A *et al*
Cunningham E *see* Ramsay A *et al*
Cunningham Jr E *see* Taylor CJ *et al*
Cunningham Jr ET *see* Rathinam SR *et al*
Cunningham Jr ET. Uveitis in HIV positive patients: *editorial*, **233**
Curi ALL *et al.* Choroidal neovascular membrane presenting as a complication of pre-eclampsia in a patient with the antiphospholipid syndrome: *letter*, **1080**
Cuypers M *see* Barry CJ *et al*
Cvenkel B *see* Ihan A and Cvenkel B

Daemen MJAP *see* Kliffen M *et al*
Dallinger S *see* Findl O *et al*
Damato B. Disease and "dis-ease" in patients with uveal melanoma: *editorial*, **343**
Dandona L *see* Dandona R *et al*
Dandona L *et al.* Population based assessment of uveitis in an urban population in southern India, **706**
Dandona R *see* Dandona L *et al*
Dandona R *et al.* Utilisation of eyecare services in an urban population in southern India: the Andhra Pradesh eye disease study, **22**
Daniel E *et al.* Isolated focal melanocytes collection in the lacrimal sac: *letter*, **337**
Daniell M *see* Gangopadhyay N *et al*
Dart J *see* Blades KJ *et al*
Dart JKG *see* Siriwardena D *et al*
Daurin JG *see* Malecaze FA *et al*
Davey CC *see* Minasian MC *et al*
Davis A *see* Oether A and Davis A
Dear KBG *see* Ti SE *et al*
de Backer E *see* Assink JJM *et al*
de Belvis V *see* Midena E *et al*
Deepa R *see* Rema M *et al*
de Graaf MEL *see* Schalij-Delfos NE *et al*
de Groot V *see* van Tenten Y *et al*
de Jong PTVM *see* Assink JJM *et al*
see Kliffen M *et al*
de Keizer RJW *see* van Beek LM *et al*
De Laey JJ *see* Lafaut BA *et al*
Demel G *see* Heine B *et al*
Demirci H *et al.* Unusual presentation of diffuse melanoma of the iris: *letter*, **1076**
Demirhan B *see* Dursun D *et al*
de Muinck ED *see* Kliffen M *et al*
Deneuville SF *see* Malecaze FA *et al*
Derse M *see* Schlote T *et al*
see Schlote T *et al*
Desai P *see* Minassian DC *et al*
de Sousa NF *see* Sahu DK *et al*
de Tribolet N *see* Safran AB *et al*
Devereux JG *see* Foster PJ *et al*
see Nolan WP *et al*
Devouassoux-Shisheboran M *see* Chiquet C *et al*
Dhar-Munshi S *et al.* Simultaneous metastases of cutaneous malignant melanoma to conjunctiva and choroid: *letter*, **930**
Dhillon B *see* Al-Yousuf N *et al*
see Armbrecht AM *et al*
Diamond JP *see* Shuttleworth GN *et al*
Dick AD *see* Araujo AAQ *et al*
see Kilmartin DJ *et al*
see Kilmartin DJ *et al*
Dick AD. The continuing need to publish laboratory science in clinical journals: *editorial*, **1213**
Dick AD *et al.* Campath-1H therapy in refractory ocular inflammatory disease, **107**
Dick HB *see* Schmitz S *et al*
Dietlein TS *et al.* Morphological variability of the trabecular meshwork in glaucoma patients: implications for non-perforating glaucoma surgery, **1354**
Dittrich M *see* Pitz S *et al*
Djakovic S *see* Anastassiou G *et al*
Dogru M *see* Shirabe H *et al*
Dogru M, Goebbels MJ. Tear secretion and tear film function in insulin dependent diabetics: *letter*, **1210**
Dolin PJ *see* Faal H *et al*
Dollerup J *see* Cour ML *et al*
Domniz Y *et al.* Effects of homozygous apolipoprotein A-1 deficiency on the cornea: *letter*, **1321**
Donahue ML *see* Saunders RA *et al*
Dorner G *see* Polak K *et al*
Doughty MJ *see* Müller A *et al*
Douthwaite WA, Evardson WT. Corneal topography by keratometry, **842**
Downey LM *see* Bamashmus MA *et al*
Doych Y *see* Gündüz K *et al*
Dua HS *see* Pillai CT *et al*
see Sarhan ARS *et al*
Dua HS. Herpes simplex virus in the human cornea: *editorial*, **560**
Dua HS, Azuara-Blanco A. Autologous limbal transplantation in patients with unilateral corneal stem cell deficiency, **273**
Dua HS, Gomes JAP. Clinical course of hurricane keratopathy, **285**
Duance VC *see* Albon J *et al*
Durrani OM *see* Muzaffar W *et al*
Dursun D *et al.* Impression cytology of the conjunctival epithelium in patients with chronic renal failure, **1225**
Dutton GN *see* Cole A and Dutton GN
see Weir CR *et al*
Dutton GN. Age related macular degeneration: could we improve the services we offer?: *editorial*, **945**

Eagle RC, Jr *see* Shields JA *et al*
Easty DL *see* Albon J *et al*
see Albon J *et al*
see Gray SF *et al*
see Kaye SB *et al*
Ebenezer GJ *see* Daniel E *et al*
Eguchi K *see* Amano S *et al*
Eguchi S *see* Amano S *et al*
see Nagahara M *et al*
Egwuagu CE *et al.* Susceptibility to ocular autoimmune disease: *letter*, **1084**
Ehrt O *see* Bechmann M *et al*
Eichler H-G *see* Findl O *et al*
see Polak K *et al*
Eikelboom R *see* Barry CJ *et al*
Elliott A *see* Kazim M *et al*
Ellis JD *et al.* Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, **1218**
Ellison D *see* Zakir R *et al*
El Mallah MK *et al.* Amblyopia: is visual loss permanent?, **952**
El-Sheikh HF *see* Tabbara KF *et al*
Eltzschig H *et al.* Methaemoglobinaemia after peribulbar blockade: an unusual complication in ophthalmic surgery: *letter*, **442**
Elzenaar PR *see* van Beek LM *et al*
Endo K *et al.* Usefulness of three dimensional ultrasonography for invisible fundus: *letter*, **1080**
Engel J *see* Schalij-Delfos NE *et al*
Ennis F *see* Brahma A *et al*
Eong K-G *see* Lee S-B *et al*
Ergenekon E *et al.* Can leucocoria be the first manifestation of protein C deficiency?: *letter*, **120**
Eter N *et al.* Radiotherapy for age related macular degeneration causes transient lens transparency changes, **757**
Evans JMM *see* Ellis JD *et al*
Evardson WT *see* Douthwaite WA and Evardson WT
Ewart M. Age related macular disease: *letter*, **1083**
Eysteinsson T *see* Cour ML *et al*
Ezra E *see* Scott RAH *et al*

Faal H *et al.* Evaluation of a national eye care programme: re-survey after 10 years, **948**
Fadda G *see* Sharma S *et al*
Faragher RGA *see* Sandeman SR *et al*
Farrow S *see* Minassian DC *et al*
Fells P *see* Pappa A *et al*
Fernando R *see* Minasian MC *et al*
Ferraz de Oliveira LN *see* Santos PS *et al*
Filipec M *see* Larkin DFP and Filipec M
Fillet AM *see* Cassoux N *et al*
Finch S *see* van der Pols JC *et al*
Findl O *see* Polak K *et al*
Findl O *et al.* Ocular haemodynamics and colour contrast sensitivity in patients with type 1 diabetes, **493**
Findlay C *see* Armbrecht AM *et al*
Finger PT *see* Demirci H *et al*
Finger PT. Tumour location affects the incidence of cataract and retinopathy after ophthalmic plaque radiation therapy, **1068**
Finger PT *et al.* Failure of transpupillary thermotherapy (TTT) for choroidal melanoma: two cases with histopathological correlation: *letter*, **1075**
Finkelman Y *see* Lifshitz T *et al*
Finlay RD *see* Rowley SA *et al*
Fischbarg J *see* Yang H *et al*
Fisher M *see* Newsom RSB *et al*
Fisher TC *see* Tufail A *et al*
Fitzke FW *see* Kamal DS *et al*

see Lois N *et al*
see Membrey WL *et al*
Flanagan DW *see* Newman DK and Flanagan DW
Flaxel CJ *et al.* Phacoemulsification combined with silicone oil removal through posterior capsulorhexis: *letter*, **1084**
Fledelius HC. Retinopathy and myopia of prematurity: *letter*, **937**
Flitcroft I *see* Mulvihill A *et al*
Foerster MH *see* Heimann H *et al*
Fonseca RA *see* Caldato R *et al*
Foote B *see* Tanner V *et al*
Forrester JV *see* Araujo AAQ *et al*
see Dick AD *et al*
see Kilmartin DJ *et al*
see Kilmartin DJ *et al*
see Wileman SM *et al*
Foss AJE *et al.* Development and validation of a patient based measure of outcome in ocular melanoma, **347**
Foster A *see* Wedner SH *et al*
Foster PJ *see* Nolan WP *et al*
see Wong TY *et al*
Foster PJ *et al.* Detection of gonioscopically occludable angles and primary angle closure glaucoma by estimation of limbal chamber depth in Asians: modified grading scheme, **186**
Francis P *et al.* Congenital progressive polymorphic cataract caused by a mutation in the major intrinsic protein of the lens, MIP (AQP0), **1376**
Fredrick DR *see* Alcorn DM and Fredrick DR
Fregona I *see* Leonardi A *et al*
Frilling R *see* Axer-Siegel R *et al*
Fröhlich S *see* Gandorfer A *et al*
Frost NA, Sparrow JM. Use of vision tests in clinical decision making about cataract surgery: results of a national survey, **432**
Fu CL *see* McCarty CA *et al*
Fujiki K *see* Hirano K *et al*
Fujishima H *see* Ishioka M *et al*
Fukuda M *see* Nakaya-Onishi M *et al*
Fukushi K *see* Sugita S *et al*
Fukushima H *see* Endo K *et al*
Funke G *see* Joussen AM *et al*

Galetta SL *see* Hollander DA *et al*
Gandorfer A *et al.* Retinal telangiectasis and angioid streaks: *letter*, **1327**
Ganesh A *et al.* The full spectrum of persistent fetal vasculature in Aicardi syndrome: an integrated interpretation of ocular malformations: *letter*, **227**
Gangopadhyay N *et al.* Fluoroquinolone and fortified antibiotics for treating bacterial corneal ulcers, **378**
Garbutt S, Harris CM. Abnormal vertical optokinetic nystagmus in infants and children, **451**
Garg P *see* Kunimoto DY *et al*
see Sharma S *et al*
Gargiulo P *see* Giusti C *et al*
see Giusti C *et al*
Garner A *see* Pecorella I *et al*
Garway-Heath DF *see* Kamal DS *et al*
Garzozi HJ, Harris A. Intraocular lens implants and risk of endophthalmitis: *letter*, **554**
Gaudric A *see* Paques M *et al*
Geboes K *see* El-Asrar AMA *et al*
see El-Asrar AMA *et al*
Gery I *see* Egwuagu CE *et al*
Geyer O *see* Israeli D *et al*
Ghanim MNB *see* Ma'luf RN *et al*
Ghazi NG *see* Ma'luf RN *et al*
Ghiasi H *et al.* Both CD4+ and CD8+ T cells are involved in protection against HSV-1 induced corneal scarring, **408**
Gilbert CE *see* Hammond CJ *et al*
Gilbert RE, Stanford MR. Is ocular toxoplasmosis caused by prenatal or postnatal infection?: *perspective*, **224**
Gilchrist J. Accuracy of glaucoma referrals: need to report precision of estimates: *letter*, **124**
Gill LE *see* Ingram RM *et al*
Gillies WE *see* Brooks AMV and Gillies WE
Gittos A *see* Amias A *et al*
Giusti C *et al.* Coagulation pathways and diabetic retinopathy: abnormal modulation in a selected group of insulin dependent diabetic patients, **591**
Lupus anticoagulant positivity in insulin dependent diabetic patients: an additional risk factor in the pathogenesis of diabetic retinopathy?, **531**
Glacet-Bernard A *et al.* Treatment of recent onset central retinal vein occlusion with intravitreal tissue plasminogen activator: a pilot study, **609**
Gloor B *see* Koller T *et al*
Goebbels M. Tear secretion and tear film function in insulin dependent diabetics, **19**
Goebbels MJ *see* Dogru M and Goebbels MJ
Goh H-S *see* Tan DTH *et al*
Gohto Y *see* Suzuki Y *et al*
Goldbaum M *see* Matayoshi S *et al*
Goldberg D *see* Rose K *et al*
Goldsmith P *et al.* Optic neuropathy as the presenting feature of HIV infection: recovery of vision with highly active antiretroviral therapy: *letter*, **551**
Gomes JAP *see* Dua HS and Gomes JAP
Gong X *see* Chen J *et al*
Good WV. Screening for retinopathy of prematurity: no ophthalmologist required?: *editorial*, **127**
Goodman S *see* Manuchehri K *et al*
Gooi HC *see* McKibbin M *et al*
Gopinathan U *see* Kunimoto DY *et al*
Gottlob I. Ups and downs of optokinetic nystagmus: *editorial*, **445**
Gouws P *see* Kirwan JF *et al*
Graça JPD *see* Santos PS *et al*
Graham CM *see* Waldock A *et al*
Graham EM *see* Jackson TL *et al*
Graham I *see* Cahill M *et al*
Grandjean HMC *see* Malecaze FA *et al*
Grange J-D *see* Chiquet C *et al*
Gray R. International Poverty and Health Network: *letter*, **1210**
Gray SF *et al.* The Bristol shared care glaucoma study: outcome at follow up at 2 years, **456**
Gregor ZJ *see* Salzmann J *et al*
see Scott RAH *et al*
see West JF and Gregor ZJ
Gregory-Evans K *see* Malhotra R and Gregory-Evans K
Gregory-Evans K. What is Sorsby's fundus dystrophy?: *editorial*, **679**
Gregson RMC *see* Bowyer JD *et al*
Grierson I *see* Wong D *et al*
Grimm C *see* Hafezi F *et al*
Grinfeld E *see* Kaye SB *et al*
Guenot M *see* Krolak-Salmon P *et al*
Guinetti-Neuschüler C *see* Centofanti M *et al*
Gunalp I *see* Alp MN *et al*
Gundüz K *et al.* Ocular ectodermal syndrome of epibulbar dermoid and cutaneous myxovascular hamartoma: *letter*, **669**
Gupta A *see* Pandey SK *et al*
Gupta N *see* Rogers PB *et al*
Gupta SR *see* Bamashmus MA *et al*
Gurelik G *see* Özdek SC *et al*
Gutiérrez-Díaz E *see* Mencá-Gutiérrez E *et al*
Gvirtz G *see* Rock T *et al*

Hafezi F *et al.* Molecular ophthalmology: an update on animal models for retinal degenerations and dystrophies: *perspective*, **922**
Hagan MC *see* Mumford AD *et al*
Haggerty C *see* Rose K *et al*
Haines A *see* Heath I *et al*
Hale G *see* Dick AD *et al*
Hale JE *see* Rowley SA *et al*
Halfyard AS *see* Lois N *et al*
Hammes H-P *see* Schmidt K-G *et al*
Hammond CJ *et al.* Factors affecting pupil size after dilatation: the Twin Eye Study, **1173**
Hampson JP, Harvey JN. A systematic review of drug induced ocular reactions in diabetes, **144**
Hamush NG, Schakal AR. Subhyaloid haemorrhage from proliferative diabetic retinopathy after Nd:YAG laser iridotomy: *letter*, **1435**
Hanada K *see* Shimazaki J *et al*
Harding JJ *see* Mumford AD *et al*
Harding S *see* Wong D *et al*
Hardus P *et al.* Long term changes in the visual fields of patients with temporal lobe epilepsy using vigabatrin, **788**
Harino S *et al.* Real time fixation point monitoring system for photocoagulation of juxtafoveal neovascularisation, **1053**
Harle D *see* Tanner V *et al*
Harle J *see* Setty R *et al*
Harper R *see* Brahma A *et al*
see Rose K *et al*
Harper R *et al.* Appraising evaluations of screening/diagnostic tests: the importance of the study populations: *perspective*, **1198**
Harrad R. The efficacy of occlusion for strabismic amblyopia. Can an optimal duration be identified?: *editorial*, **561**
Harris A *see* Arend O *et al*
see Centofanti M *et al*
see Garzozi HJ and Harris A
Harris C *see* Cassidy L *et al*
see Shawkat FS *et al*
Harris CM *see* Garbutt S and Harris CM
Hart CA *see* Kaye SB *et al*
Hart PH *see* Smith JR *et al*
Hart PM *see* Mallah MKE *et al*
see McClure ME *et al*
Harvey JN *see* Hampson JP and Harvey JN
Hasanreisoglu B *see* Özdek SC *et al*
Hashimoto M *see* Ohtsuka K and Hashimoto M
Haskard D *see* Jain R *et al*
Hattori Y *see* Suzuki R *et al*
Hay D *see* Morris R *et al*
Hayasaka S *et al.* Late complications after pterygium excision with high dose mitomycin C instillation: *letter*, **1081**
Hayasaka Y *see* Hayasaka S *et al*

Hayler JK *see* Jonas JB *et al*
Heath I *et al*. Open invitation from the International Poverty and Health Network to all health professionals: *editorial*, **236**
Heathcote JG *see* Sheidow TG *et al*
Heaven CJ *et al*. Keratoconus associated with chromosome 13 ring abnormality: *letter*, **1079**
Hee WCL *see* Chang BYP *et al*
Heimann H *et al*. Vasoproliferative tumours of the retina, **1162**
Heimann K *see* Lafaut BA *et al*
Heine B *et al*. Telomerase expression in uveal melanoma, **217**
Heinke P *see* Zander E *et al*
Helbig H *see* Sutter FKP *et al*
Hemo Y *see* Chowers I *et al*
Hennekam RCM *see* van Genderen MM *et al*
Henson D *see* Harper R *et al*
Henze G *see* Hundsdoerfer P *et al*
Herbertz G *see* Joussen AM *et al*
Herbreteau D *see* Paques M *et al*
Herfurth S *see* Zander E *et al*
Herlin L *see* Alster Y *et al*
Hernandez MR *see* Wax MB *et al*
Hernández C *see* Cantón A *et al*
Hero M *see* Murray DC *et al*
Herrmann U *see* Zander E *et al*
Hesse RJ *et al*. Spontaneous arteriovenous malformation of the orbit: *letter*, **802**
Heyworth P *et al*. The oil droplet sign: *letter*, **672**
Hikita N *see* Sugita S *et al*
Hill AR *see* Armbrecht AM *et al*
Hilton GF *see* Sahu DK *et al*
Hirano K *et al*. Corneal amyloidosis caused by Leu518Pro mutation of βig-h3 gene, **583**
Hirose M *see* Kobayashi H *et al*
Hitchings RA *see* Kamal DS *et al*
see Membrey WL *et al*
see Membrey WL *et al*
Hitchings RA. Selective ganglion cell death in glaucoma: *editorial*, **678**
Hitzer S *see* Schmitz K *et al*
Hod Y *see* Israeli D *et al*
Hodge WG *see* Bawazeer AM *et al*
Hofmann T *see* Muellner K *et al*
Hogan RN *see* Shields JA *et al*
Holder GE *see* Parmar DN *et al*
Holland GN *see* Tufail A *et al*
Hollander DA *et al*. Use of a portable head mounted perimetry system to assess bedside visual fields, **1185**
Holló G. Membrane formation in the chamber angle after failure of argon laser trabeculoplasty: *letter*, **673**
Holtz DJ *see* Killer HE *et al*
Hommura S *see* Okamoto F *et al*
Honavar SG *et al*. Ultrasound biomicroscopy in the diagnosis of a foreign body simulating iris melanoma: *letter*, **546**
Honda M *see* Matayoshi S *et al*
Honda Y *see* Miyamoto K *et al*
Hooper PL *see* Sheidow TG *et al*
Hope-Ross MW *see* Kwok AKH *et al*
Hoppe F *see* Klink T *et al*
Horn EH *see* Bowyer JD *et al*
Hotta Y *see* Hirano K *et al*
Hou PK *see* Liao SL *et al*
House P *see* Barry CJ *et al*
Houston CA *et al*. An unusual cause of asthenopia: "pseudo-accommodative insufficiency" associated with a high AC:A ratio: *letter*, **1438**
Hoyt C. Amblyopia: *editorial*, **944**
Hoyt CS. Change at the *BJO*: *editorial*, **559**
Huhtinen M, Karma A. HLA-B27 typing in the categorisation of uveitis in a HLA-B27 rich population, **413**
Hummel M *see* Heine B *et al*
Huna-Baron R *et al*. Orbital arteriovenous malformation mimicking cavernous sinus dural arteriovenous malformation, **771**
Hundsdoerfer P *et al*. Conjunctival tumour as the primary manifestation of infectious mononucleosis in a 12 year old girl: *letter*, **546**
Hungerford J *see* Foss AJE *et al*
Hussain IR *see* Lehmann OJ *et al*

Ida N *see* Uyama M *et al*
Iester M *et al*. Discriminant analysis models for early detection of glaucomatous optic disc changes, **464**
Ifejika CP *et al*. Efficacy of a contact lens cleaning device and its enhancement of the performance of contact lens care products, **539**
Ihan A, Cvenkel B. Conjunctival epithelium expression of HLA-DR in glaucoma patients and its influence on the outcome of filtration surgery, **648**
Ikeda T *see* Tokuyama T *et al*
Ikram K *see* MacLaren RE *et al*
Ilango B *see* Pearce IA *et al*
Imhof SM *see* Moll AC *et al*
Inglehearn CF *see* Bamashmus MA *et al*
Ingram RM *et al*. Effect of spectacles on changes of spherical hypermetropia in infants who did, and did not, have strabismus, **324**
Inoue K *see* Endo K *et al*
Inoue Y *see* Akimune C *et al*
see Suzuki Y *et al*
Ionides A *see* Jain R *et al*
Ionides AC *see* Minasian MC *et al*
Isaacs JD *see* Dick AD *et al*
see McKibbin M *et al*
Iserovich P *see* Yang H *et al*
Ishioka M *see* Shimazaki J *et al*
Ishioka M *et al*. Trabeculectomy with mitomycin C for post-keratoplasty glaucoma, **714**
Isnard J *see* Krolak-Salmon P *et al*
Israeli D *et al*. Laser pointers: not to be taken lightly: *letter*, **555**
Isseme I *see* Quigley HA *et al*
Ito S *see* Ando A *et al*
Itoh K *see* Sugita S *et al*
Itoh N *see* Uchio E *et al*
Iwahashi Y *see* Harino S *et al*
Iwasa Y *see* Hayasaka S *et al*
Iwasaki N *see* Kawaguchi K *et al*

Jacks A *see* Curi ALL *et al*
Jackson AJ *see* McClure ME *et al*
Jackson TL *see* Newsom RSB *et al*
Jackson TL, Beun L. A prospective study of cost, patient satisfaction, and outcome of treatment of chalazion by medical and nursing staff, **782**
Jackson TL *et al*. Severe intraocular inflammation after a change of HAART: *letter*, **933**
Jacobi PC *see* Dietlein TS *et al*
Jager MJ. Immunology and thyroid ophthalmopathy: where will the footprints lead us?: *editorial*, **446**
Jain R *et al*. Scleritis as a presenting feature of Takayasu's disease: *letter*, **801**
Urrets-Zavalia syndrome following trabeculectomy: *letter*, **338**
Jakobs FM *see* Loeffler KU *et al*
James T *see* Dick AD *et al*
Jay J *see* Booth AP *et al*
Jay JL. Care to share?: *editorial*, **677**
Jean B *see* Schlote T *et al*
Jenkins C *et al*. Histological features of ocular adnexal lymphoma (REAL classification) and their association with patient morbidity and survival, **907**
Jensen HE *see* Reis A *et al*
Jensen PK *see* Cour ML *et al*
Jindal VK *see* Hesse RJ *et al*
Jitskaia L *see* Barry CJ *et al*
Job CK *see* Daniel E *et al*
Jofe M *see* Finger PT *et al*
John ES *see* Daniel E *et al*
John RK *see* Dandona L *et al*
Johnson EM *see* Bowyer JD *et al*
Johnson GJ *see* Faal H *et al*
see Foster PJ *et al*
see Nolan WP *et al*
Jonas JB *see* Iester M *et al*
Jonas JB, Panda-Jonas S. Retinorhexis in macular translocation: *letter*, **1208**
Jonas JB *et al*. Intravitreal injection of crystalline cortisone as adjunctive treatment of proliferative vitreoretinopathy, **1064**
Linear naevus sebaceous syndrome, optic disc staphyloma, and non-rhegmatogenous retinal detachment: *letter*, **119**
Jones D *see* Houston CA *et al*
Jones RE *see* Goldsmith P *et al*
José NK *see* Caldato R *et al*
Joussen AM *et al*. *Corynebacterium macginleyi*: a conjunctiva specific pathogen, **1420**
Joussen F *see* Joussen AM *et al*
Judy KD *see* Hollander DA *et al*
Julia BJ *see* Malecaze FA *et al*

Kadoi C *see* Hayasaka S *et al*
Kaiser HJ *see* Killer HE *et al*
Kaji L *see* Wedner SH *et al*
Kälviäinen R *see* Nousiainen I *et al*
Kamal DS *et al*. Use of sequential Heidelberg retina tomograph images to identify changes at the optic disc in ocular hypertensive patients at risk of developing glaucoma, **993**
Kamath GG. Fish hook injury of the eyelid: an unusual case: *letter*, **441**
Kampik A *see* Arden GB *et al*
see Bechmann M *et al*
see Gandorfer A *et al*
Kanagasingam Y *see* Barry CJ *et al*
Kanai A *see* Akatsu T *et al*
see Hirano K *et al*
Kaneko Y *see* Kurimoto Y *et al*

Kanno M *et al.* Effects of topical nipradilol, a β blocking agent with α blocking and nitroglycerin-like activities, on intraocular pressure and aqueous dynamics in humans, **293**
Kao SCS *see* Liao SL *et al*
Kaplan-Messas A *see* Naveh N *et al*
Karabatzaki M *see* Cahill M *et al*
Kara-José N *see* Matayoshi S *et al*
Karma A *see* Huhtinen M and Karma A
Karwatowski WSS *see* Albon J *et al*
see Albon J *et al*
Kashii S *see* Miyamoto K *et al*
Katlama C *see* Cassoux N *et al*
Kato S *see* Endo K *et al*
Katz R *see* Rock T *et al*
Kaushal S *see* Armbrecht AM *et al*
Kawaguchi K *et al.* Treatment of recurrent giant iris cyst with intracyst administration of mitomycin C: *letter*, **800**
Kawasaki A *see* Biousse V *et al*
Kawasaki S *et al.* Conjunctival inflammation in the chronic phase of Stevens–Johnson syndrome, **1191**
Kawashima H *see* Endo K *et al*
Kaye SB *et al.* Human herpesviruses in the cornea, **563**
Kazim M *et al.* Reversal of dysthyroid optic neuropathy following orbital fat decompression, **600**
Keating D *see* Al-Yousuf N *et al*
Kee C *see* Ahn B-S and Kee C
Kee C, Moon S-H. Effect of cataract extraction and posterior chamber lens implantation on outflow facility and its response to pilocarpine in Korean subjects, **987**
Kellner U *see* Heimann H *et al*
Kemkes-Matthes B *see* Schmidt K-G *et al*
Kennedy RH *see* Shields JA *et al*
Kent D *et al.* Macular oedema: the role of soluble mediators: *perspective*, **542**
Kerkhoff FT, Rothova A. *Bartonella henselae* associated uveitis and HLA-B27, **1125**
Kerner W *see* Zander E *et al*
Kerrison JB *see* Biousse V *et al*
Kerrison JB *et al.* Coffee and doughnut maculopathy: a cause of acute central ring scotomas, **158**
Kestelyn P *see* Meire FM *et al*
Key T *see* Taylor CJ *et al*
Khan JC, Shuttleworth GN. Annular granular corneal opacity: a rare corneal stromal dystrophy or degeneration?: *letter*, **1205**
Khan MD *see* Muzaffar W *et al*
see Muzaffar W *et al*
Khaw PT *see* Kon CH *et al*
see Lehmann OJ *et al*
see Salzmann J *et al*
see Siriwardena D *et al*
see Wilkins MR *et al*
Khong CH *see* Shuttleworth GN *et al*
Kielty CM *see* Ashworth JL *et al*
Kiilgaard JF *see* Cour ML *et al*
Kijlstra A *see* van Beek LM *et al*
see van Beek LM *et al*
Killer HE *et al.* Diplopia, ptosis, and hepatitis as presenting signs and symptoms of giant cell arteritis: *letter*, **1319**
Kilmartin DJ *et al.* Prospective surveillance of sympathetic ophthalmia in the UK and Republic of Ireland, **259**
Sympathetic ophthalmia risk following vitrectomy: should we counsel patients?: *commentary*, **448**
Kim SH *see* Koh HJ *et al*
Kim S-H *see* Lewallen S *et al*
Kim Y-D *see* Woo KI *et al*
Kinds GF *see* van Genderen MM *et al*
Kinoshita S *see* Kawasaki S *et al*
Kinoshita T *see* Kogure S *et al*
Kiritoshi A *see* Akimune C *et al*
Kirwan JF *et al.* Pharmacological mydriasis and optic disc examination, **894**
Kiss B *see* Polak K *et al*
Kitaichi N *et al.* Increase of macrophage migration inhibitory factor in sera of patients with iridocyclitis, **1423**
Klemperer I *see* Lifshitz T *et al*
Kliffen M *et al.* The APO*3-Leiden mouse as an animal model for basal laminar deposit, **1415**
Klink T *et al.* Acute visual loss by an Onodi cell: *letter*, **801**
Kneiff S *see* Heine B *et al*
Knott RM *see* Wileman SM *et al*
Knox PC *see* Weir CR *et al*
Kobayashi H, Kobayashi K. Radiotherapy for subfoveal neovascularisation associated with pathological myopia: a pilot study, **761**
Kobayashi H *et al.* Ultrasound biomicroscopic analysis of pseudophakic pupillary block glaucoma induced by Soemmering's ring, **1142**
Kobayashi K *see* Kobayashi H and Kobayashi K
see Kobayashi H *et al*
Kobayashi S *see* Wax MB *et al*
Koç E *see* Ergenekon E *et al*
Koetter I *see* Stuebiger N *et al*
Kogure S *et al.* Effects of artefacts on scanning laser polarimetry of retinal nerve fibre layer thickness measurement, **1013**
Koh HJ *et al.* Treatment of subhyaloid haemorrhage with intravitreal tissue plasminogen activator and C_3F_8 gas injection: *letter*, **1329**
Kohnert K-D *see* Zander E *et al*
Kohno T *see* Assink JJM *et al*
Koibuchi H *see* Kanno M *et al*
Koller T *et al.* Membrane formation in the chamber angle after failure of argon laser trabeculoplasty: analysis of risk factors, **48**
Kon CH *et al.* Risk factors for proliferative vitreoretinopathy after primary vitrectomy: a prospective study, **506**
Kondo T *see* Miyazawa D and Kondo T
Koniarek JP *see* Yang H *et al*
Kono T *see* Koyama Y *et al*
Kotake S *see* Kitaichi N *et al*
Kotecha A *see* Siriwardena D *et al*
see Wilkins MR *et al*
Koul RL *see* Ganesh A *et al*
Kowa H *see* Kogure S *et al*
Koyama Y *et al.* Five cases of thelaziasis: *letter*, **441**
Kremer I *see* Axer-Siegel R *et al*
Krenzer KL *see* Rocha EM *et al*
Kreutzer B *see* Schmitz K *et al*
Krieglstein GK *see* Dietlein TS *et al*
Kriss A *see* Shawkat FS *et al*
Krist R *see* Schmitz S *et al*
Kristin N *see* Bechmann M *et al*
Kröger RHH, Binder S. Use of paper selectively absorbing long wavelengths to reduce the impact of educational near work on human refractive development, **890**
Krolak-Salmon P *et al.* Anatomy of optic nerve radiations as assessed by static perimetry and MRI after tailored temporal lobectomy, **884**
Krummenauer F *see* Schmitz S *et al*
Kuhn D *see* Glacet-Bernard A *et al*
Kuhn F *see* Morris R *et al*
Kumar S *see* Panda A *et al*
Kumar V *et al.* Idiopathic tractional corectopia: *letter*, **1206**
Kunimoto DY *et al.* Corneal ulceration in the elderly in Hyderabad, south India, **54**
Kupersmith MJ *see* Huna-Baron R *et al*
Kurimoto Y *et al.* Asymmetries of the retinal nerve fibre layer thickness in normal eyes, **469**
Kwan ASL, Rose GE. Lacrimal drainage surgery in Wegener's granulomatosis, **329**
Kwok AKH *see* Lee YW *et al*
Kwok AKH *et al.* Central serous chorioretinopathy complicated by massive bilateral subretinal haemorrhage: *letter*, **936**
Topical analgesia during retinal laser photocoagulation: *letter*, **938**
Kwon OW *see* Koh HJ *et al*
Kyari F *see* Alhassan MB *et al*

La Cour M *et al.* Optic nerve oxygen tension: effects of intraocular pressure and dorzolamide, **1045**

Laeng RH *see* Killer HE *et al*
Lafaut BA *et al.* Clinicopathological correlation in exudative age related macular degeneration: histological differentiation between classic and occult choroidal neovascularisation, **239**
Clinicopathological correlation of deep retinal vascular anomalous complex in age related macular degeneration, **1269**
Lai JSM *et al.* Efficacy and safety of the Ahmed glaucoma valve implant in Chinese eyes with complicated glaucoma, **718**
Lai TYY *see* Kwok AKH *et al*
Lalloo F *see* Heaven CJ *et al*
Lam DSC *see* Kwok AKH *et al*
see Kwok AKH *et al*
see Lai JSM *et al*
see Lee YW *et al*
Lambert TW *see* Ingram RM *et al*
Lamping DL *see* Foss AJE *et al*
Landis T *see* Safran AB *et al*
Lapid-Gortzak R *see* Lifshitz T *et al*
Laqua H *see* Roider J *et al*
Larkin DFP *see* Teichmann KD and Larkin DFP
Larkin DFP, Filipec M. Cell subpopulations in failed human corneal grafts: *letter*, **937**
Larkin G *see* Flaxel CJ *et al*
Lauande-Pimentel R *see* Caldato R *et al*
Lawless MA *see* Domniz Y *et al*
Lawson JMM *see* Pappa A *et al*
Lazar M *see* Alster Y *et al*
Leaver P *see* Flaxel CJ *et al*
Lee H *see* McKibbin M *et al*
Lee H-P *see* Lee S-B *et al*
Lee PS *see* Foster PJ *et al*
Lee S-B *et al.* Eye cancer incidence in Singapore, **767**
Lee SC *see* Koh HJ *et al*
Lee WH, Charles SJ. Acute retinal necrosis following chickenpox in a healthy 4 year old patient: *letter*, **667**

Lee YW *et al.* Prevention of visual field defects after macular hole surgery: *letter*, **1440**
Leese G *see* Ellis JD *et al*
Lehmann OJ *et al.* Investigation of β defensin gene expression in the ocular anterior segment by semiquantitative RT-PCR, **523**
Risk factors for development of post-trabeculectomy endophthalmitis, **1349**
Lehoang P *see* Cassoux N *et al*
Leonardi A *et al.* Anti-inflammatory and antiallergic effects of ketorolac tromethamine in the conjunctival provocation model, **1228**
Leung ATS *see* Lai JSM *et al*
Lewallen S *et al.* Progression of eye disease in "cured" leprosy patients: implications for understanding the pathophysiology of ocular disease and for addressing eyecare needs, **817**
Li X-Y *see* Wang J-Q *et al*
Liao SL *et al.* Results of intraoperative mitomycin C application in dacryocystorhinostomy, **903**
Liau S-B *see* Ma DH-K *et al*
Lichter H *see* Weinberger D *et al*
Lieb W *see* Klink T *et al*
Liebmann JM, Ritch R. Bleb related ocular infection: a feature of the HELP syndrome: *editorial*, **1338**
Lifshitz T *et al.* Vancomycin and ceftazidime incompatibility upon intravitreal injection: *letter*, **117**
Lightman S *see* Bom S *et al*
see Jenkins C *et al*
see Pappa A *et al*
Lightman SL *see* Mulholland B *et al*
Limb GA *see* Salzmann J *et al*
Lin S. Diabetes and primary open angle glaucoma: *editorial*, **1216**
Lin Y *see* Chen J *et al*
Ling R *see* Chang BYP *et al*
Linnell AET *see* Kirwan JF *et al*
Lip PL *see* Kwok AKH *et al*
Lipka AC *see* Finger PT *et al*
Lipkowitz JL *see* Finger PT *et al*
Liu C *see* Sandeman SR *et al*
Liu GT *see* Hollander DA *et al*
Liu YP *see* Tan DTH *et al*
Liu Z *see* Chen J *et al*
Lloyd AW *see* Sandeman SR *et al*
Loeffler KU *et al.* Sclerosing lipid granuloma of the medial canthus 30 years after dacryocystitis: *letter*, **1328**
Loewenstein A *see* Alster Y *et al*
Lois N *see* Wong D and Lois N
Lois N *et al.* Quantitative evaluation of fundus autofluorescence imaged "in vivo" in eyes with retinal disease, **741**
Lorimer B *see* Bawazeer AM *et al*
Lucas S *see* Pecorella I *et al*
Lucas VJ *see* Ifejika CP *et al*
Ludwig K *see* Bechmann M *et al*
Luger TJ *see* Schlager A and Luger TJ
Luke C *see* Dietlein TS *et al*
Lundvall A, Zetterström C. Cataract extraction and intraocular lens implantation in children with uveitis, **791**
Lutgens E *see* Kliffen M *et al*
Luthert P *see* Heyworth P *et al*
see Parmar DN *et al*
see Sillito A and Luthert P
Luthert PJ *see* Sethi CS *et al*
Luxenberger W *see* Muellner K *et al*

Ma DH-K *et al.* Amniotic membrane graft for primary pterygium: comparison with conjunctival autograft and topical mitomycin C treatment, **973**
Maayan A *see* Axer-Siegel R *et al*
MacCann A *see* Mulvihill A *et al*
McCartney ACE *see* Pecorella I *et al*
McCarty CA *see* Dandona L *et al*
see Dandona R *et al*
see McKay R *et al*
McCarty CA *et al.* Epidemiology of pterygium in Victoria, Australia, **289**
McClellan K *see* Domniz Y *et al*
McClure ME *et al.* Macular degeneration: do conventional measurements of impaired visual function equate with visual disability?, **244**
McCormick SA *see* Demirci H *et al*
see Finger PT *et al*
MacDonald TM *see* Ellis JD *et al*
McGhee CNJ *et al.* Laser pointers can cause permanent retinal injury if used inappropriately: *letter*, **229**
McGraw PV *see* van der Pols JC *et al*
McHale E *see* Heaven CJ *et al*
McHugh D *see* Rai P *et al*
McKay R *et al.* Diabetic retinopathy in Victoria, Australia: the Visual Impairment Project, **865**
McKibbin M *et al.* No strong association between alleles of tumour necrosis factor alpha and interleukin-1 receptor antagonist and corneal melting associated with systemic vasculitis, **395**
MacLaren RE *et al.* Fluorescein angiography in altitude retinopathy: *letter*, **339**
McLaughlin-Borlace L *see* Ifejika CP *et al*
McLean WHI *see* Corden LD *et al*
McLeod D *see* Ashworth JL *et al*
McLeod D. Entry site neovascularisation after diabetic vitrectomy: *editorial*, **810**
Foveal translocation for exudative age related macular degeneration: *editorial*, **344**
Machin D *see* Foster PJ *et al*
Madero-García S *see* Mencá-Gutiérrez E *et al*
Madjarov BD, Berger JW. Automated, real time extraction of fundus images from slit lamp fundus biomicroscope video image sequences, **645**
Maeda N *see* Akimune C *et al*
Magnius K *see* Qian W *et al*
Malecaze F *see* Nordmann J-P *et al*
Malecaze FA *et al.* Pain relief with intracameral mepivacaine during phacoemulsification, **171**
Malhotra R, Gregory-Evans K. Management of ocular ischaemic syndrome: *perspective*, **1428**
Malik AM *see* Muzaffar W *et al*
Malla KS *see* Pandey SK *et al*
Ma'luf RN *et al.* Involutional type of entropion in a child with cutis laxa: *letter*, **1432**
Manners R *see* Parkin B and Manners R
Manners RM *see* Shah-Desai SD *et al*
see Zakir R *et al*
Manni G *see* Centofanti M *et al*
Mannor GE *see* Muellner K *et al*
Mansfield DC *see* Bamashmus MA *et al*
Mäntyjärvi M *see* Nousiainen I *et al*
Manuchehri K *et al.* A controlled study of vigabatrin and visual abnormalities, **499**
Mardin CY *see* Iester M *et al*
Margrain TH. Helping blind and partially sighted people to read: the effectiveness of low vision aids, **919**
Markham AF *see* Booth AP *et al*
Marks M *see* Mulholland B *et al*
Marshall J *see* McGhee CNJ *et al*
see Naveh N *et al*
Martin S *see* Richards AJ *et al*
Maseruka H *see* Kaye SB *et al*
Massin P *see* Paques M *et al*
Masu Y *see* Ando A *et al*
Masuda K *see* Kanno M *et al*
Matayoshi S *et al.* Epidermoid carcinoma arising in an ocular leishmania lesion: *letter*, **1331**
Mateo C *see* Cantón A *et al*
Mathen LC *et al.* A large rapidly growing pilomatrixoma on a lower eyelid: *letter*, **1203**
Matheson M *see* Tuft SJ and Matheson M
Matheson MM *see* Lehmann OJ *et al*
Matsuda A *see* Mitamura Y *et al*
Matsuda H *see* Kitaichi N *et al*
Matsumoto M *see* Hayasaka S *et al*
Matsuno K *see* Kurimoto Y *et al*
Matsuo T. Basal nitric oxide production is enhanced by hydraulic pressure in cultured human trabecular cells, **631**
Matsuura N *see* Uchio E *et al*
Mauguiere F *see* Krolak-Salmon P *et al*
Maurino V *see* Lehmann OJ *et al*
Mayer U *see* Jonas JB *et al*
Meacock W *see* Jackson TL *et al*
Meacock WR *et al.* Role of cytokines in the pathogenesis of posterior capsule opacification: *perspective*, **332**
Mearza AA. Late onset lattice dystrophy: *letter*, **938**
Meeteren AYNS *see* Moll AC *et al*
Mehta JS, Adams GGW. Recombinant tissue plasminogen activator following paediatric cataract surgery, **983**
Meire F *see* Assink JJM *et al*
Meire FM *et al.* Use of mitomycin C and r-tPA for the management of conjunctival membrane and cataracts in a child with conjunctivitis lignosa: *letter*, **1204**
Meleady R *see* Cahill M *et al*
Membrey WL *et al.* Comparison of visual field progression in patients with normal pressure glaucoma between eyes with and without visual field loss that threatens fixation, **1154**
Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 1 Intraocular pressure control and complications, **586**
Mencíá-Gutiérrez E *et al.* Sebaceous gland carcinoma of the eyelid and palpebral conjunctiva in a patient with Muir-Torre syndrome: *letter*, **1325**
Merlan JJ *see* Paques M *et al*
Mesa J *see* Cantón A *et al*
Mester V *see* Morris R *et al*
Meyer P *see* Dick AD *et al*
Midena E *et al.* Treatment of conjunctival squamous cell carcinoma with topical 5-fluorouracil, **268**
Miki T *see* Suzuki Y *et al*

Miller D *see* Kunimoto DY *et al*
Minasian MC *et al.* Pain perception with pH buffered peribulbar anaesthesia: a pilot study, **1041**
Minassian A *see* Minassian DC *et al*
see Minassian DC *et al*
Minassian D *see* Siriwardena D *et al*
Minassian DC *see* Faal H *et al*
see Westcott MC *et al*
Minassian DC *et al.* The deficit in cataract surgery in England and Wales and the escalating problem of visual impairment: epidemiological modelling of the population dynamics of cataract, **4**
Utility of predictive equations for estimating the prevalence and incidence of primary open angle glaucoma in the UK, **1159**
Mireskandari K *see* Rai P *et al*
Missotten L *see* El-Asrar AMA *et al*
see El-Asrar AMA *et al*
Miszkiel KA *et al.* Radiological and clinicopathological features of orbital xanthogranuloma, **251**
Mitamura Y *et al.* Macrophage migration inhibitory factor levels in the vitreous of patients with proliferative diabetic retinopathy, **636**
Mitra S *see* Ganesh A *et al*
Miyamoto K *et al.* Serous retinal detachment caused by leukaemic choroidal infiltration during complete remission: *letter*, **1318**
Miyashiro M *see* Uyama M *et al*
Miyazawa D, Kondo T. Free conjunctival autograft harvested from the fornix for repair of leaking blebs: *letter*, **440**
Mizue Y *see* Kitaichi N *et al*
see Mitamura Y *et al*
Mochizuki M *see* Sugita S *et al*
Mohamed AA *see* Faal H *et al*
Mohan V *see* Rema M *et al*
Moll AC *et al.* At what age could screening for familial retinoblastoma be stopped? A register based study 1945–98, **1170**
Monteiro E *see* Santos PS *et al*
Moon S-H *see* Kee C and Moon S-H
Mooney D *see* Cahill M *et al*
Moore A *see* Francis P *et al*
Moore N *see* Wileman SM *et al*
Mooy CM *see* Kliffen M *et al*
Moraes MF *see* Santos PS *et al*
Morgan CH *see* Taylor CJ *et al*
Morgan JE *et al.* Retinal ganglion cell death in experimental glaucoma, **303**
Morgan W *see* Barry CJ *et al*
Mori Y *see* Shirabe H *et al*
Morrell AJ *see* McKibbin M *et al*
Morris AD *see* Ellis JD *et al*
Morris R *et al.* Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole: *letter*, **673**
Moseley H *see* McGhee CNJ *et al*
Moseley I *see* Jenkins C *et al*
Moseley IF *see* Miszkiel KA *et al*
Moster ML *see* Hollander DA *et al*
Motoyama Y *see* Amano S *et al*
Mowatt-Dixon L *see* Kwok AKH *et al*
Muellner K *et al.* Endolacrimal laser assisted lacrimal surgery, **16**
Mulder M *see* van Beek LM *et al*
Mulholland B *et al.* Anterior uveitis and its relation to stress, **1121**
Muller A *et al.* Reassessment of the corneal endothelial cell organisation in children, **692**
Mulvihill A *et al.* Outcome in refractive accommodative esotropia, **746**
Mumford AD *et al.* The lens in hereditary hyperferritinaemia cataract syndrome contains crystalline deposits of L-ferritin, **697**
Mun H-S *see* Norose K *et al*
Mungan N *see* Hesse RJ *et al*
Murdoch IE *see* Jain R *et al*
Murray A *see* Cahill M *et al*
Murray DC *see* Sung VCT *et al*
Murray DC *et al.* Combined central retinal vein occlusion and cilioretinal artery occlusion in a patient on hormone replacement therapy: *letter*, **549**
Muzaffar W *et al.* Mine blast injuries: ocular and social aspects, **626**

Naduvilath TJ *see* Dandona R *et al*
Nagae Y *see* Kawaguchi K *et al*
Nagahara M *et al.* Effects of scleral buckling and encircling procedures on human optic nerve head and retinochoroidal circulation, **31**
Nagai Y *see* Uyama M *et al*
Nagaki Y *see* Hayasaka S *et al*
Nakamura H *see* Harino S *et al*
Nakamura M, Yamamoto M. Variable pattern of visual recovery of Leber's hereditary optic neuropathy, **534**
Nakaya-Onishi M *et al.* Observations on time course changes of the cherry red spot in a patient with Tay-Sachs disease: *letter*, **1320**
Nakayasu K *see* Akatsu T *et al*
Namperumalsamy P *see* Rathinam SR *et al*
see Sahu DK *et al*
Nara D *see* Castells X *et al*
Naumann GOH *see* Velten IM *et al*
see Wenkel H *et al*
Naveh N *et al.* Mechanism related to reduction of intraocular pressure by melanocortins in rabbits, **1411**
Nesburn AB *see* Ghiasi H *et al*
Newman DK. Visual experience during phacoemulsification cataract surgery under topical anaesthesia, **13**
Newman DK, Flanagan DW. Spontaneous closure of a macular hole secondary to an accidental laser injury: *letter*, **1075**
Newman NJ *see* Biousse V *et al*
see Kerrison JB *et al*
Newsham D. Parental non-concordance with occlusion therapy, **957**
Newsom R *see* Rai P *et al*
Newsom RSB, Williamson TH. Globe perforation with frameless spectacles: *letter*, **668**
Newsom RSB *et al.* Screening for CMV retinitis using chromatic discrimination thresholds and achromatic contrast sensitivity, **877**
Ng EWM *et al.* Acute sixth nerve palsy in vitamin A treatment of xerophthalmia: *letter*, **931**
Nguyen T *see* Booth AP *et al*
Nightingale S *see* Manuchehri K *et al*
Nishida K *see* Kawasaki S *et al*
Nishihira J *see* Kitaichi N *et al*
see Mitamura Y *et al*
Nolan WP *et al.* YAG laser iridotomy treatment for primary angle closure in east Asian eyes, **1255**
Nonoyama T *see* Okamoto F *et al*
Nordmann J-P *et al.* Comparison of the intraocular pressure lowering effect of latanoprost and a fixed combination of timolol-pilocarpine eye drops in patients insufficiently controlled with β adrenergic antagonists, **181**
Norose K *et al.* Serum antibodies to HSC71 in Vogt–Koyanagi–Harada disease: *letter*, **1434**
Norton A *see* Jenkins C *et al*
Nousiainen I *et al.* Contrast and glare sensitivity in epilepsy patients treated with vigabatrin or carbamazepine monotherapy compared with healthy volunteers, **622**
Numaga J *see* Endo K *et al*

Obana A *see* Suzuki Y *et al*
Occleston NL *see* Kon CH *et al*
see Wilkins MR *et al*
O'Donnell NP *see* Tripathi A and O'Donnell NP
O'Donoghue EP. A comparison of latanoprost and dorzolamide in patients with glaucoma and ocular hypertension: a 3 month, randomised study , **579**
Oether A, Davis A. Topical steroid use in the treatment of ocular alkali burns: *letter*, **124**
Ohira A *see* Koyama Y *et al*
Ohno S *see* Uchio E *et al*
Ohtsuka K, Hashimoto M. Serum levels of soluble Fas in patients with Graves' ophthalmopathy, **103**
Okada AA *see* Kawaguchi K *et al*
Okada M *see* Akimune C *et al*
Okamoto F *et al.* Refractive changes in diabetic patients during intensive glycaemic control, **1097**
Okamoto N *see* Nakaya-Onishi M *et al*
Okano K *see* Suzuki R *et al*
O'Keefe M *see* Mulvihill A *et al*
Oliveira L *see* Santos PS *et al*
Olson JA *see* Costen MTJ and Olson JA
Olver JM *see* Mathen LC *et al*
Olver JM. Raising the suborbicularis oculi fat (SOOF): its role in chronic facial palsy, **1401**
Ong ELC *see* Goldsmith P *et al*
Ong GL *see* Newsom RSB *et al*
Onoé K *see* Kitaichi N *et al*
Önol M *see* Özdek SC *et al*
Opdenakker G *see* El-Asrar AMA *et al*
Oshika T *see* Amano S *et al*
Oshima Y *see* Harino S *et al*
Oto S *see* Dursun D *et al*
Otuka H *see* Suzuki Y *et al*
Oubraham H *see* Glacet-Bernard A *et al*
Overberg US *see* Hundsdoerfer P *et al*
Özdek SC *et al.* Scanning laser polarimetry in normal subjects and patients with myopia, **264**
Ozemela CP *see* Alhassan MB *et al*
Özgen A *see* Alp MN *et al*
Öztürk G *see* Ergenekon E *et al*
Ozuzu GE *see* Goldsmith P *et al*

Paemen L *see* El-Asrar AMA *et al*
Pahnke J *see* Klink T *et al*
Paiva RS *see* Caldato R *et al*
Panda A *et al.* Decline in eye donation in the UK: *letter*, **805**
Panda-Jonas S *see* Jonas JB and Panda-Jonas S
see Jonas JB *et al*
Pandey SK *et al.* Pupillary abnormality: *letter*, **554**

Pantaleo A *see* Giusti C *et al*
see Giusti C *et al*
Papadopoulou VI, Shah SM. Sustained remission of CMV retinitis in HIV-2 disease: *letter*, **1437**
Pappa A *et al*. T cells and fibroblasts in affected extraocular muscles in early and late thyroid associated ophthalmopathy, **517**
Paques M *et al*. Superselective ophthalmic artery fibrinolytic therapy for the treatment of central retinal vein occlusion, **1387**
Paridaens DA *et al*. Transconjunctival orbital decompression in Graves' ophthalmopathy: lateral wall approach ab interno, **775**
Park IK *see* Choi MY *et al*
Parkin B, Manners R. Aspirin and warfarin therapy in oculoplastic surgery, **1426**
Parks S *see* Al-Yousuf N *et al*
Parmar DN *et al*. Choroidal neovascularisation at a demarcation line: an immunopathological study: *letter*, **928**
Visual prognostic value of the pattern electroretinogram in chiasmal compression, **1024**
Parveen R *see* Stewart HS *et al*
Patricot L-M *see* Chiquet C *et al*
Pavesio C *see* Curi ALL *et al*
see Jain R *et al*
see Ramsay A *et al*
Payen D *see* Paques M *et al*
Pearce IA *et al*. Stabilisation of diabetic retinopathy following simultaneous pancreas and kidney transplant, **736**
Pecorella I *et al*. Postmortem histological survey of the ocular lesions in a British population of AIDS patients, **1275**
Perng G-C *see* Ghiasi H *et al*
Peters TJ *see* Gray SF *et al*
Philipson B *see* Qian W *et al*
Pillai CT *et al*. Evaluation of corneal endothelium and keratic precipitates by specular microscopy in anterior uveitis, **1367**
Pinna A *see* Sharma S *et al*
Pires RTF *see* Chen H-J *et al*
Pitz S *et al*. Orbital lymphangioma: *letter*, **124**
Plebani M *see* Leonardi A *et al*
Plowman N *see* Jenkins C *et al*
Plowman PN *see* Rogers PB *et al*
Poinoosawmy DP *see* Membrey WL *et al*
see Membrey WL *et al*
Polak BCP *see* van Beek LM *et al*
Polak K *see* Findl O *et al*
Polak K *et al*. Evaluation of the Zeiss retinal vessel analyser, **1285**
Polansky J *see* Booth AP *et al*
Pollock SC *see* Kerrison JB *et al*
Polska E *see* Polak K *et al*
Poon ASY *see* Lai JSM *et al*
Pope FM *see* Richards AJ *et al*
Postma G *see* Hardus P *et al*
Pozzo SD *et al*. Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation: *letter*, **1083**
Prentice A *see* van der Pols JC *et al*
Price NJ *see* Sung VCT *et al*
Purslow PP *see* Albon J *et al*
Purvin V *see* Biousse V *et al*

Qian W *et al*. 3 Year simvastatin treatment and lens nuclear back scattering, **512**
Quantock AJ *see* Kawasaki S *et al*
Quigley HA *et al*. Long term results of glaucoma surgery among participants in an east African population survey, **860**

Rai P *et al*. Endophthalmitis following globe perforation with a hypodermic needle: *letter*, **799**
Rainer G *see* Polak K *et al*
Rajesh CV, Cole M. Panuveitis as a presenting feature of giant cell arteritis: *letter*, **340**
Ram J *see* Pandey SK *et al*
Rami B *see* Findl O *et al*
Ramsay A *et al*. Acute retinal necrosis presenting with scleritis and raised intraocular pressure: *letter*, **1203**
Rao GN *see* Dandona L *et al*
see Dandona R *et al*
see Kunimoto DY *et al*
see Sharma S *et al*
Rascol O *see* Malecaze FA *et al*
Rathinam SR *et al*. Spontaneous cataract absorption in patients with leptospiral uveitis, **1135**
Reacher M *see* van der Pols JC *et al*
Reck AC *see* Ahuja RM *et al*
Redmill B *see* Wileman SM *et al*
Reeves BC *see* Harper R *et al*
Refsum H *see* Cahill M *et al*
Reidy A *see* Minassian DC *et al*
see Minassian DC *et al*
Reinach PS *see* Yang H *et al*
Reis A *et al*. Successful treatment of ocular invasive mould infection (fusariosis) with the new antifungal agent voriconazole: *letter*, **932**
Rema M *et al*. Prevalence of retinopathy at diagnosis among type 2 diabetic patients attending a diabetic centre in south India, **1058**
Remé Ch *see* Koller T *et al*
Remé CE *see* Hafezi F *et al*
Remky A *see* Arend O *et al*
see Arend O *et al*
Reuser TQ *see* Brannan S *et al*
Ribó C *see* Castells X *et al*
Richards AJ *et al*. COL2A1 exon 2 mutations: relevance to the Stickler and Wagner syndromes, **364**
Richardson J *see* Goldsmith P *et al*
Ridgway A *see* Brahma A *et al*
Ridgway AE *see* Stewart HS *et al*
Ridgway AEA *see* Biswas S *et al*
Riemslag FCC *see* van Genderen MM *et al*
Ries E *see* Findl O *et al*
Rilliet B *see* Safran AB *et al*
Ripley LG *see* Newsom RSB *et al*
Ritch R *see* Liebmann JM and Ritch R
Rixon KC *see* Mumford AD *et al*
Roberts ADG *see* Ifejika CP *et al*
Roberts EL *see* Saunders RA *et al*
Robinson R *see* Kumar V *et al*
Rocha EM *et al*. Identification of androgen receptor protein and 5α-reductase mRNA in human ocular tissues, **76**
Rochels R *see* Corden LD *et al*
Rock T *et al*. Vitreous basket sign in dislocation of the lens: *letter*, **549**
Roesen B *see* Bechmann M *et al*
Rogers CM *see* Domniz Y *et al*
Rogers PB *et al*. Thyroid eye disease associated with athyria: *letter*, **439**
Roggenkaemper P *see* Loeffler KU *et al*
Rohrbach M *see* Eltzschig H *et al*
Roider J *et al*. Subthreshold (retinal pigment epithelium) photocoagulation in macular diseases: a pilot study, **40**
Ron Y *see* Weinberger D *et al*
Rose GE *see* Jenkins C *et al*
see Kwan ASL and Rose GE
see Miszkiel KA *et al*
see Rogers PB *et al*
see Rosen WJ and Rose GE
Rose K *et al*. Quality of life in myopia, **1031**
Rosen WJ, Rose GE. Intranasal passage of dacryoliths: *letter*, **799**
Rosenbaltt I *see* Axer-Siegel R *et al*
Rosenblat I *see* Weinberger D *et al*
Ross DA *see* Wedner SH *et al*
Rothova A *see* Kerkhoff FT and Rothova A
Rothova A. Ocular involvement in sarcoidosis: *perspective*, **110**
Rouland J-F *see* Nordmann J-P *et al*
Rowley SA *et al*. Sub-Tenon's local anaesthesia: the effect of hyaluronidase, **435**
Roxburgh S. The conundrum of sweet hyperopia: *editorial*, **1088**
Rudolph G *see* Arden GB *et al*
Ruffer M *see* Arend O *et al*
Rummelt V *see* Wenkel H *et al*
Russell A *see* Jain R *et al*
Russell-Eggitt I *see* Shawkat FS *et al*
Rust PF *see* Saunders RA *et al*
Ruta DA *see* Ellis JD *et al*

Saatçi M *see* Uğurbaş SH *et al*
Sabrosa NA *see* Caldato R *et al*
Safran AB *et al*. Perceptual distortion around homonymous scotomas is not restricted to defects located in the right hemifield: *letter*, **803**
Sagawa K *see* Sugita S *et al*
Sahu DK *et al*. Bullous variant of idiopathic central serous chorioretinopathy, **485**
Salzmann J *et al*. Matrix metalloproteinases and their natural inhibitors in fibrovascular membranes of proliferative diabetic retinopathy, **1091**
Sandeman SR *et al*. Novel materials to enhance keratoprosthesis integration, **640**
Santiago PY *see* Paques M *et al*
Santo RM *see* Akatsu T *et al*
Santos PS *et al*. Granulomatous uveitis, CREST syndrome, and primary biliary cirrhosis: *letter*, **548**
Santos-Briz A *see* Mencá-Gutiérrez E *et al*
Sarhan AR *see* Pillai CT *et al*
Sarhan ARS *et al*. Effect of disagreement between refractive, keratometric, and topographic determination of astigmatic axis on suture removal after penetrating keratoplasty, **837**
Sato K *see* Tokuyama T *et al*
Sato M *see* Abe T *et al*
Saunders RA *et al*. Non-ophthalmologist screening for retinopathy of prematurity, **130**
Saw S-M *see* Lee S-B *et al*
Sawa M *see* Harino S *et al*
Schakal AR *see* Hamush NG and Schakal AR
Schalij-Delfos NE *et al*. Long term follow up of premature infants: detection of strabismus, amblyopia, and refractive errors, **963**
Scharfenberg JC *see* Hesse RJ *et al*
Schiaffini R *see* Giusti C *et al*
see Giusti C *et al*
Schilling H *see* Anastassiou G *et al*

Schlager A, Luger TJ. Oxygen application by a nasal probe prevents hypoxia but not rebreathing of carbon dioxide in patients undergoing eye surgery under local anaesthesia, **399**
Schüller H *see* Eter N *et al*
Schlote T *et al*. Pupillary distortion after contact transscleral diode laser cyclophotocoagulation: *letter*, **337**
Transscleral diode laser cyclophotocoagulation for the treatment of refractory glaucoma secondary to inflammatory eye diseases, **999**
Schmetterer L *see* Findl O *et al*
see Polak K *et al*
Schmidt K-G *et al*. Ocular pulse amplitude in diabetes mellitus, **1282**
Schmitz K *et al*. Therapy of subhyaloidal haemorrhage by intravitreal application of rtPA and SF_6 gas: *letter*, **1324**
Schmitz S *et al*. Contrast sensitivity and glare disability by halogen light after monofocal and multifocal lens implantation, **1109**
Schnall B *see* Gündüz K *et al*
Schober E *see* Findl O *et al*
Schroeder TH *see* Eltzschig H *et al*
Schroter S *see* Foss AJE *et al*
Schulte M *see* Hundsdoerfer P *et al*
Schwab IR. From eye spots to eye shine: *editorial*, **1214**
Schwenn O *see* Schmitz S *et al*
Scott JD *see* Richards AJ *et al*
Scott RAH *et al*. Visual and anatomical results of surgery for long standing macular holes, **150**
Scruggs JT *et al*. The teardrop sign: a rare dermatological reaction to brimonidine: *letter*, **671**
Scudder M *see* Quigley HA *et al*
Seah SKL *see* Wong TY *et al*
Seal D *see* Blades KJ *et al*
Secchi AG *see* Leonardi A *et al*
Sechi LA *see* Sharma S *et al*
See L-C *see* Ma DH-K *et al*
Segura RM *see* Cantón A *et al*
Sells RA *see* Pearce IA *et al*
Sethi CS *et al*. Matrix metalloproteinase biology applied to vitreoretinal disorders: *perspective*, **654**
Setton A *see* Huna-Baron R *et al*
Setty R *et al*. Changing thresholds for cataract surgery: *letter*, **1440**
Shah SM *see* Papadopoulou VI and Shah SM
Shah-Desai SD *et al*. Painful blind eye: efficacy of enucleation and evisceration in resolving ocular pain, **437**
Sharma S *see* Kunimoto DY *et al*
Sharma S *et al*. Diagnosis of external ocular infections: microbiological processing and interpretation: *letter*, **229**
Patient characteristics, diagnosis, and treatment of non-contact lens related *Acanthamoeba* keratitis, **1103**
Shawkat FS *et al*. Vertical or asymmetric nystagmus need not imply neurological disease, **175**
Sheidow TG *et al*. Expression of vascular endothelial growth factor in uveal melanoma and its correlation with metastasis, **750**
Shetty NS *see* Kwok AKH *et al*
Shields CL *see* Gündüz K *et al*
see Honavar SG *et al*
see Shields JA *et al*
Shields D *see* Cahill M *et al*
Shields JA *see* Gündüz K *et al*
see Honavar SG *et al*
Shields JA *et al*. Bilateral cavernous haemangiomas of the orbit: *letter*, **928**
Shimazaki J *see* Ishioka M *et al*
Shimazaki J *et al*. Changes in ocular surface caused by antiglaucomatous eyedrops: prospective, randomised study for the comparison of 0.5% timolol *v* 0.12% unoprostone, **1250**
Shimmura S *see* Ishioka M *et al*
see Shimazaki J *et al*
Shimomura Y *see* Akimune C *et al*
Shirabe H *et al*. Early surgery for infantile esotropia, **536**
Shirasu J *see* Uyama M *et al*
Shiwaku K *see* Koyama Y *et al*
Shuttleworth GN *see* Khan JC and Shuttleworth GN
Shuttleworth GN *et al*. A new digital optic disc stereo camera: intraobserver and interobserver repeatability of optic disc measurements, **403**
Sillito A, Luthert P. Norman Henry Ashton cbe, dsc (lond), frcp, frcs, frcpath, frcophth, frs, kstj, *b* 11 September 1913, *d* 4 January 2000, **443**
Silveira LAD *see* Rocha EM *et al*
Simó R *see* Cantón A *et al*
Simmen BC *see* Hafezi F *et al*
Simonsz HJ. Effect of spectacles on changes of spherical hypermetropia in infants: *letter*, **1333**
Sims TJ *see* Albon J *et al*
Sindou M *see* Krolak-Salmon P *et al*
Singbartl F *see* Arden GB *et al*
Singh AD *see* Shields JA *et al*
Siriwardena D *et al*. Anterior chamber flare after trabeculectomy and after phacoemulsification, **1056**
Sirota L *see* Axer-Siegel R *et al*
Siviter L *see* Manuchehri K *et al*
Smith AF, Brown GC. Understanding cost effectiveness: a detailed review: *perspective*, **794**
Smith DR *see* Tan DTH *et al*
Smith JR *et al*. Apoptosis is a prominent feature of acute anterior uveitis in the Fischer 344 rat, **205**
Smith R *see* Heath I *et al*
Smith SI *see* Taylor CJ *et al*
Snape J *see* Waldock A *et al*
Snead MP *see* Richards AJ *et al*
Snieder H *see* Hammond CJ *et al*
Snir M *see* Axer-Siegel R *et al*
Söderberg PG *see* Qian W *et al*
Söderström M *see* Nordmann J-P *et al*
Sofat A *see* Parmar DN *et al*
Sohaib SAA *see* Miszkiel KA *et al*
Solak B *see* Ergenekon E *et al*
Sommer A *see* Ng EWM *et al*
Sone H *see* Okamoto F *et al*
Sotgiu M *see* Sharma S *et al*
Sotozono C *see* Kawasaki S *et al*
Soubrane G *see* Glacet-Bernard A *et al*
Spalton DJ *see* Meacock WR *et al*
Sparrow JM *see* Frost NA and Sparrow JM
see Gray SF *et al*
Spector TD *see* Hammond CJ *et al*
Spencer AF *see* Walland MJ *et al*
Spencer IC *see* Gray SF *et al*
Spitznas M *see* Eter N *et al*
Spry PGD *see* Gray SF *et al*
Srinivasan M *see* Taylor CJ *et al*
see Whitcher JP and Srinivasan M
Standfield SD *see* Smith JR *et al*
Stanford MR *see* Gilbert RE and Stanford MR
see Meacock WR *et al*
Stanga PE *see* Ahuja RM *et al*
Stefánsson E *see* Cour ML *et al*
Stein H *see* Heine B *et al*
Stephenson SF *see* Taylor CJ *et al*
Stevenson MR *see* McClure ME *et al*
Stewart HS *et al*. Late onset lattice corneal dystrophy with systemic familial amyloidosis, amyloidosis V, in an English family, **390**
Stewart OG *see* Churchill AJ *et al*
Stilma JS *see* Hardus P *et al*
Struyf S *see* El-Asrar AMA *et al*
Stuebiger N *et al*. Complete regression of retinal neovascularisation after therapy with interferon alfa in Behçet's disease: *letter*, **1437**
Sturmer J *see* Koller T *et al*
Sueda J *see* Sugita S *et al*
Sugita S *et al*. Soluble Fas ligand and soluble Fas in ocular fluid of patients with uveitis, **1130**
Sullivan BD *see* Rocha EM *et al*
Sullivan DA *see* Rocha EM *et al*
Sundmacher R *see* Reis A *et al*
Sung VCT *et al*. Subhyaloid or subinternal limiting membrane haemorrhage in meningococcal meningitis: *letter*, **1206**
Suresh P *see* Biswas S *et al*
Sutter FKP *et al*. Sickle form macular whitening in a child after viewing a solar eclipse: *letter*, **1433**
Sutton GL *see* Domniz Y *et al*
Suveges I *see* Bereczki A *et al*
Suzuki A *see* Nakaya-Onishi M *et al*
Suzuki R *et al*. Promoter mutations of myocilin gene in Japanese patients with open angle glaucoma including normal tension glaucoma: *letter*, **1078**
Suzuki Y *et al*. Management of orbital lymphangioma using intralesional injection of OK-432, **614**
Swensson B *see* Corden LD *et al*
Swensson O *see* Corden LD *et al*

Tabbara KF *et al*. Extended wear contact lens related bacterial keratitis, **327**
Tagawa Y *see* Mitamura Y *et al*
Taguchi C *see* Sugita S *et al*
Takahashi A *see* Uyama M *et al*
Takahashi K *see* Uyama M *et al*
Takase H *see* Sugita S *et al*
Takei LM *see* Matayoshi S *et al*
Takeuchi M *see* Uyama M *et al*
Takeuchi S *see* Mitamura Y *et al*
see Uchio E *et al*
Talks SJ *see* MacLaren RE *et al*
Tamai M *see* Abe T *et al*
Tamaki Y *see* Nagahara M *et al*
Tan D. Who's afraid of prevention of blindness?: *editorial*, **943**
Tan DTH *see* Alsagoff Z *et al*
see Ti SE *et al*
Tan DTH *et al*. Apoptosis and apoptosis related gene expression in normal conjunctiva and pterygium, **212**
Tan J *see* Tanner V *et al*
Tang WY *see* Tan DTH *et al*
Tanner V *et al*. Acute posterior vitreous detachment: the predictive value of vitreous pigment and symptomatology, **1264**

Tano Y *see* Akimune C *et al*
see Kawaguchi K *et al*
Tassignon MJ *see* van Tenten Y *et al*
Tawil AN *see* Ma'luf RN *et al*
Taylor CJ *et al.* HLA and Mooren's ulceration, **72**
Taylor D *see* Cassidy L *et al*
see Shawkat FS *et al*
Taylor DM *see* Tullo AB *et al*
Taylor HR *see* Gangopadhyay N *et al*
see McCarty CA *et al*
see McKay R *et al*
Taylor HR. Cataract: how much surgery do we have to do?: *editorial*, **1**
Teichmann KD, Larkin DFP. Randomised controlled trial of corticosteroid regimens in endothelial corneal allograft rejection: *letter*, **1083**
Teixidó A *see* Castells X *et al*
Tezel G *see* Wax MB *et al*
Thakur SKD *see* Panda A *et al*
Tham CCY *see* Lai JSM *et al*
Thiel HJ *see* Corden LD *et al*
Thiel H-J *see* Schlote T *et al*
Thiel MJ *see* Bechmann M *et al*
see Bechmann M *et al*
Thomas RM *see* Watts P *et al*
Thompson D *see* Shawkat FS *et al*
Thompson JR *see* van der Pols JC *et al*
Ti SE *et al.* Analysis of variation in success rates in conjunctival autografting for primary and recurrent pterygium, **385**
Tiliket C *see* Krolak-Salmon P *et al*
Tintelnot K *see* Reis A *et al*
Toda I *see* Rocha EM *et al*
Tokuyama T *et al.* Effects of haemodialysis on diabetic macular leakage, **1397**
Tomlinson A *see* Blades KJ *et al*
Tong L *see* Ang A *et al*
Toprak AB, Yilmaz ÖF. Relation of optic disc topography and age to thickness of retinal nerve fibre layer as measured using scanning laser polarimetry, in normal subjects, **473**
Toth J *see* Bereczki A *et al*
Treffers WF *see* Schalij-Delfos NE *et al*
see van Gelderen BE *et al*
Tripathi A, O'Donnell NP. Branch retinal artery occlusion; another complication of sildenafil: *letter*, **934**
Trokel SL *see* Kazim M *et al*
Tromans C *see* Rose K *et al*
Tsai RJ-F *see* Ma DH-K *et al*
Tseng JHS *see* Liao SL *et al*
Tseng SCG *see* Chen H-J *et al*
Tsubota K *see* Ishioka M *et al*
see Shimazaki J *et al*
Tsukahara S *see* Kogure S *et al*
Tufail A *et al.* Increased polymorphonuclear leucocyte rigidity in HIV infected individuals, **727**
Tuft SJ *see* Westcott MC *et al*
Tuft SJ, Matheson M. In vitro antibiotic resistance in bacterial keratitis in London, **687**
Tullo A *see* Brahma A *et al*
see Kaye SB *et al*
see Rose K *et al*
Tullo AB *see* Biswas S *et al*
Tullo AB *et al.* Advancing microsurgical instrumentation into the 21st century: *letter*, **936**
Tungpakorn NC *see* Lewallen S *et al*
Tyers AG *see* Shah-Desai SD *et al*

Uchida H *see* Morgan JE *et al*
Uchio E *et al.* Clinical and epidemiological features of acute follicular conjunctivitis with special reference to that caused by herpes simplex virus type 1, **968**
Ueda M *see* Ando A *et al*
Ueland P *see* Cahill M *et al*
Uğurbaş SH *et al.* Otolaryngological findings in congenital nasolacrimal duct obstruction and implications for prognosis, **917**
Ulbig M *see* Gandorfer A *et al*
UK and Ireland Latanoprost Study Group *see* O'Donoghue EP
Ulbig MW *see* Bechmann M *et al*
see Bechmann M *et al*
Ullrich S *see* Bechmann M *et al*
Umihira J *see* Kurimoto Y *et al*
Uranchimeg D *see* Foster PJ *et al*
see Nolan WP *et al*
Uyama M *see* Ando A *et al*
Uyama M *et al.* The second eye of Japanese patients with unilateral exudative age related macular degeneration, **1018**

Vafidis G *see* Minassian DC *et al*
Valenti M *see* Midena E *et al*
Vallée JN *see* Paques M *et al*
van Beek LM *et al.* Incidence of ocular side effects of topical β blockers in the Netherlands, **856**
Topical ophthalmic β blockers may cause release of histamine through cytotoxic effects on inflammatory cells, **1004**
van Damme J *see* El-Asrar AMA *et al*
van den Biesen PR *et al.* Endoillumination during vitrectomy and phototoxicity thresholds, **1372**
van den Bosch WA *see* Paridaens DA *et al*
van der Gaag R *see* van Gelderen BE *et al*
van der Lelij A *see* van Gelderen BE *et al*
van der Pols JC *et al.* Visual acuity measurements in a national sample of British elderly people, **165**
van Gelderen BE *et al.* Detection of herpes simplex virus type 1, 2 and varicella zoster virus DNA in recipient corneal buttons, **1238**
van Genderen MM *et al.* Ocular features in Rubinstein-Taybi syndrome: investigation of 24 patients and review of the literature, **1177**
van Haeringen NJ *see* van Beek LM *et al*
see van Beek LM *et al*
van Norren D *see* van den Biesen PR *et al*
van Tenten Y *et al.* Quantitative measurement of the PCCC area in the postoperative period, **1117**
van Veelen CWM *see* Hardus P *et al*
van Weelden H *see* van den Biesen PR *et al*
Velten IM *et al.* Unilateral arcus lipoides corneae with contralateral Sturge–Weber syndrome: *letter*, **1433**
Venugopalan P *see* Ganesh A *et al*
Verdaasdonk RM *see* van den Biesen PR *et al*
Verduin WM *see* Hardus P *et al*
Verhoeff K *see* Paridaens DA *et al*
Vernon SA *see* Ang A *et al*
see Walland MJ *et al*
Vetrugno M *et al.* Anterior chamber depth measured by two methods in myopic and hyperopic phakic IOL implant, **1113**
Veys P *see* Cassidy L *et al*
Vighetto A *see* Krolak-Salmon P *et al*
Vij O *see* Heimann H *et al*
Vine AK *see* Glacet-Bernard A *et al*
Vingerling JR *see* Ahuja RM *et al*
Vingolo EM *see* Giusti C *et al*
see Giusti C *et al*
Vinores SA *see* Kent D *et al*
Vize CJ *see* Churchill AJ *et al*
Volpe NJ *see* Hollander DA *et al*
von Powers B *see* Saunders RA *et al*
von Rückmann A *see* Schmidt K-G *et al*

Waldmann H *see* Dick AD *et al*
Waldock A *see* Tullo AB *et al*
Waldock A, Cook SD. Corneal transplantation: how successful are we?: *commentary*, **813**
Waldock A *et al.* Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, **710**
Walker JT *see* Ifejika CP *et al*
Walland MJ *et al.* "Cyclodiode": *letter*, **554**
Wang J-Q *et al.* Influence of some operational variables on the radial keratotomy operation, **651**
Wang Z *see* Chen J *et al*
see Yang H *et al*
Wannke B *see* Corden LD *et al*
Watanabe H *see* Akimune C *et al*
Watanabe T *see* Sugita S *et al*
Waterman C *see* Rose K *et al*
Waters L *see* Wilkins MR *et al*
Watson PG *see* Taylor CJ *et al*
Watt NA *see* Wolffsohn JS *et al*
Watt PJ *see* Lehmann OJ *et al*
Watts P *et al.* Intraventricular haemorrhage and stage 3 retinopathy of prematurity, **596**
Wax MB *et al.* Responses of different cell lines from ocular tissues to elevated hydrostatic pressure, **423**
Webber SK *see* Domniz Y *et al*
Webster L *see* Salzmann J *et al*
Wechsler SL *see* Ghiasi H *et al*
Wedner SH *et al.* Prevalence of eye diseases in primary school children in a rural area of Tanzania, **1291**
Wedrich A *see* Findl O *et al*
Wegener A *see* Eter N *et al*
Weih L *see* Gangopadhyay N *et al*
Weinberger AA *see* Pozzo SD *et al*
Weinberger D *see* Axer-Siegel R *et al*
Weinberger D *et al.* Analgesic effect of topical sodium diclofenac 0.1% drops during retinal laser photocoagulation, **135**
Weir CR *see* Houston CA *et al*
Weir CR *et al.* Does extraocular muscle proprioception influence oculomotor control?: *perspective*, **1071**
Wells AP *see* Araujo AAQ *et al*
Wenkel H *et al.* Long term results after autologous nasal mucosal transplantation in severe mucus deficiency syndromes, **279**
Wenzel A *see* Hafezi F *et al*
Werner K *see* Cassidy L *et al*
Werner L *see* Pandey SK *et al*
West JF *see* Scott RAH *et al*

West JF, Gregor ZJ. Fibrovascular ingrowth and recurrent haemorrhage following diabetic vitrectomy, **822**
West SK *see* Quigley HA *et al*
Westcott MC *et al.* Effect of age on visual outcome following cataract extraction, **1380**
Whitcher JP, Srinivasan M. Leprosy—a new look at an old disease: *editorial*, **809**
Whiteside-Michel J *see* Scruggs JT *et al*
Wickham LA *see* Rocha EM *et al*
Wiencke AK *see* Cour ML *et al*
Wileman SM *et al.* Regulation of plasminogen activation by TGF-β in cultured human retinal endothelial cells, **417**
Wilkins MR *et al.* Sponge delivery variables and tissue levels of 5-fluorouracil, **92**
Williams KA *see* Smith JR *et al*
Williamson TH *see* Newsom RSB and Williamson TH
see Tanner V *et al*
Wilson RS *see* Dhar-Munshi S *et al*
Wing SJ *see* Smith JR *et al*
Wirbelauer C *see* Roider J *et al*
Witherspoon CD *see* Morris R *et al*
Wolf G *see* Muellner K *et al*
Wolf JE *see* Arden GB *et al*
Wolf S *see* Pozzo SD *et al*
Wolffsohn JS *et al.* Implementation methods for vision related quality of life questionnaires, **1035**
Wolzt M *see* Findl O *et al*
Wong D *see* Pearce IA *et al*
Wong D, Lois N. Foveal relocation by redistribution of the neurosensory retina, **352**
Wong D *et al.* Foveal translocation with secondary confluent laser for subfoveal CNV in AMD: 12 month follow up: *letter*, **670**
Wong TH *see* Kwok AKH *et al*
Wong TY. Cataract surgery in patients with cataract and age related macular degeneration: do the benefits outweigh the risks?: *editorial*, **1337**
Wong TY *et al.* Rates of hospital admissions for primary angle closure glaucoma among Chinese, Malays, and Indians in Singapore, **990**
Woo KI *et al.* Surgical correction for lower lid epiblepharon in Asians, **1407**
Wormald R *see* Lehmann OJ *et al*
Wright JE *see* Jenkins C *et al*
Wright L *see* Müller A *et al*
Wuyts FL *see* van Tenten Y *et al*

Xie H *see* Chen J *et al*

Yagi Y *see* Shimazaki J *et al*
Yamada E *see* Uyama M *et al*
Yamagami J *see* Ishioka M *et al*
see Shimazaki J *et al*
Yamamoto M *see* Nakamura M and Yamamoto M
see Shirabe H *et al*
Yamamoto S *see* Akimune C *et al*
see Kawaguchi K *et al*
Yang B *see* Chen J *et al*
Yang H *et al.* Fluid transport by cultured corneal epithelial cell layers, **199**
Yano A *see* Norose K *et al*
Yaşar Ü *see* Çekiç O *et al*
Yassur Y *see* Weinberger D *et al*
Yates JRW *see* Richards AJ *et al*
Yi K *see* Woo KI *et al*
Yilmaz ÖF *see* Toprak AB and Yilmaz ÖF
Yoneyama T *see* Koyama Y *et al*
Yoshimura N *see* Kurimoto Y *et al*
Youle M *see* Jackson TL *et al*
Young J *see* Sheidow TG *et al*
Young S *see* Bom S *et al*
Yu F-S *see* Rocha EM *et al*
Yu YS *see* Choi MY *et al*

Zakir R *et al.* Idiopathic sclerosing inflammation of the orbit: a new finding of calcification: *letter*, **1322**
Zamir E *see* Chowers I *et al*
Zander E *et al.* Maculopathy in patients with diabetes mellitus type 1 and type 2: associations with risk factors, **871**
Zanetti S *see* Sharma S *et al*
Zeng Y-J *see* Wang J-Q *et al*
Zetterström C *see* Lundvall A and Zetterström C
Zierhut M *see* Schlote T *et al*
see Stuebiger N *et al*
Zilelioğlu O *see* Çekiç O *et al*
Zilelioğlu G *see* Uğurbaş SH *et al*

VOLUME 84 • SUBJECT INDEX

Acanthamoeba keratitis, *Acanthamoeba* keratitis occurring with daily disposable contact lens wear: *letter*, **805**
Patient characteristics, diagnosis, and treatment of non-contact lens related *Acanthamoeba* keratitis, **1103**

accidents, Spontaneous closure of a macular hole secondary to an accidental laser injury: *letter*, **1075**

accommodative convergence: accommodation ratio, An unusual cause of asthenopia: "pseudo-accommodative insufficiency" associated with a high AC:A ratio: *letter*, **1438**

achromatic contrast sensitivity, Screening for CMV retinitis using chromatic discrimination thresholds and achromatic contrast sensitivity, **877**

acute anterior uveitis, Anterior uveitis and its relation to stress, **1121**
Bartonella henselae associated uveitis and HLA-B27, **1125**

acute myeloid leukaemia, Sudden bilateral visual loss in acute myeloid leukaemia: *letter*, **1318**

acute retinal necrosis, Acute retinal necrosis presenting with scleritis and raised intraocular pressure: *letter*, **1208**
Variable R1 region in varicella zoster virus in fulminant type of acute retinal necrosis syndrome, **193**

acute zonal occult outer retinopathy, Acute zonal occult outer retinopathy : *letter*, **118**

adenylyl cyclase, Responses of different cell lines from ocular tissues to elevated hydrostatic pressure, **423**

adhesion, Novel materials to enhance keratoprosthesis integration, **640**

adverse drug reactions, A systematic review of drug induced ocular reactions in diabetes, **144**

Africa, Long term results of glaucoma surgery among participants in an east African population survey, **860**

age, At what age could screening for familial retinoblastoma be stopped? A register based study 1945–98, **1170**
Effect of age on visual outcome following cataract extraction, **1380**
Scanning laser polarimetry in normal subjects and patients with myopia, **264**

age related macular degeneration, Age related macular degeneration: could we improve the services we offer?: *editorial*, **945**
Amblyopia: is visual loss permanent?, **952**
Cataract surgery in patients with cataract and age related macular degeneration: do the benefits outweigh the risks?: *editorial*, **1337**
Clinicopathological correlation in exudative age related macular degeneration: histological differentiation between classic and occult choroidal neovascularisation, **239**
Clinicopathological correlation of deep retinal vascular anomalous complex in age related macular degeneration, **1269**
Foveal translocation for exudative age related macular degeneration: *editorial*, **344**
Foveal translocation with secondary confluent laser for subfoveal CNV in AMD: 12 month follow up: *letter*, **670**
Is cataract surgery justified in patients with age related macular degeneration? A visual function and quality of life assessment, **1343**
Radiotherapy for age related macular degeneration causes transient lens transparency changes, **757**
The APO*E3-Leiden mouse as an animal model for basal laminar deposit, **1415**
The second eye of Japanese patients with unilateral exudative age related macular degeneration, **1018**

age related macular disease, Age related macular disease: *letter*, **1083**

ageing, Age related changes in the non-collagenous components of the extracellular matrix of the human lamina cribrosa, **311**
Age related compliance of the lamina cribrosa in human eyes, **318**

Aicardi syndrome, The full spectrum of persistent fetal vasculature in Aicardi syndrome: an integrated interpretation of ocular malformations: *letter*, **227**

AIDS, Postmortem histological survey of the ocular lesions in a British population of AIDS patients, **1275**

alcohol, Effect of alcohol and light on the retinal pigment epithelium of normal subjects and patients with retinal dystrophies, **881**

allergic conjunctivitis, Anti-inflammatory and antiallergic effects of ketorolac tromethamine in the conjunctival provocation model, **1228**

allergy, Chemokines in the limbal form of vernal keratoconjunctivitis, **1360**

altitude retinopathy, Fluorescein angiography in altitude retinopathy: *letter*, **339**

amblyopia, Amblyopia: *editorial*, **944**
Amblyopia: is visual loss permanent?, **952**
Parental non-concordance with occlusion therapy, **957**

amniotic membrane, Amniotic membrane graft for primary pterygium: comparison with conjunctival autograft and topical mitomycin C treatment, **973**
Amniotic membrane transplantation for severe neurotrophic corneal ulcers, **826**

amyloidosis V, Late onset lattice corneal dystrophy with systemic familial amyloidosis, amyloidosis V, in an English family, **390**

anaesthesia, Visual experience during phacoemulsification cataract surgery under topical anaesthesia, **13**

analgesic effect, Analgesic effect of topical sodium diclofenac 0.1% drops during retinal laser photocoagulation, **135**

androgen, Identification of androgen receptor protein and 5α-reductase mRNA in human ocular tissues, **76**

angiogenesis, Expression of vascular endothelial growth factor in uveal melanoma and its correlation with metastasis, **750**

angioid streaks, Retinal telangiectasis and angioid streaks: *letter*, **1327**

animal model, The APOE3-Leiden mouse as an animal model for basal laminar deposit, **1415**

animal models, Molecular ophthalmology: an update on animal models for retinal degenerations and dystrophies: *perspective*, **922**

annular granular corneal opacity, Annular granular corneal opacity: a rare corneal stromal dystrophy or degeneration?: *letter*, **1205**

anterior chamber depth, Anterior chamber depth measured by two methods in myopic and hyperopic phakic IOL implant, **1113**

anterior uveitis, Evaluation of corneal endothelium and keratic precipitates by specular microscopy in anterior uveitis, **1367**

antibiotic resistance, In vitro antibiotic resistance in bacterial keratitis in London, **687**

antibiotics, Fluoroquinolone and fortified antibiotics for treating bacterial corneal ulcers, **378**
Corynebacterium macginleyi: a conjunctiva specific pathogen, **1420**

antiepileptic drugs, Contrast and glare sensitivity in epilepsy patients treated with vigabatrin or carbamazepine monotherapy compared with healthy volunteers, **622**

antifungal agents, Successful treatment of ocular invasive mould infection (fusariosis) with the new antifungal agent voriconazole: *letter*, **932**

antiphospholipid syndrome, Central serous chorioretinopathy may be a manifestation of the primary antiphospholipid syndrome: *letter*, **667**
Choroidal neovascular membrane presenting as a complication of pre-eclampsia in a patient with the antiphospholipid syndrome: *letter*, **1080**

antiproliferative agent, Risk factors for development of post-trabeculectomy endophthalmitis, **1349**

anxiety, Anterior uveitis and its relation to stress, **1121**

apical radius, Corneal topography by keratometry, **842**

apolipoprotein A-1, Effects of homozygous apolipoprotein A-1 deficiency on the cornea: *letter*, **1321**

apolipoprotein E, The APO*E3-Leiden mouse as an animal model for basal laminar deposit, **1415**

apoptosis, Apoptosis and apoptosis related gene expression in normal conjunctiva and pterygium, **212**
Apoptosis is a prominent feature of acute anterior uveitis in the Fischer 344 rat, **205**

aqueous flow rate, Effects of topical nipradilol, a β blocking agent with α blocking and nitroglycerin-like activities, on intraocular pressure and aqueous dynamics in humans, **293**

arcus lipoides corneae, Unilateral arcus lipoides corneae with contralateral Sturge–Weber syndrome: *letter*, **1433**

argon laser trabeculoplasty, Membrane formation in the chamber angle after failure of argon laser trabeculoplasty: analysis of risk factors, **48**
Membrane formation in the chamber angle after failure of argon laser trabeculoplasty: *letter*, **673**

arteriovenous malformation, Spontaneous arteriovenous malformation of the orbit: *letter*, **802**

Asians, Detection of gonioscopically occludable angles and primary angle closure glaucoma by estimation of limbal chamber depth in Asians: modified grading scheme, **186**
Surgical correction for lower lid epiblepharon in Asians, **1407**

asphericity, Corneal topography by keratometry, **842**

aspirin, Aspirin and warfarin therapy in oculoplastic surgery, **1426**

asthenopia, An unusual cause of asthenopia: "pseudo-accommodative insufficiency" associated with a high AC:A ratio: *letter*, **1438**

astigmatism, Effect of disagreement between refractive, keratometric, and topographic determination of astigmatic axis on suture removal after penetrating keratoplasty, **837**

astrocytes, Responses of different cell lines from ocular tissues to elevated hydrostatic pressure, **423**

asymmetric nystagmus, Vertical or asymmetric nystagmus need not imply neurological disease, **175**

asymmetry, Asymmetries of the retinal nerve fibre layer thickness in normal eyes, **469**

athyria, Thyroid eye disease associated with athyria: *letter*, **439**

atopy, Atopy and keratoconus: a multivariate analysis, **834**

autofluorescence, Quantitative evaluation of fundus autofluorescence imaged "in vivo" in eyes with retinal disease, **741**
autoimmunity, T cells and fibroblasts in affected extraocular muscles in early and late thyroid associated ophthalmopathy, **517**
autologous limbal transplantation, Autologous limbal transplantation in patients with unilateral corneal stem cell deficiency, **273**
automated static perimetry, Anatomy of optic nerve radiations as assessed by static perimetry and MRI after tailored temporal lobectomy, **884**
autosomal dominant inheritance pattern, Report of a family with dominantly inherited upper lid entropion, **1303**

back scattered light, 3 Year simvastatin treatment and lens nuclear back scattering, **512**
bacterial conjunctivitis, *Corynebacterium macginleyi:* a conjunctiva specific pathogen, **1420**
bacterial endophthalmitis, Bilateral endogenous bacterial endophthalmitis associated with pyogenic hepatic abscess: *letter,* **1436**
bacterial keratitis, Extended wear contact lens related bacterial keratitis, **327**
In vitro antibiotic resistance in bacterial keratitis in London, **687**
Bartonella henselae, *Bartonella henselae* associated uveitis and HLA-B27, **1125**
Behçet's disease, Complete regression of retinal neovascularisation after therapy with interferon alfa in Behçet's disease: *letter,* **1437**
Best's vitelliform macular dystrophy, Blunt trauma in Best's vitelliform macular dystrophy: *letter,* **1330**
βig-h3 gene, Corneal amyloidosis caused by Leu518Pro mutation of βig-h3 gene, **583**
β irradiation, Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery, **618**
bilateral optic disc oedema, Bilateral optic disc oedema associated with latanoprost: *letter,* **673**
bilateral visual loss, Sudden bilateral visual loss in acute myeloid leukaemia: *letter,* **1318**
binocular function, Early surgery for infantile esotropia, **536**
birefringence, Effects of artefacts on scanning laser polarimetry of retinal nerve fibre layer thickness measurement, **1013**
BJO, Change at the *BJO*: *editorial,* **559**
The continuing need to publish laboratory science in clinical journals: *editorial,* **1213**
blast injuries, Mine blast injuries: ocular and social aspects, **626**
blebitis, Bleb related ocular infection: a feature of the HELP syndrome: *editorial,* **1338**
Risk factors for development of post-trabeculectomy endophthalmitis, **1349**
blebs, Free conjunctival autograft harvested from the fornix for repair of leaking blebs: *letter,* **440**
blind people, Helping blind and partially sighted people to read: the effectiveness of low vision aids, **919**
blindness, Evaluation of a national eye care programme: re-survey after 10 years, **948**
Who's afraid of prevention of blindness?: *editorial,* **943**
β blockers, Changes in ocular surface caused by antiglaucomatous eyedrops: prospective, randomised study for the comparison of 0.5% timolol *v* 0.12% unoprostone, **1250**
Incidence of ocular side effects of topical β blockers in the Netherlands, **856**
Topical ophthalmic β blockers may cause release of histamine through cytotoxic effects on inflammatory cells, **1004**
bone decompression, Reversal of dysthyroid optic neuropathy following orbital fat decompression, **600**
brainstem, Abnormal vertical optokinetic nystagmus in infants and children, **451**
branch retinal artery occlusion, Branch retinal artery occlusion; another complication of sildenafil: *letter,* **934**
brimonidine, The teardrop sign: a rare dermatological reaction to brimonidine: *letter,* **671**
Bristol, The Bristol shared care glaucoma study: outcome at follow up at 2 years, **456**
Bristol shared care glaucoma study, Care to share?: *editorial,* **677**
Britain, Visual acuity measurements in a national sample of British elderly people, **165**
Bruch's membrane, Histological examination of the pigment epithelium-Bruch membrane-choriocapillaris complex after macular translocation: *letter,* **550**
buffering, Pain perception with pH buffered peribulbar anaesthesia: a pilot study, **1041**
bullous exudative retinal detachment, Bullous variant of idiopathic central serous chorioretinopathy, **485**

calcification, Idiopathic sclerosing inflammation of the orbit: a new finding of calcification: *letter,* **1322**
cAMP, Mechanism related to reduction of intraocular pressure by melanocortins in rabbits, **1411**
Campath-1H, Campath-1H therapy in refractory ocular inflammatory disease, **107**
cancer, Unusual presentation of diffuse melanoma of the iris: *letter,* **1076**
capillary blood flow, Increased polymorphonuclear leucocyte rigidity in HIV infected individuals, **727**
capillary density, Macular circulation in patients with diabetes mellitus with and without arterial hypertension, **1392**
capillary haemangioma, Acquired capillary haemangioma of the eyelid in an adult treated with cutting diathermy: *letter,* **1322**
carbon dioxide accumulation, Oxygen application by a nasal probe prevents hypoxia but not rebreathing of carbon dioxide in patients undergoing eye surgery under local anaesthesia, **399**
carotid artery stenosis, Management of ocular ischaemic syndrome: *perspective,* **1428**
cataract, Audit of outcome of an extracapsular cataract extraction and posterior chamber intraocular lens training course, **848**
Congenital progressive polymorphic cataract caused by a mutation in the major intrinsic protein of the lens, MIP (AQP0), **1376**
Long term results of glaucoma surgery among participants in an east African population survey, **860**
Ocular changes in heredo-oto-ophthalmo-encephalopathy, **1298**
Progression of eye disease in "cured" leprosy patients: implications for understanding the pathophysiology of ocular disease and for addressing eyecare needs, **817**
Recombinant tissue plasminogen activator following paediatric cataract surgery, **983**
Tumour location affects the incidence of cataract and retinopathy after ophthalmic plaque radiation therapy, **1068**
Use of mitomycin C and r-tPA for the management of conjunctival membrane and cataracts in a child with conjunctivitis lignosa: *letter,* **1204**
cataract absorption, Spontaneous cataract absorption in patients with leptospiral uveitis, **1135**
cataract extraction, Effect of cataract extraction and posterior chamber lens implantation on outflow facility and its response to pilocarpine in Korean subjects, **987**
cataract surgery, Anterior chamber flare after trabeculectomy and after phacoemulsification, **1056**
Cataract extraction and intraocular lens implantation in children with uveitis, **791**
Cataract: how much surgery do we have to do?: *editorial,* **1**
Cataract surgery in patients with cataract and age related macular degeneration: do the benefits outweigh the risks?: *editorial,* **1337**
Changing thresholds for cataract surgery: *letter,* **1440**
Effect of age on visual outcome following cataract extraction, **1380**
Factors associated with second eye cataract surgery, **9**
Is cataract surgery justified in patients with age related macular degeneration? A visual function and quality of life assessment, **1343**
The deficit in cataract surgery in England and Wales and the escalating problem of visual impairment: epidemiological modelling of the population dynamics of cataract, **4**
Use of vision tests in clinical decision making about cataract surgery: results of a national survey, **432**
What factors influence cataract waiting list time?, **429**
cavernous haemangiomas, Bilateral cavernous haemangiomas of the orbit: *letter,* **928**
CD4+ T cell, T cells and fibroblasts in affected extraocular muscles in early and late thyroid associated ophthalmopathy, **517**
ceftazidime, Vancomycin and ceftazidime incompatibility upon intravitreal injection: *letter,* **117**
cell culture, Basal nitric oxide production is enhanced by hydraulic pressure in cultured human trabecular cells, **631**
cell signalling, Fluid transport by cultured corneal epithelial cell layers, **199**
cell subpopulations, Cell subpopulations in failed human corneal grafts: *letter,* **937**
cellular proliferation, Effects of proton beam irradiation on uveal melanomas: a comparative study of Ki-67 expression in irradiated versus non-irradiated melanomas, **98**
central retinal artery occlusion, Local intra-arterial fibrinolysis for acute occlusion of the central retinal artery: a meta-analysis of the published data, **914**
central retinal vein occlusion, Combined central retinal vein occlusion and cilioretinal artery occlusion in a patient on hormone replacement therapy: *letter,* **549**
Superselective ophthalmic artery fibrinolytic therapy for the treatment of central retinal vein occlusion, **1387**
Treatment of recent onset central retinal vein occlusion with intravitreal tissue plasminogen activator: a pilot study, **609**
central serous chorioretinopathy, Bullous variant of idiopathic central serous chorioretinopathy, **485**
Central serous chorioretinopathy complicated by massive bilateral subretinal haemorrhage: *letter,* **936**
Central serous chorioretinopathy may be a manifestation of the primary antiphospholipid syndrome: *letter,* **667**
central serous retinopathy, Subthreshold (retinal pigment epithelium) photocoagulation in macular diseases: a pilot study, **40**
cerebellum, Abnormal vertical optokinetic nystagmus in infants and children, **451**
chalazion, A prospective study of cost, patient satisfaction, and outcome of treatment of chalazion by medical and nursing staff, **782**
chamber angle, Membrane formation in the chamber angle after failure of argon laser trabeculoplasty: analysis of risk factors, **48**

Membrane formation in the chamber angle after failure of argon laser trabeculoplasty: *letter*, **673**
chemical injury, Transscleral diode laser cyclophotocoagulation for the treatment of refractory glaucoma secondary to inflammatory eye diseases, **999**
chemokines, Chemokines in the limbal form of vernal keratoconjunctivitis, **1360**
cherry red spot, Observations on time course changes of the cherry red spot in a patient with Tay-Sachs disease: *letter*, **1320**
chickenpox, Acute retinal necrosis following chickenpox in a healthy 4 year old patient: *letter*, **667**
child, Involutional type of entropion in a child with cutis laxa: *letter*, **1432**
Sickle form macular whitening in a child after viewing a solar eclipse: *letter*, **1433**
children, Acute retinal necrosis following chickenpox in a healthy 4 year old patient: *letter*, **667**
Long term follow up of premature infants: detection of strabismus, amblyopia, and refractive errors, **963**
Outcome in refractive accommodative esotropia, **746**
Reassessment of the corneal endothelial cell organisation in children, **692**
Reverse and converse ocular bobbing with synkinetic blinking and opsoclonus in a child with Epstein-Barr virus encephalitis after bone marrow transplant for MPS I: *letter*, **1207**
The efficacy of occlusion for strabismic amblyopia. Can an optimal duration be identified?: *editorial*, **561**
Use of mitomycin C and r-tPA for the management of conjunctival membrane and cataracts in a child with conjunctivitis lignosa: *letter*, **1204**
Vertical or asymmetric nystagmus need not imply neurological disease, **175**
Chinese, Efficacy and safety of the Ahmed glaucoma valve implant in Chinese eyes with complicated glaucoma, **718**
Rates of hospital admissions for primary angle closure glaucoma among Chinese, Malays, and Indians in Singapore, **990**
chlamydia, Expression of gelatinase B in trachomatous conjunctivitis, **85**
choriocapillaris complex, Histological examination of the pigment epithelium-Bruch membrane-choriocapillaris complex after macular translocation: *letter*, **550**
chorioretinal anastomosis, Clinicopathological correlation of deep retinal vascular anomalous complex in age related macular degeneration, **1269**
choroid, Simultaneous metastases of cutaneous malignant melanoma to conjunctiva and choroid: *letter*, **930**
choroidal blood flow, Ocular haemodynamics and colour contrast sensitivity in patients with type 1 diabetes, **493**
choroidal circulation, Do sex and hormonal status influence choroidal circulation?, **786**
choroidal infiltration, Serous retinal detachment caused by leukaemic choroidal infiltration during complete remission: *letter*, **1318**
choroidal melanoma, Failure of transpupillary thermotherapy (TTT) for choroidal melanoma: two cases with histopathological correlation: *letter*, **1075**
choroidal neovascular membrane, Choroidal neovascular membrane presenting as a complication of pre-eclampsia in a patient with the antiphospholipid syndrome: *letter*, **1080**
Foveal relocation by redistribution of the neurosensory retina, **352**
choroidal neovascularisation, Choroidal neovascularisation at a demarcation line: an immunopathological study: *letter*, **928**
Clinicopathological correlation in exudative age related macular degeneration: histological differentiation between classic and occult choroidal neovascularisation, **239**
Foveal translocation with secondary confluent laser for subfoveal CNV in AMD: 12 month follow up: *letter*, **670**
Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation: *letter*, **1083**
Polypoidal choroidal vasculopathy in exudative and haemorrhagic pigment epithelial detachments, **479**
The second eye of Japanese patients with unilateral exudative age related macular degeneration, **1018**
chromatic aberration, Use of paper selectively absorbing long wavelengths to reduce the impact of educational near work on human refractive development, **890**
chromatic discrimination threshold, Screening for CMV retinitis using chromatic discrimination thresholds and achromatic contrast sensitivity, **877**
chromosome 13, Keratoconus associated with chromosome 13 ring abnormality: *letter*, **1079**
chronic lymphocytic leukaemia, *Ochroconis gallopava* endophthalmitis in fludarabine treated chronic lymphocytic leukaemia: *letter*, **117**
ciliary epithelium, Responses of different cell lines from ocular tissues to elevated hydrostatic pressure, **423**
cilioretinal artery occlusion, Combined central retinal vein occlusion and cilioretinal artery occlusion in a patient on hormone replacement therapy: *letter*, **549**
C_3F_8 gas injection, Treatment of subhyaloid haemorrhage with intravitreal tissue plasminogen activator and C_3F_8 gas injection: *letter*, **1329**
ciprofloxacin, Subretinal fluid levels of topical, oral, and combined administered ciprofloxacin in humans, **1061**
cleaning devices, Efficacy of a contact lens cleaning device and its enhancement of the performance of contact lens care products, **539**
clinical journals, The continuing need to publish laboratory science in clinical journals: *editorial*, **1213**
Coats' syndrome, Coats' syndrome: long term follow up, **37**
codon 518, Corneal amyloidosis caused by Leu518Pro mutation of βig-h3 gene, **583**
coeliac disease, Vitamin A deficiency in coeliac disease: *letter*, **1079**
COL2A1, COL2A1 exon 2 mutations: relevance to the Stickler and Wagner syndromes, **364**
colour Doppler imaging, Colour Doppler imaging of the orbital vasculature in Graves' disease with computed tomographic correlation, **1027**
colour vision, Ocular haemodynamics and colour contrast sensitivity in patients with type 1 diabetes, **493**
community based optometrists, The Bristol shared care glaucoma study: outcome at follow up at 2 years, **456**
compliance, Parental non-concordance with occlusion therapy, **957**
complications, Audit of outcome of an extracapsular cataract extraction and posterior chamber intraocular lens training course, **848**
compressive optic neuropathy, Reversal of dysthyroid optic neuropathy following orbital fat decompression, **600**
computed tomography, Radiological and clinicopathological features of orbital xanthogranuloma, **251**
computer vision algorithms, Automated, real time extraction of fundus images from slit lamp fundus biomicroscope video image sequences, **645**
computerised image analysis, A new digital optic disc stereo camera: intraobserver and interobserver repeatability of optic disc measurements, **403**
concentric contraction, Long term changes in the visual fields of patients with temporal lobe epilepsy using vigabatrin, **788**
concordance, Parental non-concordance with occlusion therapy, **957**
confocal scanning laser tomography, Discriminant analysis models for early detection of glaucomatous optic disc changes, **464**
congenital nasolacrimal duct obstruction, Otolaryngological findings in congenital nasolacrimal duct obstruction and implications for prognosis, **917**
conjunctiva, Apoptosis and apoptosis related gene expression in normal conjunctiva and pterygium, **212**
Chemokines in the limbal form of vernal keratoconjunctivitis, **1360**
Expression of gelatinase B in trachomatous conjunctivitis, **85**
Simultaneous metastases of cutaneous malignant melanoma to conjunctiva and choroid: *letter*, **930**
conjunctival autograft, Amniotic membrane graft for primary pterygium: comparison with conjunctival autograft and topical mitomycin C treatment, **973**
Free conjunctival autograft harvested from the fornix for repair of leaking blebs: *letter*, **440**
conjunctival epithelium, Conjunctival epithelium expression of HLA-DR in glaucoma patients and its influence on the outcome of filtration surgery, **648**
conjunctival provocation test, Anti-inflammatory and antiallergic effects of ketorolac tromethamine in the conjunctival provocation model, **1228**
conjunctival tumour, Conjunctival tumour as the primary manifestation of infectious mononucleosis in a 12 year old girl: *letter*, **546**
conjunctivitis, Clinical and epidemiological features of acute follicular conjunctivitis with special reference to that caused by herpes simplex virus type 1, **968**
conjunctivitis lignosa, Use of mitomycin C and r-tPA for the management of conjunctival membrane and cataracts in a child with conjunctivitis lignosa: *letter*, **1204**
contact lens, Efficacy of a contact lens cleaning device and its enhancement of the performance of contact lens care products, **539**
Extended wear contact lens related bacterial keratitis, **327**
contrast sensitivity, Contrast and glare sensitivity in epilepsy patients treated with vigabatrin or carbamazepine monotherapy compared with healthy volunteers, **622**
Contrast sensitivity and glare disability by halogen light after monofocal and multifocal lens implantation, **1109**
Ocular haemodynamics and colour contrast sensitivity in patients with type 1 diabetes, **493**
cornea, Effects of homozygous apolipoprotein A-1 deficiency on the cornea: *letter*, **1321**
Human herpesviruses in the cornea, **563**
Novel materials to enhance keratoprosthesis integration, **640**
corneal amyloidosis, Corneal amyloidosis caused by Leu518Pro mutation of βig-h3 gene, **583**
corneal buttons, Detection of herpes simplex virus type 1, 2 and varicella zoster virus DNA in recipient corneal buttons, **1238**
corneal dystrophy, Corneal guttata associated with the corneal dystrophy resulting from a βig-h3 R124H mutation, **67**
corneal endothelial cell organisation, Reassessment of the corneal endothelial cell organisation in children, **692**

corneal endothelium, Evaluation of corneal endothelium and keratic precipitates by specular microscopy in anterior uveitis, **1367**
corneal epithelium, A novel keratin 12 mutation in a German kindred with Meesmann's corneal dystrophy, **527**
Changes in ocular surface caused by antiglaucomatous eyedrops: prospective, randomised study for the comparison of 0.5% timolol *v* 0.12% unoprostone, **1250**
Clinical course of hurricane keratopathy, **285**
Fluid transport by cultured corneal epithelial cell layers, **199**
corneal guttata, Corneal guttata associated with the corneal dystrophy resulting from a βig-h3 R124H mutation, **67**
corneal melt, No strong association between alleles of tumour necrosis factor alpha and interleukin-1 receptor antagonist and corneal melting associated with systemic vasculitis, **395**
corneal scarring, Both CD4+ and CD8+ T cells are involved in protection against HSV-1 induced corneal scarring, **408**
corneal stromal dystrophy, Annular granular corneal opacity: a rare corneal stromal dystrophy or degeneration?: *letter,* **1205**
corneal thickness, Central corneal thickness determined with optical coherence tomography in various types of glaucoma, **1233**
corneal transplant surgery, Corneal transplantation: how successful are we?: *commentary,* **813**
corneal ulcers, Amniotic membrane transplantation for severe neurotrophic corneal ulcers, **826**
Fluoroquinolone and fortified antibiotics for treating bacterial corneal ulcers, **378**
corneo-conjunctival calcification, Impression cytology of the conjunctival epithelium in patients with chronic renal failure, **1225**
corticosteroid regimens, Randomised controlled trial of corticosteroid regimens in endothelial corneal allograft rejection: *letter,* **1083**
cortisone, Intravitreal injection of crystalline cortisone as adjunctive treatment of proliferative vitreoretinopathy, **1064**
corynebacteria, *Corynebacterium macginleyi:* a conjunctiva specific pathogen, **1420**
cost, A prospective study of cost, patient satisfaction, and outcome of treatment of chalazion by medical and nursing staff, **782**
cost effectiveness, Understanding cost effectiveness: a detailed review: *perspective,* **794**
counselling, Sympathetic ophthalmia risk following vitrectomy: should we counsel patients?: *commentary,* **448**
CREST syndrome, Granulomatous uveitis, CREST syndrome, and primary biliary cirrhosis: *letter,* **548**
cup:disc ratio, A new digital optic disc stereo camera: intraobserver and interobserver repeatability of optic disc measurements, **403**
cutaneous malignant melanoma, Simultaneous metastases of cutaneous malignant melanoma to conjunctiva and choroid: *letter,* **930**
cutaneous myxovascular hamartoma, Ocular ectodermal syndrome of epibulbar dermoid and cutaneous myxovascular hamartoma: *letter,* **669**
cutis laxa, Involutional type of entropion in a child with cutis laxa: *letter,* **1432**
cutting diathermy, Acquired capillary haemangioma of the eyelid in an adult treated with cutting diathermy: *letter,* **1322**
cyclodiode, "Cyclodiode": *letter,* **554**
cyclophotocoagulation, Pupillary distortion after contact transscleral diode laser cyclophotocoagulation: *letter,* **337**
cyclosporin, Early treatment with cyclosporin in serpiginous choroidopathy maintains remission and good visual outcome, **979**
cyclosporin A, Mooren's ulcer in China: a study of clinical characteristics and treatment, **1244**
cytokine polymorphism, No strong association between alleles of tumour necrosis factor alpha and interleukin-1 receptor antagonist and corneal melting associated with systemic vasculitis, **395**
cytokines, Role of cytokines in the pathogenesis of posterior capsule opacification: *perspective,* **332**
cytomegalovirus, Relapses of CMV retinitis after 2 years of highly active antiretroviral therapy: *letter,* **1203**
Screening for CMV retinitis using chromatic discrimination thresholds and achromatic contrast sensitivity, **877**
cytomegalovirus retinitis, Sustained remission of CMV retinitis in HIV-2 disease: *letter,* **1437**

dacryocystitis, Epidermoid carcinoma arising in an ocular leishmania lesion: *letter,* **1331**
Sclerosing lipid granuloma of the medial canthus 30 years after dacryocystitis: *letter,* **1328**
dacryocystocoele, Endonasal endoscopic dacryocystorhinostomy for dacryocystocoele in a 4 month old infant: *letter,* **1438**
dacryocystorhinostomy, Endolacrimal laser assisted lacrimal surgery, **16**
Lacrimal drainage surgery in Wegener's granulomatosis, **329**
Results of intraoperative mitomycin C application in dacryocystorhinostomy, **903**
dacryoliths, Intranasal passage of dacryoliths: *letter,* **799**
daily disposable contact lens wear, *Acanthamoeba* keratitis occurring with daily disposable contact lens wear: *letter,* **805**
DARTS, Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, **1218**
deep sclerectomy, Morphological variability of the trabecular meshwork in glaucoma patients: implications for non-perforating glaucoma surgery, **1354**
defensins, Investigation of β defensin gene expression in the ocular anterior segment by semiquantitative RT-PCR, **523**
detachment, Acute posterior vitreous detachment: the predictive value of vitreous pigment and symptomatology, **1264**
diabetes mellitus, A systematic review of drug induced ocular reactions in diabetes, **144**
Coagulation pathways and diabetic retinopathy: abnormal modulation in a selected group of insulin dependent diabetic patients, **591**
Diabetes and primary open angle glaucoma: *editorial,* **1216**
Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, **1218**
Leber's hereditary optic neuropathy and maturity onset diabetes mellitus: is there a metabolic association?: *letter,* **439**
Macular circulation in patients with diabetes mellitus with and without arterial hypertension, **1392**
Maculopathy in patients with diabetes mellitus type 1 and type 2: associations with risk factors, **871**
Ocular pulse amplitude in diabetes mellitus, **1282**
Refractive changes in diabetic patients during intensive glycaemic control, **1097**
Tear secretion and tear film function in insulin dependent diabetics, **19**
The conundrum of sweet hyperopia: *editorial,* **1088**
diabetic macula oedema, Subthreshold (retinal pigment epithelium) photocoagulation in macular diseases: a pilot study, **40**
diabetic retinopathy, Coagulation pathways and diabetic retinopathy: abnormal modulation in a selected group of insulin dependent diabetic patients, **591**
Diabetic retinopathy in Victoria, Australia: the Visual Impairment Project, **865**
Effects of haemodialysis on diabetic macular leakage, **1397**
Fibrovascular ingrowth and recurrent haemorrhage following diabetic vitrectomy, **822**
Hepatocyte growth factor in vitreous and serum from patients with proliferative diabetic retinopathy, **732**
Ocular haemodynamics and colour contrast sensitivity in patients with type 1 diabetes, **493**
Ocular pulse amplitude in diabetes mellitus, **1282**
Prevalence of retinopathy at diagnosis among type 2 diabetic patients attending a diabetic centre in south India, **1058**
Stabilisation of diabetic retinopathy following simultaneous pancreas and kidney transplant, **736**
diabetic vitrectomy, Entry site neovascularisation after diabetic vitrectomy: *editorial,* **810**
diagnosis, Ability of a confocal scanning laser ophthalmoscope (TopSS) to detect early glaucomatous visual field defect, **852**
diagnostic tests, Appraising evaluations of screening/diagnostic tests: the importance of the study populations: *perspective,* **1198**
dilatation, Factors affecting pupil size after dilatation: the Twin Eye Study, **1173**
diode laser, Diode laser treatment of posterior retinopathy of prematurity, **1383**
Pupillary distortion after contact transscleral diode laser cyclophotocoagulation: *letter,* **337**
diplopia, Diplopia, ptosis, and hepatitis as presenting signs and symptoms of giant cell arteritis: *letter,* **1319**
disease aetiology, HLA and Mooren's ulceration, **72**
dislocation, Vitreous basket sign in dislocation of the lens: *letter,* **549**
DNA, Detection of herpes simplex virus type 1, 2 and varicella zoster virus DNA in recipient corneal buttons, **1238**
dominant negative mutation, A novel keratin 12 mutation in a German kindred with Meesmann's corneal dystrophy, **527**
dorzolamide, A comparison of latanoprost and dorzolamide in patients with glaucoma and ocular hypertension: a 3 month, randomised study, **579**
Optic nerve oxygen tension: effects of intraocular pressure and dorzolamide, **1045**
drusen, Subthreshold (retinal pigment epithelium) photocoagulation in macular diseases: a pilot study, **40**
dry eye, Amniotic membrane transplantation for severe neurotrophic corneal ulcers, **826**
dural arteriovenous malformation, Orbital arteriovenous malformation mimicking cavernous sinus dural arteriovenous malformation, **771**
dysthyroid optic neuropathy, Reversal of dysthyroid optic neuropathy following orbital fat decompression, **600**

eBJO, New online features at the *eBJO*: *editorial,* **812**
education, Use of paper selectively absorbing long wavelengths to reduce the impact of educational near work on human refractive development, **890**
elderly patients, Corneal ulceration in the elderly in Hyderabad, south India, **54**
elderly people, Visual acuity measurements in a national sample of British elderly people, **165**
emmetropisation, Outcome in refractive accommodative esotropia, **746**

encircling procedures, Effects of scleral buckling and encircling procedures on human optic nerve head and retinochoroidal circulation, **31**
endarterectomy, Management of ocular ischaemic syndrome: *perspective*, **1428**
endoillumination, Endoillumination during vitrectomy and phototoxicity thresholds, **1372**
endophthalmitis, Bleb related ocular infection: a feature of the HELP syndrome: *editorial*, **1338**
Endophthalmitis following globe perforation with a hypodermic needle: *letter*, **799**
Intraocular lens implants and risk of endophthalmitis: *letter*, **554**
Ochroconis gallopava endophthalmitis in fludarabine treated chronic lymphocytic leukaemia: *letter*, **117**
Risk factors for development of post-trabeculectomy endophthalmitis, **1349**
endoscope, Endolacrimal laser assisted lacrimal surgery, **16**
endothelial corneal allograft rejection, Randomised controlled trial of corticosteroid regimens in endothelial corneal allograft rejection: *letter*, **1083**
endothelin, Fluid transport by cultured corneal epithelial cell layers, **199**
England and Wales, The deficit in cataract surgery in England and Wales and the escalating problem of visual impairment: epidemiological modelling of the population dynamics of cataract, **4**
entropion, Involutional type of entropion in a child with cutis laxa: *letter*, **1432**
entry site, Entry site neovascularisation after diabetic vitrectomy: *editorial*, **810**
enucleation, Painful blind eye: efficacy of enucleation and evisceration in resolving ocular pain, **437**
epiblepharon, Surgical correction for lower lid epiblepharon in Asians, **1407**
epibulbar dermoid hamartoma, Ocular ectodermal syndrome of epibulbar dermoid and cutaneous myxovascular hamartoma: *letter*, **669**
epidermoid carcinoma, Epidermoid carcinoma arising in an ocular leishmania lesion: *letter*, **1331**
epilepsy, Long term changes in the visual fields of patients with temporal lobe epilepsy using vigabatrin, **788**
epithelial keratopathy, Oriental herbal medicine induced epithelial keratopathy: *letter*, **934**
Epstein–Barr virus encephalitis, Reverse and converse ocular bobbing with synkinetic blinking and opsoclonus in a child with Epstein-Barr virus encephalitis after bone marrow transplant for MPS I: *letter*, **1207**
esotropia, Outcome in refractive accommodative esotropia, **746**
evisceration, Painful blind eye: efficacy of enucleation and evisceration in resolving ocular pain, **437**
evolution, From eye spots to eye shine: *editorial*, **1214**
extracapsular cataract extraction, Audit of outcome of an extracapsular cataract extraction and posterior chamber intraocular lens training course, **848**
extracellular matrix, Age related changes in the non-collagenous components of the extracellular matrix of the human lamina cribrosa, **311**
extraocular muscle proprioception, Does extraocular muscle proprioception influence oculomotor control?: *perspective*, **1071**
eye, A systematic review of drug induced ocular reactions in diabetes, **144**
Fibrillin and the eye: *perspective*, **1312**
From eye spots to eye shine: *editorial*, **1214**
Identification of androgen receptor protein and 5α-reductase mRNA in human ocular tissues, **76**
Postmortem histological survey of the ocular lesions in a British population of AIDS patients, **1275**
Unusual presentation of diffuse melanoma of the iris: *letter*, **1076**
eye alignment, Early surgery for infantile esotropia, **536**
eye cancer, Eye cancer incidence in Singapore, **767**
eye care programme, Evaluation of a national eye care programme: re-survey after 10 years, **948**
eye complications, Progression of eye disease in "cured" leprosy patients: implications for understanding the pathophysiology of ocular disease and for addressing eyecare needs, **817**
eye diseases, Prevalence of eye diseases in primary school children in a rural area of Tanzania, **1291**
eye donation, Decline in eye donation in the UK: *letter*, **805**
eye drop application, Intraocular penetration of vancomycin eye drops after application to the medial canthus with closed lids, **300**
eye rubbing, Atopy and keratoconus: a multivariate analysis, **834**
eye spots, From eye spots to eye shine: *editorial*, **1214**
eye surgery, Oxygen application by a nasal probe prevents hypoxia but not rebreathing of carbon dioxide in patients undergoing eye surgery under local anaesthesia, **399**
eyecare interventions, Understanding cost effectiveness: a detailed review: *perspective*, **794**
eyecare services, Utilisation of eyecare services in an urban population in southern India: the Andhra Pradesh eye disease study, **22**
eyelid, A large rapidly growing pilomatrixoma on a lower eyelid: *letter*, **1203**
Acquired capillary haemangioma of the eyelid in an adult treated with cutting diathermy: *letter*, **1322**
Sebaceous gland carcinoma of the eyelid and palpebral conjunctiva in a patient with Muir-Torre syndrome: *letter*, **1325**

facial palsy, Raising the suborbicularis oculi fat (SOOF): its role in chronic facial palsy, **1401**
factor VII, Coagulation pathways and diabetic retinopathy: abnormal modulation in a selected group of insulin dependent diabetic patients, **591**
familial amyloidosis, Late onset lattice corneal dystrophy with systemic familial amyloidosis, amyloidosis V, in an English family, **390**
familial exudative vitreoretinopathy, Genetic heterogeneity in familial exudative vitreoretinopathy; exclusion of the EVR1 locus on chromosome 11q in a large autosomal dominant pedigree, **358**
Fas, Serum levels of soluble Fas in patients with Graves' ophthalmopathy, **103**
fibrillin, Fibrillin and the eye: *perspective*, **1312**
fibrinolysis, Local intra-arterial fibrinolysis for acute occlusion of the central retinal artery: a meta-analysis of the published data, **914**
fibrovascular ingrowth, Fibrovascular ingrowth and recurrent haemorrhage following diabetic vitrectomy, **822**
fibrovascular membranes, Matrix metalloproteinases and their natural inhibitors: *editorial*, **1087**
filtration surgery, Conjunctival epithelium expression of HLA-DR in glaucoma patients and its influence on the outcome of filtration surgery, **648**
fish hook injury, Fish hook injury of the eyelid: an unusual case: *letter*, **441**
fixation point monitoring system, Real time fixation point monitoring system for photocoagulation of juxtafoveal neovascularisation, **1053**
flare, Anterior chamber flare after trabeculectomy and after phacoemulsification, **1056**
flicker frequency, Variable pattern of visual recovery of Leber's hereditary optic neuropathy, **534**
fludarabine, *Ochroconis gallopava* endophthalmitis in fludarabine treated chronic lymphocytic leukaemia: *letter*, **117**
fluid transport, Fluid transport by cultured corneal epithelial cell layers, **199**
fluorescein angiography, Fluorescein angiography in altitude retinopathy: *letter*, **339**
Macular circulation in patients with diabetes mellitus with and without arterial hypertension, **1392**
fluorophotometry, Changes in ocular surface caused by antiglaucomatous eyedrops: prospective, randomised study for the comparison of 0.5% timolol *v* 0.12% unoprostone, **1250**
Tear secretion and tear film function in insulin dependent diabetics, **19**
fluoroquinolone, Fluoroquinolone and fortified antibiotics for treating bacterial corneal ulcers, **378**
5-fluorouracil, Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 1 Intraocular pressure control and complications, **586**
Sponge delivery variables and tissue levels of 5-fluorouracil, **92**
Treatment of conjunctival squamous cell carcinoma with topical 5-fluorouracil, **268**
focal melanocytes, Isolated focal melanocytes collection in the lacrimal sac: *letter*, **337**
foreign body, Ultrasound biomicroscopy in the diagnosis of a foreign body simulating iris melanoma: *letter*, **546**
fornix, Free conjunctival autograft harvested from the fornix for repair of leaking blebs: *letter*, **440**
foveal relocation, Foveal relocation by redistribution of the neurosensory retina, **352**
foveal translocation, Foveal translocation for exudative age related macular degeneration: *editorial*, **344**
frameless spectacles, Globe perforation with frameless spectacles: *letter*, **668**
from the library, From the library, **450**, **562**, **681**, **816**, **947**, **1090**, **1217**
fundus, Usefulness of three dimensional ultrasonography for invisible fundus: *letter*, **1080**
fundus images, Automated, real time extraction of fundus images from slit lamp fundus biomicroscope video image sequences, **645**
fungal endophthalmitis, Successful treatment of ocular invasive mould infection (fusariosis) with the new antifungal agent voriconazole: *letter*, **932**
fungal keratitis, Successful treatment of ocular invasive mould infection (fusariosis) with the new antifungal agent voriconazole: *letter*, **932**

Gambia, Evaluation of a national eye care programme: re-survey after 10 years, **948**
ganglion cell death, Retinal ganglion cell death in experimental glaucoma, **303**
Selective ganglion cell death in glaucoma: *editorial*, **678**
gelatinase, Expression of gelatinase B in trachomatous conjunctivitis, **85**
gelsolin, Late onset lattice corneal dystrophy with systemic familial amyloidosis, amyloidosis V, in an English family, **390**

gene expression, Apoptosis and apoptosis related gene expression in normal conjunctiva and pterygium, **212**
Investigation of β defensin gene expression in the ocular anterior segment by semiquantitative RT-PCR, **523**
gene mutation, Corneal guttata associated with the corneal dystrophy resulting from a βig-h3 R124H mutation, **67**
genetic screening., Genetic screening in a large family with juvenile onset primary open angle glaucoma, **722**
genetics, Factors affecting pupil size after dilatation: the Twin Eye Study, **1173**
giant cell arteritis, Diplopia, ptosis, and hepatitis as presenting signs and symptoms of giant cell arteritis: *letter,* **1319**
Panuveitis as a presenting feature of giant cell arteritis: *letter,* **340**
glare disability, Contrast sensitivity and glare disability by halogen light after monofocal and multifocal lens implantation, **1109**
glare sensitivity, Contrast and glare sensitivity in epilepsy patients treated with vigabatrin or carbamazepine monotherapy compared with healthy volunteers, **622**
glaucoma, A new digital optic disc stereo camera: intraobserver and interobserver repeatability of optic disc measurements, **403**
Ability of a confocal scanning laser ophthalmoscope (TopSS) to detect early glaucomatous visual field defect, **852**
Central corneal thickness determined with optical coherence tomography in various types of glaucoma, **1233**
Changes in ocular surface caused by antiglaucomatous eyedrops: prospective, randomised study for the comparison of 0.5% timolol *v* 0.12% unoprostone, **1250**
Comparison of optic disc image assessment methods when examining serial photographs for glaucomatous progression, **28**
Comparison of the intraocular pressure lowering effect of latanoprost and a fixed combination of timolol-pilocarpine eye drops in patients insufficiently controlled with β adrenergic antagonists, **181**
Conjunctival epithelium expression of HLA-DR in glaucoma patients and its influence on the outcome of filtration surgery, **648**
Discriminant analysis models for early detection of glaucomatous optic disc changes, **464**
Effects of artefacts on scanning laser polarimetry of retinal nerve fibre layer thickness measurement, **1013**
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, **710**
Efficacy and safety of the Ahmed glaucoma valve implant in Chinese eyes with complicated glaucoma, **718**
Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, **1218**
Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 1 Intraocular pressure control and complications, **586**
Optic nerve oxygen tension: effects of intraocular pressure and dorzolamide, **1045**
Pharmacological mydriasis and optic disc examination, **894**
Pupillary distortion after contact transscleral diode laser cyclophotocoagulation: *letter,* **337**
Retinal ganglion cell death in experimental glaucoma, **303**
Selective ganglion cell death in glaucoma: *editorial,* **678**
The Bristol shared care glaucoma study: outcome at follow up at 2 years, **456**
Trabeculectomy with mitomycin C for post-keratoplasty glaucoma, **714**
Transscleral diode laser cyclophotocoagulation for the treatment of refractory glaucoma secondary to inflammatory eye diseases, **999**
Use of sequential Heidelberg retina tomograph images to identify changes at the optic disc in ocular hypertensive patients at risk of developing glaucoma, **993**
glaucoma drainage device, Efficacy and safety of the Ahmed glaucoma valve implant in Chinese eyes with complicated glaucoma, **718**
glaucoma referral, Accuracy of glaucoma referrals: need to report precision of estimates: *letter,* **124**
glaucoma surgery, Long term results of glaucoma surgery among participants in an east African population survey, **860**
Morphological variability of the trabecular meshwork in glaucoma patients: implications for non-perforating glaucoma surgery, **1354**
New techniques in glaucoma surgery: *editorial,* **1339**
glaucomatous optic neuropathy, Altitudinal visual field asymmetry is coupled with altered retinal circulation in patients with normal pressure glaucoma, **1008**
globe perforation, Endophthalmitis following globe perforation with a hypodermic needle: *letter,* **799**
Globe perforation with frameless spectacles: *letter,* **668**
glycoprotein C, Clinical and epidemiological features of acute follicular conjunctivitis with special reference to that caused by herpes simplex virus type 1, **968**
graft failure, Graft failure in human donor corneas due to transmission of herpes simplex virus, **701**
granulomatous uveitis, Granulomatous uveitis, CREST syndrome, and primary biliary cirrhosis: *letter,* **548**
Graves' disease, Colour Doppler imaging of the orbital vasculature in Graves' disease with computed tomographic correlation, **1027**
Reversal of dysthyroid optic neuropathy following orbital fat decompression, **600**
Graves' ophthalmopathy, Serum levels of soluble Fas in patients with Graves' ophthalmopathy, **103**
T cells and fibroblasts in affected extraocular muscles in early and late thyroid associated ophthalmopathy, **517**
Transconjunctival orbital decompression in Graves' ophthalmopathy: lateral wall approach ab interno, **775**
Graves' orbitopathy, Reversal of dysthyroid optic neuropathy following orbital fat decompression, **600**
growth factors, Hepatocyte growth factor in vitreous and serum from patients with proliferative diabetic retinopathy, **732**
guidelines, Aspirin and warfarin therapy in oculoplastic surgery, **1426**

HAART, Relapses of CMV retinitis after 2 years of highly active antiretroviral therapy: *letter,* **1203**
Severe intraocular inflammation after a change of HAART: *letter,* **933**
haemodialysis, Effects of haemodialysis on diabetic macular leakage, **1397**
haemorrhage, Fibrovascular ingrowth and recurrent haemorrhage following diabetic vitrectomy, **822**
Subhyaloid or subinternal limiting membrane haemorrhage in meningococcal meningitis: *letter,* **1206**
halogen light, Contrast sensitivity and glare disability by halogen light after monofocal and multifocal lens implantation, **1109**
head mounted perimetry system, Use of a portable head mounted perimetry system to assess bedside visual fields, **1185**
health professionals, Open invitation from the International Poverty and Health Network to all health professionals: *editorial,* **236**
Heidelberg retina tomograph, Use of sequential Heidelberg retina tomograph images to identify changes at the optic disc in ocular hypertensive patients at risk of developing glaucoma, **993**
Heidelberg retinal tomography, Improvement of reproducibility of macular volume measurements using the Heidelberg retinal tomograph, **1194**
HELP syndrome, Bleb related ocular infection: a feature of the HELP syndrome: *editorial,* **1338**
hepatitis, Diplopia, ptosis, and hepatitis as presenting signs and symptoms of giant cell arteritis: *letter,* **1319**
hepatocyte growth factor, Hepatocyte growth factor in vitreous and serum from patients with proliferative diabetic retinopathy, **732**
heredo-oto-ophthalmo-encephalopathy, Ocular changes in heredo-oto-ophthalmo-encephalopathy, **1298**
herpes simplex virus, Detection of herpes simplex virus type 1, 2 and varicella zoster virus DNA in recipient corneal buttons, **1238**
Graft failure in human donor corneas due to transmission of herpes simplex virus, **701**
Herpes simplex virus in the human cornea: *editorial,* **560**
herpes simplex virus type 1, Clinical and epidemiological features of acute follicular conjunctivitis with special reference to that caused by herpes simplex virus type 1, **968**
high performance liquid chromatography, Subretinal fluid levels of topical, oral, and combined administered ciprofloxacin in humans, **1061**
histamine release, Topical ophthalmic β blockers may cause release of histamine through cytotoxic effects on inflammatory cells, **1004**
histology, Histological features of ocular adnexal lymphoma (REAL classification) and their association with patient morbidity and survival, **907**
Postmortem histological survey of the ocular lesions in a British population of AIDS patients, **1275**
histopathology, Clinicopathological correlation in exudative age related macular degeneration: histological differentiation between classic and occult choroidal neovascularisation, **239**
HIV, Increased polymorphonuclear leucocyte rigidity in HIV infected individuals, **727**
Optic neuropathy as the presenting feature of HIV infection: recovery of vision with highly active antiretroviral therapy: *letter,* **551**
Sustained remission of CMV retinitis in HIV-2 disease: *letter,* **1437**
Uveitis in HIV positive patients: *editorial,* **233**
HIV retinopathy, Screening for CMV retinitis using chromatic discrimination thresholds and achromatic contrast sensitivity, **877**
HLA-B27, *Bartonella henselae* associated uveitis and HLA-B27, **1125**
HLA-B27 typing, HLA-B27 typing in the categorisation of uveitis in a HLA-B27 rich population, **413**
homocysteine, Is non-arteritic anterior ischaemic optic neuropathy related to homocysteine?: *letter,* **555**
Raised plasma homocysteine as a risk factor for retinal vascular occlusive disease, **154**
homonymous scotomas, Perceptual distortion around homonymous scotomas is not restricted to defects located in the right hemifield: *letter,* **803**
hormone replacement therapy, Combined central retinal vein occlusion and cilioretinal artery occlusion in a patient on hormone replacement therapy: *letter,* **549**
hospital eye service, The Bristol shared care glaucoma study: outcome at follow up at 2 years, **456**
HSV-1, Both CD4+ and CD8+ T cells are involved in protection against HSV-1 induced corneal scarring, **408**
human, Matrix metalloproteinase biology applied to vitreoretinal disorders: *editorial,* **654**

human cornea, Herpes simplex virus in the human cornea: *editorial,* **560**
human corneal grafts, Cell subpopulations in failed human corneal grafts: *letter,* **937**
human donor corneas, Graft failure in human donor corneas due to transmission of herpes simplex virus, **701**
human herpesviruses, Human herpesviruses in the cornea, **563**
human leucocyte antigens, HLA and Mooren's ulceration, **72**
human retinal endothelial cells, Regulation of plasminogen activation by TGF-β in cultured human retinal endothelial cells, **417**
human trabecular cells, Basal nitric oxide production is enhanced by hydraulic pressure in cultured human trabecular cells, **631**
humans, Effects of topical nipradilol, a β blocking agent with α blocking and nitroglycerin-like activities, on intraocular pressure and aqueous dynamics in humans, **293**
hurricane, Clinical course of hurricane keratopathy, **285**
hyaluronidase, Sub-Tenon's local anaesthesia: the effect of hyaluronidase, **435**
hydraulic pressure, Basal nitric oxide production is enhanced by hydraulic pressure in cultured human trabecular cells, **631**
hydrostatic pressure, Responses of different cell lines from ocular tissues to elevated hydrostatic pressure, **423**
hyperopia, Anterior chamber depth measured by two methods in myopic and hyperopic phakic IOL implant, **1113**
Outcome in refractive accommodative esotropia, **746**
Refractive changes in diabetic patients during intensive glycaemic control, **1097**
The conundrum of sweet hyperopia: *editorial,* **1088**
hypertension, Macular circulation in patients with diabetes mellitus with and without arterial hypertension, **1392**
Maculopathy in patients with diabetes mellitus type 1 and type 2: associations with risk factors, **871**
hypodermic needle, Endophthalmitis following globe perforation with a hypodermic needle: *letter,* **799**
hypotensive retinopathy, Management of ocular ischaemic syndrome: *perspective,* **1428**

ICAM-1, Anti-inflammatory and antiallergic effects of ketorolac tromethamine in the conjunctival provocation model, **1228**
idiopathic sclerosing inflammation, Idiopathic sclerosing inflammation of the orbit: a new finding of calcification: *letter,* **1322**
idiopathic tractional corectopia, Idiopathic tractional corectopia: *letter,* **1206**
immunofluorescence test, Clinical and epidemiological features of acute follicular conjunctivitis with special reference to that caused by herpes simplex virus type 1, **968**
immunohistochemistry, Conjunctival inflammation in the chronic phase of Stevens–Johnson syndrome, **1191**
immunology, Immunology and thyroid ophthalmopathy: where will the footprints lead us?: *editorial,* **446**
immunopathology, Choroidal neovascularisation at a demarcation line: an immunopathological study: *letter,* **928**
immunosuppression, Early treatment with cyclosporin in serpiginous choroidopathy maintains remission and good visual outcome, **979**
Prospective surveillance of sympathetic ophthalmia in the UK and Republic of Ireland, **259**
immunotherapy, Campath-1H therapy in refractory ocular inflammatory disease, **107**
implementation, Implementation methods for vision related quality of life questionnaires, **1035**
impression cytology, Impression cytology of the conjunctival epithelium in patients with chronic renal failure, **1225**
Long term results after autologous nasal mucosal transplantation in severe mucus deficiency syndromes, **279**
India, Population based assessment of uveitis in an urban population in southern India, **706**
Prevalence of retinopathy at diagnosis among type 2 diabetic patients attending a diabetic centre in south India, **1058**
Utilisation of eyecare services in an urban population in southern India: the Andhra Pradesh eye disease study, **22**
Indians, Rates of hospital admissions for primary angle closure glaucoma among Chinese, Malays, and Indians in Singapore, **990**
indocyanine green, Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation: *letter,* **1083**
infantile esotropia, Early surgery for infantile esotropia, **536**
infants, Acute sixth nerve palsy in vitamin A treatment of xerophthalmia: *letter,* **931**
Effect of spectacles on changes of spherical hypermetropia in infants who did, and did not, have strabismus, **324**
Effect of spectacles on changes of spherical hypermetropia in infants: *letter,* **1333**
Endonasal endoscopic dacryocystorhinostomy for dacryocystocoele in a 4 month old infant: *letter,* **1438**
infectious mononucleosis, Conjunctival tumour as the primary manifestation of infectious mononucleosis in a 12 year old girl: *letter,* **546**
inflammation, Transscleral diode laser cyclophotocoagulation for the treatment of refractory glaucoma secondary to inflammatory eye diseases, **999**
infrared, Subthreshold (retinal pigment epithelium) photocoagulation in macular diseases: a pilot study, **40**
insulin dependent diabetes, Lupus anticoagulant positivity in insulin dependent diabetic patients: an additional risk factor in the pathogenesis of diabetic retinopathy?, **531**
Tear secretion and tear film function in insulin dependent diabetics: *letter,* **1210**
integrins, Expression of VLA-2, VLA-3, and α_v integrin receptors in uveal melanoma: association with microvascular architecture of the tumour and prognostic value, **899**
interferon alfa, Complete regression of retinal neovascularisation after therapy with interferon alfa in Behçet's disease: *letter,* **1437**
International Poverty and Health Network, International Poverty and Health Network: *letter,* **1210**
Open invitation from the International Poverty and Health Network to all health professionals: *editorial,* **236**
internet, New online features at the *eBJO*: *editorial,* **812**
interobserver variability, Pharmacological mydriasis and optic disc examination, **894**
intralesional injection, Management of orbital lymphangioma using intralesional injection of OK-432, **614**
intraocular inflammation, Severe intraocular inflammation after a change of HAART: *letter,* **933**
intraocular lens, Cataract extraction and intraocular lens implantation in children with uveitis, **791**
intraocular lens implants, Intraocular lens implants and risk of endophthalmitis: *letter,* **554**
intraocular pressure, A comparison of latanoprost and dorzolamide in patients with glaucoma and ocular hypertension: a 3 month, randomised study, **579**
Acute retinal necrosis presenting with scleritis and raised intraocular pressure: *letter,* **1208**
Central corneal thickness determined with optical coherence tomography in various types of glaucoma, **1233**
Comparison of the intraocular pressure lowering effect of latanoprost and a fixed combination of timolol-pilocarpine eye drops in patients insufficiently controlled with β adrenergic antagonists, **181**
Do sex and hormonal status influence choroidal circulation?, **786**
Effect of cataract extraction and posterior chamber lens implantation on outflow facility and its response to pilocarpine in Korean subjects, **987**
Effects of topical nipradilol, a β blocking agent with α blocking and nitroglycerin-like activities, on intraocular pressure and aqueous dynamics in humans, **293**
Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 1 Intraocular pressure control and complications, **586**
Mechanism related to reduction of intraocular pressure by melanocortins in rabbits, **1411**
Retinal ganglion cell death in experimental glaucoma, **303**
intraventricular haemorrhage, Intraventricular haemorrhage and stage 3 retinopathy of prematurity, **596**
intravitreal injection, Treatment of recent onset central retinal vein occlusion with intravitreal tissue plasminogen activator: a pilot study, **609**
Vancomycin and ceftazidime incompatibility upon intravitreal injection: *letter,* **117**
involutional entropion, Role of reinsertion of the lower eyelid retractor on involutional entropion, **606**
iridectomy, Long term results of glaucoma surgery among participants in an east African population survey, **860**
iridocyclitis, Increase of macrophage migration inhibitory factor in sera of patients with iridocyclitis, **1423**
iris, Unusual presentation of diffuse melanoma of the iris: *letter,* **1076**
iris cyst, Treatment of recurrent giant iris cyst with intracyst administration of mitomycin C: *letter,* **800**
iris melanoma, Ultrasound biomicroscopy in the diagnosis of a foreign body simulating iris melanoma: *letter,* **546**

Japan, The second eye of Japanese patients with unilateral exudative age related macular degeneration, **1018**
Japanese, Promoter mutations of myocilin gene in Japanese patients with open angle glaucoma including normal tension glaucoma: *letter,* **1078**
juvenile rheumatoid arthritis, Cataract extraction and intraocular lens implantation in children with uveitis, **791**
juxtafoveal neovascularisation, Real time fixation point monitoring system for photocoagulation of juxtafoveal neovascularisation, **1053**

keratic precipitates, Evaluation of corneal endothelium and keratic precipitates by specular microscopy in anterior uveitis, **1367**
keratin, A novel keratin 12 mutation in a German kindred with Meesmann's corneal dystrophy, **527**
keratitis, Efficacy of a contact lens cleaning device and its enhancement of the performance of contact lens care products, **539**
keratoconus, Atopy and keratoconus: a multivariate analysis, **834**
Keratoconus associated with chromosome 13 ring abnormality: *letter,* **1079**
Quality of life in myopia, **1031**

Visual function after penetrating keratoplasty for keratoconus: a prospective longitudinal evaluation, **60**
keratometry, Corneal topography by keratometry, **842**
keratopathy, Clinical course of hurricane keratopathy, **285**
keratoprostheses, Novel materials to enhance keratoprosthesis integration, **640**
kernel analysis, Pilot study of the multifocal electroretinogram in ocular hypertension, **1147**
ketorolac, Anti-inflammatory and antiallergic effects of ketorolac tromethamine in the conjunctival provocation model, **1228**
Ki-67 antibody, Effects of proton beam irradiation on uveal melanomas: a comparative study of Ki-67 expression in irradiated versus non-irradiated melanomas, **98**
kidney transplant, Stabilisation of diabetic retinopathy following simultaneous pancreas and kidney transplant, **736**

laboratory science, The continuing need to publish laboratory science in clinical journals: *editorial*, **1213**
lacrimal sac, Isolated focal melanocytes collection in the lacrimal sac: *letter*, **337**
lacrimal stenosis, Endolacrimal laser assisted lacrimal surgery, **16**
lactate dehydrogenase, Topical ophthalmic β blockers may cause release of histamine through cytotoxic effects on inflammatory cells, **1004**
lagophthalmos, Progression of eye disease in "cured" leprosy patients: implications for understanding the pathophysiology of ocular disease and for addressing eyecare needs, **817**
Raising the suborbicularis oculi fat (SOOF): its role in chronic facial palsy, **1401**
lamellar keratoplasty, Mooren's ulcer in China: a study of clinical characteristics and treatment, **1244**
lamina cribrosa, Age related changes in the non-collagenous components of the extracellular matrix of the human lamina cribrosa, **311**
Age related compliance of the lamina cribrosa in human eyes, **318**
landmines, Mine blast injuries: ocular and social aspects, **626**
laser, Effects of artefacts on scanning laser polarimetry of retinal nerve fibre layer thickness measurement, **1013**
Endolacrimal laser assisted lacrimal surgery, **16**
Spontaneous closure of a macular hole secondary to an accidental laser injury: *letter*, **1075**
Subthreshold (retinal pigment epithelium) photocoagulation in macular diseases: a pilot study, **40**
laser photocoagulation, Analgesic effect of topical sodium diclofenac 0.1% drops during retinal laser photocoagulation, **135**
Bullous variant of idiopathic central serous chorioretinopathy, **485**
Indocyanine green guided laser photocoagulation in patients with occult choroidal neovascularisation: *letter*, **1083**
laser pointers, Laser pointers can cause permanent retinal injury if used inappropriately: *letter*, **229**
Laser pointers: not to be taken lightly: *letter*, **555**
laser speckle method, Effects of scleral buckling and encircling procedures on human optic nerve head and retinochoroidal circulation, **31**
latanoprost, A comparison of latanoprost and dorzolamide in patients with glaucoma and ocular hypertension: a 3 month, randomised study, **579**
Bilateral optic disc oedema associated with latanoprost: *letter*, **673**
Comparison of the intraocular pressure lowering effect of latanoprost and a fixed combination of timolol-pilocarpine eye drops in patients insufficiently controlled with β adrenergic antagonists, **181**
Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, **710**
late onset lattice dystrophy, Late onset lattice dystrophy: *letter*, **938**
lattice corneal dystrophy, Late onset lattice corneal dystrophy with systemic familial amyloidosis, amyloidosis V, in an English family, **390**
lattice corneal dystrophy type I, Corneal amyloidosis caused by Leu518Pro mutation of βig-h3 gene, **583**
Leber's hereditary optic neuropathy, Leber's hereditary optic neuropathy and maturity onset diabetes mellitus: is there a metabolic association?: *letter*, **439**
Variable pattern of visual recovery of Leber's hereditary optic neuropathy, **534**
leishmaniasis, Epidermoid carcinoma arising in an ocular leishmania lesion: *letter*, **1331**
lens, The lens in hereditary hyperferritinaemia cataract syndrome contains crystalline deposits of L-ferritin, **697**
Vitreous basket sign in dislocation of the lens: *letter*, **549**
lens hygiene, Efficacy of a contact lens cleaning device and its enhancement of the performance of contact lens care products, **539**
lens nuclear opacity, 3 Year simvastatin treatment and lens nuclear back scattering, **512**
lens transparency, Radiotherapy for age related macular degeneration causes transient lens transparency changes, **757**
leprosy, Leprosy—a new look at an old disease: *editorial*, **809**
Progression of eye disease in "cured" leprosy patients: implications for understanding the pathophysiology of ocular disease and for addressing eyecare needs, **817**
leptospiral uveitis, Spontaneous cataract absorption in patients with leptospiral uveitis, **1135**
leucocoria, Can leucocoria be the first manifestation of protein C deficiency?: *letter*, **120**
L-ferritin, The lens in hereditary hyperferritinaemia cataract syndrome contains crystalline deposits of L-ferritin, **697**
life events, Anterior uveitis and its relation to stress, **1121**
light, Effect of alcohol and light on the retinal pigment epithelium of normal subjects and patients with retinal dystrophies, **881**
limbal chamber depth, Detection of gonioscopically occludable angles and primary angle closure glaucoma by estimation of limbal chamber depth in Asians: modified grading scheme, **186**
linear naevus sebaceous syndrome, Linear naevus sebaceous syndrome, optic disc staphyloma, and non-rhegmatogenous retinal detachment: *letter*, **119**
linkage, Congenital progressive polymorphic cataract caused by a mutation in the major intrinsic protein of the lens, MIP (AQP0), **1376**
Sorsby fundus dystrophy without a mutation in the TIMP-3 gene, **682**
lipofuscin, Quantitative evaluation of fundus autofluorescence imaged "in vivo" in eyes with retinal disease, **741**
liver/kidney transplantation, Ophthalmic features of primary oxalosis after combined liver/kidney transplantation: *letter*, **1326**
local anaesthesia, Oxygen application by a nasal probe prevents hypoxia but not rebreathing of carbon dioxide in patients undergoing eye surgery under local anaesthesia, **399**
Pain perception with pH buffered peribulbar anaesthesia: a pilot study, **1041**
Sub-Tenon's local anaesthesia: the effect of hyaluronidase, **435**
logMAR visual acuity, Efficacy of occlusion for strabismic amblyopia: can an optimal duration be identified?, **572**
London, In vitro antibiotic resistance in bacterial keratitis in London, **687**
low vision, Implementation methods for vision related quality of life questionnaires, **1035**
low vision aids, Helping blind and partially sighted people to read: the effectiveness of low vision aids, **919**
lupus anticoagulant positivity, Lupus anticoagulant positivity in insulin dependent diabetic patients: an additional risk factor in the pathogenesis of diabetic retinopathy?, **531**
lymphoma, Histological features of ocular adnexal lymphoma (REAL classification) and their association with patient morbidity and survival, **907**

macrophage, T cells and fibroblasts in affected extraocular muscles in early and late thyroid associated ophthalmopathy, **517**
macrophage migration inhibitory factor, Macrophage migration inhibitory factor levels in the vitreous of patients with proliferative diabetic retinopathy, **636**
macula lutea, Spontaneous closure of a macular hole secondary to an accidental laser injury: *letter*, **1075**
macular degeneration, Macular degeneration: do conventional measurements of impaired visual function equate with visual disability?, **244**
macular hole, Prevention of visual field defects after macular hole surgery, **372**
Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole: *letter*, **673**
Visual and anatomical results of surgery for long standing macular holes, **150**
macular hole surgery, Prevention of visual field defects after macular hole surgery: *letter*, **1440**
macular oedema, Effects of haemodialysis on diabetic macular leakage, **1397**
Improvement of reproducibility of macular volume measurements using the Heidelberg retinal tomograph, **1194**
Macular oedema: the role of soluble mediators: *perspective*, **542**
macular relocation, Foveal relocation by redistribution of the neurosensory retina, **352**
macular translocation, Histological examination of the pigment epithelium-Bruch membrane-choriocapillaris complex after macular translocation: *letter*, **550**
Retinorhexis in macular translocation: *letter*, **1208**
macular whitening, Sickle form macular whitening in a child after viewing a solar eclipse: *letter*, **1433**
maculopathy, Coffee and doughnut maculopathy: a cause of acute central ring scotomas, **158**
Maculopathy in patients with diabetes mellitus type 1 and type 2: associations with risk factors, **871**
magnetic resonance imaging, Anatomy of optic nerve radiations as assessed by static perimetry and MRI after tailored temporal lobectomy, **884**
Radiological and clinicopathological features of orbital xanthogranuloma, **251**
major intrinsic protein, Congenital progressive polymorphic cataract caused by a mutation in the major intrinsic protein of the lens, MIP (AQP0), **1376**

Malays, Rates of hospital admissions for primary angle closure glaucoma among Chinese, Malays, and Indians in Singapore, **990**
matrix metalloproteinases, Expression of gelatinase B in trachomatous conjunctivitis, **85**
Matrix metalloproteinases and their natural inhibitors in fibrovascular membranes of proliferative diabetic retinopathy, **1091**
Matrix metalloproteinases and their natural inhibitors: *editorial*, **1087**
mechanical compliance, Age related compliance of the lamina cribrosa in human eyes, **318**
medial canthus, Sclerosing lipid granuloma of the medial canthus 30 years after dacryocystitis: *letter*, **1328**
medical economics, Understanding cost effectiveness: a detailed review: *perspective*, **794**
Meesmann's corneal dystrophy, A novel keratin 12 mutation in a German kindred with Meesmann's corneal dystrophy, **527**
melanocyte stimulating hormone (MSH), Mechanism related to reduction of intraocular pressure by melanocortins in rabbits, **1411**
melanoma, Tumour location affects the incidence of cataract and retinopathy after ophthalmic plaque radiation therapy, **1068**
Unusual presentation of diffuse melanoma of the iris: *letter*, **1076**
membrane formation, Membrane formation in the chamber angle after failure of argon laser trabeculoplasty: analysis of risk factors, **48**
MEMO, Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, **1218**
meningococcal meningitis, Subhyaloid or subinternal limiting membrane haemorrhage in meningococcal meningitis: *letter*, **1206**
mepivacaine, Pain relief with intracameral mepivacaine during phacoemulsification, **171**
metalloproteinases, Matrix metalloproteinase biology applied to vitreoretinal disorders: *editorial*, **654**
metastasis, Expression of vascular endothelial growth factor in uveal melanoma and its correlation with metastasis, **750**
Simultaneous metastases of cutaneous malignant melanoma to conjunctiva and choroid: *letter*, **930**
methaemoglobinaemia, Methaemoglobinaemia after peribulbar blockade: an unusual complication in ophthalmic surgery: *letter*, **442**
microangiopathy, Screening for CMV retinitis using chromatic discrimination thresholds and achromatic contrast sensitivity, **877**
microbial keratitis, Corneal ulceration in the elderly in Hyderabad, south India, **54**
microbiological processing, Diagnosis of external ocular infections: microbiological processing and interpretation: *letter*, **229**
microcirculation, Macular circulation in patients with diabetes mellitus with and without arterial hypertension, **1392**
microsurgical instrumentation, Advancing microsurgical instrumentation into the 21st century: *letter*, **936**
migration inhibitory factor, Increase of macrophage migration inhibitory factor in sera of patients with iridocyclitis, **1423**
mitochondrial DNA, Variable pattern of visual recovery of Leber's hereditary optic neuropathy, **534**
mitomycin C, Amniotic membrane graft for primary pterygium: comparison with conjunctival autograft and topical mitomycin C treatment, **973**
Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery, **618**
Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 1 Intraocular pressure control and complications, **586**
Late complications after pterygium excision with high dose mitomycin C instillation: *letter*, **1081**
Long term results of glaucoma surgery among participants in an east African population survey, **860**
Results of intraoperative mitomycin C application in dacryocystorhinostomy, **903**
Trabeculectomy with mitomycin C for post-keratoplasty glaucoma, **714**
Treatment of recurrent giant iris cyst with intracyst administration of mitomycin C: *letter*, **800**
Use of mitomycin C and r-tPA for the management of conjunctival membrane and cataracts in a child with conjunctivitis lignosa: *letter*, **1204**
molecular ophthalmology, Molecular ophthalmology: an update on animal models for retinal degenerations and dystrophies: *perspective*, **922**
Mongolia, YAG laser iridotomy treatment for primary angle closure in east Asian eyes, **1255**
monoclonal antibody therapy, Campath-1H therapy in refractory ocular inflammatory disease, **107**
monofocal lens implantation, Contrast sensitivity and glare disability by halogen light after monofocal and multifocal lens implantation, **1109**
monosomy 3, Telomerase expression in uveal melanoma, **217**
monotherapy, A comparison of latanoprost and dorzolamide in patients with glaucoma and ocular hypertension: a 3 month, randomised study, **579**
MOOD questionnaire, Development and validation of a patient based measure of outcome in ocular melanoma, **347**
Mooren's corneal ulcer, Mooren's ulcer in China: a study of clinical characteristics and treatment, **1244**
Mooren's ulcer, HLA and Mooren's ulceration, **72**
mucus deficiency, Long term results after autologous nasal mucosal transplantation in severe mucus deficiency syndromes, **279**
multifocal electroretinogram, Pilot study of the multifocal electroretinogram in ocular hypertension, **1147**
multifocal lens implantation, Contrast sensitivity and glare disability by halogen light after monofocal and multifocal lens implantation, **1109**
mutation, Congenital progressive polymorphic cataract caused by a mutation in the major intrinsic protein of the lens, MIP (AQP0), **1376**
Variable pattern of visual recovery of Leber's hereditary optic neuropathy, **534**
mutation analysis, Sorsby fundus dystrophy without a mutation in the TIMP-3 gene, **682**
mydriasis, Pharmacological mydriasis and optic disc examination, **894**
myocilin gene, Promoter mutations of myocilin gene in Japanese patients with open angle glaucoma including normal tension glaucoma: *letter*, **1078**
myopia, Anterior chamber depth measured by two methods in myopic and hyperopic phakic IOL implant, **1113**
Long term refractive outcome in eyes of preterm infants with and without retinopathy of prematurity: comparison of keratometric value, axial length, anterior chamber depth, and lens thickness, **138**
Quality of life in myopia, **1031**
Retinopathy and myopia of prematurity: *letter*, **937**
Scanning laser polarimetry in normal subjects and patients with myopia, **264**
Use of paper selectively absorbing long wavelengths to reduce the impact of educational near work on human refractive development, **890**

nasal mucosal transplantation, Long term results after autologous nasal mucosal transplantation in severe mucus deficiency syndromes, **279**
nasal oxygen supply, Oxygen application by a nasal probe prevents hypoxia but not rebreathing of carbon dioxide in patients undergoing eye surgery under local anaesthesia, **399**
nasolacrimal duct obstruction, Results of intraoperative mitomycin C application in dacryocystorhinostomy, **903**
Nd:YAG laser iridotomy, Subhyaloid haemorrhage from proliferative diabetic retinopathy after Nd:YAG laser iridotomy: *letter*, **1435**
neovascular glaucoma, Management of ocular ischaemic syndrome: *perspective*, **1428**
neovascularisation, Entry site neovascularisation after diabetic vitrectomy: *editorial*, **810**
nephropathy, Maculopathy in patients with diabetes mellitus type 1 and type 2: associations with risk factors, **871**
nerve fibre layer thickness, Effects of artefacts on scanning laser polarimetry of retinal nerve fibre layer thickness measurement, **1013**
Netherlands, Incidence of ocular side effects of topical β blockers in the Netherlands, **856**
neurological disease, Vertical or asymmetric nystagmus need not imply neurological disease, **175**
neuropathy, Maculopathy in patients with diabetes mellitus type 1 and type 2: associations with risk factors, **871**
neuroretinal rim measurement, Comparison of optic disc image assessment methods when examining serial photographs for glaucomatous progression, **28**
neuroretinopathy, Coffee and doughnut maculopathy: a cause of acute central ring scotomas, **158**
neurotrophic state, Amniotic membrane transplantation for severe neurotrophic corneal ulcers, **826**
neutrophils, Apoptosis is a prominent feature of acute anterior uveitis in the Fischer 344 rat, **205**
newsdesk, Newsdesk, **3**, **129**, **238**, **346**
nipradilol, Effects of topical nipradilol, a β blocking agent with α blocking and nitroglycerin-like activities, on intraocular pressure and aqueous dynamics in humans, **293**
nitric oxide, Basal nitric oxide production is enhanced by hydraulic pressure in cultured human trabecular cells, **631**
Evaluation of the Zeiss retinal vessel analyser, **1285**
non-arteritic anterior ischaemic optic neuropathy, Is non-arteritic anterior ischaemic optic neuropathy related to homocysteine?: *letter*, **555**
non-rhegmatogenous retinal detachment, Linear naevus sebaceous syndrome, optic disc staphyloma, and non-rhegmatogenous retinal detachment: *letter*, **119**
normal pressure glaucoma, Comparison of visual field progression in patients with normal pressure glaucoma between eyes with and without visual field loss that threatens fixation, **1154**
nurses, A prospective study of cost, patient satisfaction, and outcome of treatment of chalazion by medical and nursing staff, **782**

Obituary, Norman Henry Ashton, **443**
occlusion, Efficacy of occlusion for strabismic amblyopia: can an optimal duration be identified?, **572**
Parental non-concordance with occlusion therapy, **957**
The efficacy of occlusion for strabismic amblyopia. Can an optimal duration be identified?: *editorial*, **561**
occult choroidal neovascularisation, Clinicopathological correlation in exudative age related macular degeneration: histological differentiation between classic and occult choroidal neovascularisation, **239**
***Ochroconis gallopava*,** *Ochroconis gallopava* endophthalmitis in fludarabine treated chronic lymphocytic leukaemia: *letter*, **117**
ocular abnormalities, Long term follow up of premature infants: detection of strabismus, amblyopia, and refractive errors, **963**
ocular alkali burns, Topical steroid use in the treatment of ocular alkali burns: *letter*, **124**
ocular amyloidosis, Ocular changes in heredo-oto-ophthalmo-encephalopathy, **1298**
ocular autoimmune disease, Susceptibility to ocular autoimmune disease: *letter*, **1084**
ocular blood flow, Do sex and hormonal status influence choroidal circulation?, **786**
Ocular haemodynamics and colour contrast sensitivity in patients with type 1 diabetes, **493**
ocular bobbing, Reverse and converse ocular bobbing with synkinetic blinking and opsoclonus in a child with Epstein-Barr virus encephalitis after bone marrow transplant for MPS I: *letter*, **1207**
ocular ectodermal syndrome, Ocular ectodermal syndrome of epibulbar dermoid and cutaneous myxovascular hamartoma: *letter*, **669**
ocular features, Ocular features in Rubinstein-Taybi syndrome: investigation of 24 patients and review of the literature, **1177**
ocular fluid, Soluble Fas ligand and soluble Fas in ocular fluid of patients with uveitis, **1130**
ocular hypertension, A comparison of latanoprost and dorzolamide in patients with glaucoma and ocular hypertension: a 3 month, randomised study, **579**
Diabetes and primary open angle glaucoma: *editorial*, **1216**
Effects of topical nipradilol, a β blocking agent with α blocking and nitroglycerin-like activities, on intraocular pressure and aqueous dynamics in humans, **293**
Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, **1218**
Pilot study of the multifocal electroretinogram in ocular hypertension, **1147**
Use of sequential Heidelberg retina tomograph images to identify changes at the optic disc in ocular hypertensive patients at risk of developing glaucoma, **993**
ocular infections, Diagnosis of external ocular infections: microbiological processing and interpretation: *letter*, **229**
ocular inflammation, Campath-1H therapy in refractory ocular inflammatory disease, **107**
ocular involvement, Epidermoid carcinoma arising in an ocular leishmania lesion: *letter*, **1331**
Ocular involvement in sarcoidosis: *perspective*, **110**
ocular ischaemic syndrome, Management of ocular ischaemic syndrome: *perspective*, **1428**
ocular melanoma, Development and validation of a patient based measure of outcome in ocular melanoma, **347**
ocular motor apraxia, Abnormal vertical optokinetic nystagmus in infants and children, **451**
ocular pain, Painful blind eye: efficacy of enucleation and evisceration in resolving ocular pain, **437**
ocular pulse amplitude, Ocular pulse amplitude in diabetes mellitus, **1282**
ocular side effects, Incidence of ocular side effects of topical β blockers in the Netherlands, **856**
ocular surface disorder, Long term results after autologous nasal mucosal transplantation in severe mucus deficiency syndromes, **279**
ocular toxoplasmosis, Is ocular toxoplasmosis caused by prenatal or postnatal infection?: *perspective*, **224**
ocular trauma, Mine blast injuries: ocular and social aspects, **626**
oculomotor control, Does extraocular muscle proprioception influence oculomotor control?: *perspective*, **1071**
oculoplastic surgery, Aspirin and warfarin therapy in oculoplastic surgery, **1426**
oil droplet sign, The oil droplet sign: *letter*, **672**
Onodi cell, Acute visual loss by an Onodi cell: *letter*, **801**
open angle glaucoma, Promoter mutations of myocilin gene in Japanese patients with open angle glaucoma including normal tension glaucoma: *letter*, **1078**
operational variables, Influence of some operational variables on the radial keratotomy operation, **651**
ophthalmic artery fibrinolysis, Superselective ophthalmic artery fibrinolytic therapy for the treatment of central retinal vein occlusion, **1387**
ophthalmic surgery, Methaemoglobinaemia after peribulbar blockade: an unusual complication in ophthalmic surgery: *letter*, **442**
ophthalmologists, Screening for retinopathy of prematurity: no ophthalmologist required?: *editorial*, **127**
ophthalmology, Understanding cost effectiveness: a detailed review: *perspective*, **794**
opsoclonus, Reverse and converse ocular bobbing with synkinetic blinking and opsoclonus in a child with Epstein-Barr virus encephalitis after bone marrow transplant for MPS I: *letter*, **1207**
optic chiasm, Visual prognostic value of the pattern electroretinogram in chiasmal compression, **1024**
optic disc, Comparison of optic disc image assessment methods when examining serial photographs for glaucomatous progression, **28**
Pharmacological mydriasis and optic disc examination, **894**
Relation of optic disc topography and age to thickness of retinal nerve fibre layer as measured using scanning laser polarimetry, in normal subjects, **473**
optic disc staphyloma, Linear naevus sebaceous syndrome, optic disc staphyloma, and non-rhegmatogenous retinal detachment: *letter*, **119**
optic nerve, Prevention of visual field defects after macular hole surgery, **372**
Retinal ganglion cell death in experimental glaucoma, **303**
optic nerve head, A new digital optic disc stereo camera: intraobserver and interobserver repeatability of optic disc measurements, **403**
Discriminant analysis models for early detection of glaucomatous optic disc changes, **464**
Effects of artefacts on scanning laser polarimetry of retinal nerve fibre layer thickness measurement, **1013**
Effects of scleral buckling and encircling procedures on human optic nerve head and retinochoroidal circulation, **31**
optic nerve oxygen tension, Optic nerve oxygen tension: effects of intraocular pressure and dorzolamide, **1045**
optic neuropathy, Optic neuropathy as the presenting feature of HIV infection: recovery of vision with highly active antiretroviral therapy: *letter*, **551**
Tumour location affects the incidence of cataract and retinopathy after ophthalmic plaque radiation therapy, **1068**
optical coherence tomography, Central corneal thickness determined with optical coherence tomography in various types of glaucoma, **1233**
Optical coherence tomography findings in early solar retinopathy: *letter*, **547**
optokinetic nystagmus, Ups and downs of optokinetic nystagmus: *editorial*, **445**
orbit, Bilateral cavernous haemangiomas of the orbit: *letter*, **928**
Histological features of ocular adnexal lymphoma (REAL classification) and their association with patient morbidity and survival, **907**
Idiopathic sclerosing inflammation of the orbit: a new finding of calcification: *letter*, **1322**
Spontaneous arteriovenous malformation of the orbit: *letter*, **802**
orbital arteriovenous malformation, Orbital arteriovenous malformation mimicking cavernous sinus dural arteriovenous malformation, **771**
orbital blood flow, Colour Doppler imaging of the orbital vasculature in Graves' disease with computed tomographic correlation, **1027**
orbital fat decompression, Reversal of dysthyroid optic neuropathy following orbital fat decompression, **600**
orbital lymphangioma, Management of orbital lymphangioma using intralesional injection of OK-432, **614**
Orbital lymphangioma: *letter*, **124**
orbital xanthogranuloma, Radiological and clinicopathological features of orbital xanthogranuloma, **251**
oriental herbal medicine, Oriental herbal medicine induced epithelial keratopathy: *letter*, **934**
otitis media with effusion, Otolaryngological findings in congenital nasolacrimal duct obstruction and implications for prognosis, **917**
outflow facility, Effect of cataract extraction and posterior chamber lens implantation on outflow facility and its response to pilocarpine in Korean subjects, **987**

paediatrics, Recombinant tissue plasminogen activator following paediatric cataract surgery, **983**
pain, Pain perception with pH buffered peribulbar anaesthesia: a pilot study, **1041**
pain relief, Pain relief with intracameral mepivacaine during phacoemulsification, **171**
pancreas transplant, Stabilisation of diabetic retinopathy following simultaneous pancreas and kidney transplant, **736**
panuveitis, Panuveitis as a presenting feature of giant cell arteritis: *letter*, **340**
partially sighted people, Helping blind and partially sighted people to read: the effectiveness of low vision aids, **919**
pathological myopia, Radiotherapy for subfoveal neovascularisation associated with pathological myopia: a pilot study, **761**
patient based measure, Development and validation of a patient based measure of outcome in ocular melanoma, **347**
patient satisfaction, A prospective study of cost, patient satisfaction, and outcome of treatment of chalazion by medical and nursing staff, **782**

Visual experience during phacoemulsification cataract surgery under topical anaesthesia, **13**
pattern electroretinography, Visual prognostic value of the pattern electroretinogram in chiasmal compression, **1024**
pearl formation, Quantitative measurement of the PCCC area in the postoperative period, **1117**
penetrating keratoplasty, Effect of disagreement between refractive, keratometric, and topographic determination of astigmatic axis on suture removal after penetrating keratoplasty, **837**
Visual function after penetrating keratoplasty for keratoconus: a prospective longitudinal evaluation, **60**
perceptual distortion, Perceptual distortion around homonymous scotomas is not restricted to defects located in the right hemifield: *letter,* **803**
peribulbar anaesthesia, Local anaesthetic techniques and pulsatile ocular blood flow, **1260**
peribulbar blockade, Methaemoglobinaemia after peribulbar blockade: an unusual complication in ophthalmic surgery: *letter,* **442**
perimetry, Coffee and doughnut maculopathy: a cause of acute central ring scotomas, **158**
persistent fetal vasculature, The full spectrum of persistent fetal vasculature in Aicardi syndrome: an integrated interpretation of ocular malformations: *letter,* **227**
The full spectrum of persistent fetal vasculature in Aicardi syndrome: an integrated interpretation of ocular malformations: *letter,* **227**
pH, Pain perception with pH buffered peribulbar anaesthesia: a pilot study, **1041**
phacoemulsification, Anterior chamber flare after trabeculectomy and after phacoemulsification, **1056**
Pain relief with intracameral mepivacaine during phacoemulsification, **171**
Phacoemulsification combined with silicone oil removal through posterior capsulorhexis: *letter,* **1084**
Visual experience during phacoemulsification cataract surgery under topical anaesthesia, **13**
phakic IOL implant, Anterior chamber depth measured by two methods in myopic and hyperopic phakic IOL implant, **1113**
pharmacology, Intraocular penetration of vancomycin eye drops after application to the medial canthus with closed lids, **300**
phenotype, Congenital progressive polymorphic cataract caused by a mutation in the major intrinsic protein of the lens, MIP (AQP0), **1376**
photocoagulation, Real time fixation point monitoring system for photocoagulation of juxtafoveal neovascularisation, **1053**
phototoxicity, Endoillumination during vitrectomy and phototoxicity thresholds, **1372**
pig, Optic nerve oxygen tension: effects of intraocular pressure and dorzolamide, **1045**
pigment epithelial detachment, Clinicopathological correlation of deep retinal vascular anomalous complex in age related macular degeneration, **1269**
Polypoidal choroidal vasculopathy in exudative and haemorrhagic pigment epithelial detachments, **479**
pigment epithelium, Histological examination of the pigment epithelium-Bruch membrane-choriocapillaris complex after macular translocation: *letter,* **550**
pilocarpine, Effect of cataract extraction and posterior chamber lens implantation on outflow facility and its response to pilocarpine in Korean subjects, **987**
pilomatrixoma, A large rapidly growing pilomatrixoma on a lower eyelid: *letter,* **1203**
plaque, Tumour location affects the incidence of cataract and retinopathy after ophthalmic plaque radiation therapy, **1068**
plasminogen, Regulation of plasminogen activation by TGF-β in cultured human retinal endothelial cells, **417**
platelet derived growth factor, Enhancement of dedifferentiation and myoid differentiation of retinal pigment epithelial cells by platelet derived growth factor, **1306**
poly(hydroxyethyl methacrylate), Novel materials to enhance keratoprosthesis integration, **640**
polymerase chain reaction, Investigation of β defensin gene expression in the ocular anterior segment by semiquantitative RT-PCR, **523**
Variable R1 region in varicella zoster virus in fulminant type of acute retinal necrosis syndrome, **193**
polymorphonuclear leucocyte, Increased polymorphonuclear leucocyte rigidity in HIV infected individuals, **727**
polypoidal choroidopathy, Polypoidal choroidal vasculopathy in exudative and haemorrhagic pigment epithelial detachments, **479**
Posner-Schlossman syndrome, Evaluation of corneal endothelium and keratic precipitates by specular microscopy in anterior uveitis, **1367**
post mortem, Postmortem histological survey of the ocular lesions in a British population of AIDS patients, **1275**
posterior capsule opacification, Quantitative measurement of the PCCC area in the postoperative period, **1117**
Role of cytokines in the pathogenesis of posterior capsule opacification: *perspective,* **332**
posterior capsulorhexis, Phacoemulsification combined with silicone oil removal through posterior capsulorhexis: *letter,* **1084**
posterior chamber intraocular lens implantation, Audit of outcome of an extracapsular cataract extraction and posterior chamber intraocular lens training course, **848**
posterior continuous circular capsulorhexis, Quantitative measurement of the PCCC area in the postoperative period, **1117**
postnatal infection, Is ocular toxoplasmosis caused by prenatal or postnatal infection?: *perspective,* **224**
"pseudo-accommodative insufficiency" An unusual cause of asthenopia: "pseudo-accommodative insufficiency" associated with a high AC:A ratio: *letter,* **1438**
predictive equations, Utility of predictive equations for estimating the prevalence and incidence of primary open angle glaucoma in the UK, **1159**
pre-eclampsia, Choroidal neovascular membrane presenting as a complication of pre-eclampsia in a patient with the antiphospholipid syndrome: *letter,* **1080**
prematurity, Long term follow up of premature infants: detection of strabismus, amblyopia, and refractive errors, **963**
Non-ophthalmologist screening for retinopathy of prematurity, **130**
Retinopathy and myopia of prematurity: *letter,* **937**
prenatal infection, Is ocular toxoplasmosis caused by prenatal or postnatal infection?: *perspective,* **224**
prevalence, Diabetic retinopathy in Victoria, Australia: the Visual Impairment Project, **865**
Epidemiology of pterygium in Victoria, Australia, **289**
Utility of predictive equations for estimating the prevalence and incidence of primary open angle glaucoma in the UK, **1159**
primary angle closure, YAG laser iridotomy treatment for primary angle closure in east Asian eyes, **1255**
primary angle closure glaucoma, Detection of gonioscopically occludable angles and primary angle closure glaucoma by estimation of limbal chamber depth in Asians: modified grading scheme, **186**
Rates of hospital admissions for primary angle closure glaucoma among Chinese, Malays, and Indians in Singapore, **990**
primary biliary cirrhosis, Granulomatous uveitis, CREST syndrome, and primary biliary cirrhosis: *letter,* **548**
primary open angle glaucoma, Diabetes and primary open angle glaucoma: *editorial,* **1216**
Genetic screening in a large family with juvenile onset primary open angle glaucoma, **722**
Glaucoma incidence in an unselected cohort of diabetic patients: is diabetes mellitus a risk factor for glaucoma?, **1218**
Utility of predictive equations for estimating the prevalence and incidence of primary open angle glaucoma in the UK, **1159**
primary oxalosis, Ophthalmic features of primary oxalosis after combined liver/kidney transplantation: *letter,* **1326**
prognosis, Otolaryngological findings in congenital nasolacrimal duct obstruction and implications for prognosis, **917**
Visual prognostic value of the pattern electroretinogram in chiasmal compression, **1024**
proliferative diabetic retinopathy, Macrophage migration inhibitory factor levels in the vitreous of patients with proliferative diabetic retinopathy, **636**
Matrix metalloproteinases and their natural inhibitors in fibrovascular membranes of proliferative diabetic retinopathy, **1091**
Matrix metalloproteinases and their natural inhibitors: *editorial,* **1087**
Subhyaloid haemorrhage from proliferative diabetic retinopathy after Nd:YAG laser iridotomy: *letter,* **1435**
proliferative vitreoretinopathy, Enhancement of dedifferentiation and myoid differentiation of retinal pigment epithelial cells by platelet derived growth factor, **1306**
Intravitreal injection of crystalline cortisone as adjunctive treatment of proliferative vitreoretinopathy, **1064**
Risk factors for proliferative vitreoretinopathy after primary vitrectomy: a prospective study, **506**
promoter mutations, Promoter mutations of myocilin gene in Japanese patients with open angle glaucoma including normal tension glaucoma: *letter,* **1078**
prostaglandins, Changes in ocular surface caused by antiglaucomatous eyedrops: prospective, randomised study for the comparison of 0.5% timolol *v* 0.12% unoprostone, **1250**
Mechanism related to reduction of intraocular pressure by melanocortins in rabbits, **1411**
protein C, Can leucocoria be the first manifestation of protein C deficiency?: *letter,* **120**
prothrombin degradation fragments, Coagulation pathways and diabetic retinopathy: abnormal modulation in a selected group of insulin dependent diabetic patients, **591**
proton beam irradiation, Effects of proton beam irradiation on uveal melanomas: a comparative study of Ki-67 expression in irradiated versus non-irradiated melanomas, **98**
pterygium, Amniotic membrane graft for primary pterygium: comparison with conjunctival autograft and topical mitomycin C treatment, **973**
Apoptosis and apoptosis related gene expression in normal conjunctiva and pterygium, **212**
Comparative study of intraoperative mitomycin C and β irradiation in pterygium surgery, **618**
Epidemiology of pterygium in Victoria, Australia, **289**

Late complications after pterygium excision with high dose mitomycin C instillation: *letter*, **1081**
Necrotising scleritis after bare sclera excision of pterygium, **1050**
ptosis, Diplopia, ptosis, and hepatitis as presenting signs and symptoms of giant cell arteritis: *letter*, **1319**
public health, Long term results of glaucoma surgery among participants in an east African population survey, **860**
pulsatile ocular blood flow, Local anaesthetic techniques and pulsatile ocular blood flow, **1260**
pulse amplitude, Do sex and hormonal status influence choroidal circulation?, **786**
pupillary abnormality, Pupillary abnormality: *letter*, **554**
pupillary block, Ultrasound biomicroscopic analysis of pseudophakic pupillary block glaucoma induced by Soemmering's ring, **1142**
pupillary distortion, Pupillary distortion after contact transscleral diode laser cyclophotocoagulation: *letter*, **337**
pupils, Factors affecting pupil size after dilatation: the Twin Eye Study, **1173**
pyogenic hepatic abscess, Bilateral endogenous bacterial endophthalmitis associated with pyogenic hepatic abscess: *letter*, **1436**

quality of life, Implementation methods for vision related quality of life questionnaires, **1035**
Quality of life in myopia, **1031**
quality of life measure, Development and validation of a patient based measure of outcome in ocular melanoma, **347**
questionnaire, Implementation methods for vision related quality of life questionnaires, **1035**
Use of vision tests in clinical decision making about cataract surgery: results of a national survey, **432**

radial kerototomy, Influence of some operational variables on the radial keratotomy operation, **651**
radiation, Tumour location affects the incidence of cataract and retinopathy after ophthalmic plaque radiation therapy, **1068**
radiotherapy, Radiotherapy for age related macular degeneration causes transient lens transparency changes, **757**
Radiotherapy for subfoveal neovascularisation associated with pathological myopia: a pilot study, **761**
randomised controlled trial, Randomised controlled trial of corticosteroid regimens in endothelial corneal allograft rejection: *letter*, **1083**
reading, Helping blind and partially sighted people to read: the effectiveness of low vision aids, **919**
reading index, Macular degeneration: do conventional measurements of impaired visual function equate with visual disability?, **244**
REAL classification, Histological features of ocular adnexal lymphoma (REAL classification) and their association with patient morbidity and survival, **907**
recombinant tissue plasminogen activator, Recombinant tissue plasminogen activator following paediatric cataract surgery, **983**
Therapy of subhyaloidal haemorrhage by intravitreal application of rtPA and SF_6 gas: *letter*, **1324**

5α-reductase, Identification of androgen receptor protein and 5α-reductase mRNA in human ocular tissues, **76**
Referees, Referees, **122**
refractive element, Long term refractive outcome in eyes of preterm infants with and without retinopathy of prematurity: comparison of keratometric value, axial length, anterior chamber depth, and lens thickness, **138**
refractive index, Refractive changes in diabetic patients during intensive glycaemic control, **1097**
refractive outcome, Long term refractive outcome in eyes of preterm infants with and without retinopathy of prematurity: comparison of keratometric value, axial length, anterior chamber depth, and lens thickness, **138**
refractive surgery, Quality of life in myopia, **1031**
renal failure, Impression cytology of the conjunctival epithelium in patients with chronic renal failure, **1225**
reproducibility, Evaluation of the Zeiss retinal vessel analyser, **1285**
retina, Acute posterior vitreous detachment: the predictive value of vitreous pigment and symptomatology, **1264**
Endoillumination during vitrectomy and phototoxicity thresholds, **1372**
Responses of different cell lines from ocular tissues to elevated hydrostatic pressure, **423**
Retinal ganglion cell death in experimental glaucoma, **303**
Vasoproliferative tumours of the retina, **1162**
retinal blood flow, Evaluation of the Zeiss retinal vessel analyser, **1285**
Ocular haemodynamics and colour contrast sensitivity in patients with type 1 diabetes, **493**
retinal degeneration, Genetic heterogeneity in familial exudative vitreoretinopathy; exclusion of the EVR1 locus on chromosome 11q in a large autosomal dominant pedigree, **358**
Molecular ophthalmology: an update on animal models for retinal degenerations and dystrophies: *perspective*, **922**
retinal detachment, Serous retinal detachment caused by leukaemic choroidal infiltration during complete remission: *letter*, **1318**
retinal dystrophy, Molecular ophthalmology: an update on animal models for retinal degenerations and dystrophies: *perspective*, **922**
retinal epithelial pigment cells, Enhancement of dedifferentiation and myoid differentiation of retinal pigment epithelial cells by platelet derived growth factor, **1306**
retinal glial cells, Ocular changes in heredo-oto-ophthalmoencephalopathy, **1298**
retinal haemorrhage, Polypoidal choroidal vasculopathy in exudative and haemorrhagic pigment epithelial detachments, **479**
retinal imaging, Quantitative evaluation of fundus autofluorescence imaged "in vivo" in eyes with retinal disease, **741**
retinal injury, Laser pointers can cause permanent retinal injury if used inappropriately: *letter*, **229**
retinal laser photocoagulation, Topical analgesia during retinal laser photocoagulation: *letter*, **938**
retinal necrosis, Acute retinal necrosis following chickenpox in a healthy 4 year old patient: *letter*, **667**
retinal neovascularisation, Complete regression of retinal neovascularisation after therapy with interferon alfa in Behçet's disease: *letter*, **1437**
Ocular changes in heredo-oto-ophthalmo-encephalopathy, **1298**
retinal nerve fibre layer, Asymmetries of the retinal nerve fibre layer thickness in normal eyes, **469**
Relation of optic disc topography and age to thickness of retinal nerve fibre layer as measured using scanning laser polarimetry, in normal subjects, **473**
retinal perforations, Spontaneous closure of a macular hole secondary to an accidental laser injury: *letter*, **1075**
retinal pigment epithelium, Effect of alcohol and light on the retinal pigment epithelium of normal subjects and patients with retinal dystrophies, **881**
Subthreshold (retinal pigment epithelium) photocoagulation in macular diseases: a pilot study, **40**
The second eye of Japanese patients with unilateral exudative age related macular degeneration, **1018**
retinal surgery, Prospective surveillance of sympathetic ophthalmia in the UK and Republic of Ireland, **259**
retinal telangiectasis, Retinal telangiectasis and angioid streaks: *letter*, **1327**
retinal tissue, Altitudinal visual field asymmetry is coupled with altered retinal circulation in patients with normal pressure glaucoma, **1008**
retinal vascular anomalous complex, Clinicopathological correlation of deep retinal vascular anomalous complex in age related macular degeneration, **1269**
retinal vascular occlusive disease, Raised plasma homocysteine as a risk factor for retinal vascular occlusive disease, **154**
retinal vessel diameter, Evaluation of the Zeiss retinal vessel analyser, **1285**
retinitis, Relapses of CMV retinitis after 2 years of highly active antiretroviral therapy: *letter*, **1203**
Screening for CMV retinitis using chromatic discrimination thresholds and achromatic contrast sensitivity, **877**
retinitis pigmentosa, Effect of alcohol and light on the retinal pigment epithelium of normal subjects and patients with retinal dystrophies, **881**
retinoblastoma, At what age could screening for familial retinoblastoma be stopped? A register based study 1945–98, **1170**
retinochoroidal circulation, Effects of scleral buckling and encircling procedures on human optic nerve head and retinochoroidal circulation, **31**
retinopathy, Retinopathy and myopia of prematurity: *letter*, **937**
Tumour location affects the incidence of cataract and retinopathy after ophthalmic plaque radiation therapy, **1068**
retinopathy of prematurity, Diode laser treatment of posterior retinopathy of prematurity, **1383**
Intraventricular haemorrhage and stage 3 retinopathy of prematurity, **596**
Long term refractive outcome in eyes of preterm infants with and without retinopathy of prematurity: comparison of keratometric value, axial length, anterior chamber depth, and lens thickness, **138**
Non-ophthalmologist screening for retinopathy of prematurity, **130**
Screening for retinopathy of prematurity: no ophthalmologist required?: *editorial*, **127**
retinorhexis, Retinorhexis in macular translocation: *letter*, **1208**
ring scotoma, Coffee and doughnut maculopathy: a cause of acute central ring scotomas, **158**
risk factors, Diabetic retinopathy in Victoria, Australia: the Visual Impairment Project, **865**
Epidemiology of pterygium in Victoria, Australia, **289**
Raised plasma homocysteine as a risk factor for retinal vascular occlusive disease, **154**
rostral midbrain, Abnormal vertical optokinetic nystagmus in infants and children, **451**
Rubinstein-Taybi syndrome, Ocular features in Rubinstein-Taybi syndrome: investigation of 24 patients and review of the literature, **1177**

sarcoidosis, Ocular involvement in sarcoidosis: *perspective*, **110**
scanning laser ophthalmoscope, Ability of a confocal scanning laser ophthalmoscope (TopSS) to detect early glaucomatous visual field defect, **852**
Quantitative evaluation of fundus autofluorescence imaged "in vivo" in eyes with retinal disease, **741**
Relation of optic disc topography and age to thickness of retinal nerve fibre layer as measured using scanning laser polarimetry, in normal subjects, **473**
scanning laser polarimetry, Asymmetries of the retinal nerve fibre layer thickness in normal eyes, **469**
Effects of artefacts on scanning laser polarimetry of retinal nerve fibre layer thickness measurement, **1013**
Relation of optic disc topography and age to thickness of retinal nerve fibre layer as measured using scanning laser polarimetry, in normal subjects, **473**
Scanning laser polarimetry in normal subjects and patients with myopia, **264**
Scheimpflug photography, 3 Year simvastatin treatment and lens nuclear back scattering, **512**
Radiotherapy for age related macular degeneration causes transient lens transparency changes, **757**
school screening, Prevalence of eye diseases in primary school children in a rural area of Tanzania, **1291**
scleral buckle, Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole: *letter*, **673**
scleral buckling, Effects of scleral buckling and encircling procedures on human optic nerve head and retinochoroidal circulation, **31**
scleral necrosis, Necrotising scleritis after bare sclera excision of pterygium, **1050**
scleritis, Acute retinal necrosis presenting with scleritis and raised intraocular pressure: *letter*, **1208**
Scleritis as a presenting feature of Takayasu's disease: *letter*, **801**
Transscleral diode laser cyclophotocoagulation for the treatment of refractory glaucoma secondary to inflammatory eye diseases, **999**
sclerosing lipid granuloma, Sclerosing lipid granuloma of the medial canthus 30 years after dacryocystitis: *letter*, **1328**
screening, At what age could screening for familial retinoblastoma be stopped? A register based study 1945–98, **1170**
Screening for CMV retinitis using chromatic discrimination thresholds and achromatic contrast sensitivity, **877**
Screening for retinopathy of prematurity: no ophthalmologist required?: *editorial*, **127**
screening protocols, Non-ophthalmologist screening for retinopathy of prematurity, **130**
screening tests, Appraising evaluations of screening/diagnostic tests: the importance of the study populations: *perspective*, **1198**
sebaceous gland carcinoma, Sebaceous gland carcinoma of the eyelid and palpebral conjunctiva in a patient with Muir-Torre syndrome: *letter*, **1325**
second eye, Factors associated with second eye cataract surgery, **9**
sensitivity, Evaluation of the Zeiss retinal vessel analyser, **1285**
serum antibodies, Serum antibodies to HSC71 in Vogt–Koyanagi–Harada disease: *letter*, **1434**
services, Age related macular degeneration: could we improve the services we offer?: *editorial*, **945**
sex, Identification of androgen receptor protein and 5α-reductase mRNA in human ocular tissues, **76**
sex hormones, Do sex and hormonal status influence choroidal circulation?, **786**
sildenafil, Branch retinal artery occlusion; another complication of sildenafil: *letter*, **934**
silicone oil, Phacoemulsification combined with silicone oil removal through posterior capsulorhexis: *letter*, **1084**
simvastatin, 3 Year simvastatin treatment and lens nuclear back scattering, **512**
Singapore, Eye cancer incidence in Singapore, **767**
Rates of hospital admissions for primary angle closure glaucoma among Chinese, Malays, and Indians in Singapore, **990**
sixth nerve palsy, Acute sixth nerve palsy in vitamin A treatment of xerophthalmia: *letter*, **931**
slit lamp, Automated, real time extraction of fundus images from slit lamp fundus biomicroscope video image sequences, **645**
sociodemographic characteristics, Factors associated with second eye cataract surgery, **9**
sodium diclofenac drops, Analgesic effect of topical sodium diclofenac 0.1% drops during retinal laser photocoagulation, **135**
Soemmering's ring, Ultrasound biomicroscopic analysis of pseudophakic pupillary block glaucoma induced by Soemmering's ring, **1142**
soft drusen, The second eye of Japanese patients with unilateral exudative age related macular degeneration, **1018**
solar eclipse, Sickle form macular whitening in a child after viewing a solar eclipse: *letter*, **1433**
solar retinopathy, Optical coherence tomography findings in early solar retinopathy: *letter*, **547**
soluble Fas, Soluble Fas ligand and soluble Fas in ocular fluid of patients with uveitis, **1130**
soluble Fas ligand, Soluble Fas ligand and soluble Fas in ocular fluid of patients with uveitis, **1130**
soluble mediators, Macular oedema: the role of soluble mediators: *perspective*, **542**
Sorsby fundus dystrophy, Sorsby fundus dystrophy without a mutation in the TIMP-3 gene, **682**
What is Sorsby's fundus dystrophy?: *editorial*, **679**
spectacles, Effect of spectacles on changes of spherical hypermetropia in infants who did, and did not, have strabismus, **324**
Effect of spectacles on changes of spherical hypermetropia in infants: *letter*, **1333**
specular microscopy, Changes in ocular surface caused by antiglaucomatous eyedrops: prospective, randomised study for the comparison of 0.5% timolol *v* 0.12% unoprostone, **1250**
Evaluation of corneal endothelium and keratic precipitates by specular microscopy in anterior uveitis, **1367**
spherical hypermetropia, Effect of spectacles on changes of spherical hypermetropia in infants who did, and did not, have strabismus, **324**
Effect of spectacles on changes of spherical hypermetropia in infants: *letter*, **1333**
spirometry, Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, **710**
sponge delivery, Sponge delivery variables and tissue levels of 5-fluorouracil, **92**
squamous cell carcinoma, Treatment of conjunctival squamous cell carcinoma with topical 5-fluorouracil, **268**
stem cell deficiency, Autologous limbal transplantation in patients with unilateral corneal stem cell deficiency, **273**
stereo chronometry, Comparison of optic disc image assessment methods when examining serial photographs for glaucomatous progression, **28**
stereo chronoscopy, Comparison of optic disc image assessment methods when examining serial photographs for glaucomatous progression, **28**
stereopsis, Early surgery for infantile esotropia, **536**
steroids, Topical steroid use in the treatment of ocular alkali burns: *letter*, **124**
Stevens–Johnson syndrome, Conjunctival inflammation in the chronic phase of Stevens–Johnson syndrome, **1191**
Stickler syndrome, COL2A1 exon 2 mutations: relevance to the Stickler and Wagner syndromes, **364**
strabismic amblyopia, Efficacy of occlusion for strabismic amblyopia: can an optimal duration be identified?, **572**
The efficacy of occlusion for strabismic amblyopia. Can an optimal duration be identified?: *editorial*, **561**
strabismus, Effect of spectacles on changes of spherical hypermetropia in infants who did, and did not, have strabismus, **324**
Effect of spectacles on changes of spherical hypermetropia in infants: *letter*, **1333**
Streptococcus pyogenes, Management of orbital lymphangioma using intralesional injection of OK-432, **614**
streptokinase, Local intra-arterial fibrinolysis for acute occlusion of the central retinal artery: a meta-analysis of the published data, **914**
stress, Anterior uveitis and its relation to stress, **1121**
study populations, Appraising evaluations of screening/diagnostic tests: the importance of the study populations: *perspective*, **1198**
Sturge–Weber syndrome, Unilateral arcus lipoides corneae with contralateral Sturge–Weber syndrome: *letter*, **1433**
subconjunctival anaesthesia, Local anaesthetic techniques and pulsatile ocular blood flow, **1260**
subfoveal neovascular membrane, Radiotherapy for subfoveal neovascularisation associated with pathological myopia: a pilot study, **761**
subhyaloid haemorrhage, Subhyaloid haemorrhage from proliferative diabetic retinopathy after Nd:YAG laser iridotomy: *letter*, **1435**
Therapy of subhyaloidal haemorrhage by intravitreal application of rtPA and SF_6 gas: *letter*, **1324**
Treatment of subhyaloid haemorrhage with intravitreal tissue plasminogen activator and C_3F_8 gas injection: *letter*, **1329**
suborbicularis oculi fat, Raising the suborbicularis oculi fat (SOOF): its role in chronic facial palsy, **1401**
subperiosteal mid-face lift, Raising the suborbicularis oculi fat (SOOF): its role in chronic facial palsy, **1401**
subretinal exudation, Bullous variant of idiopathic central serous chorioretinopathy, **485**
subretinal fluid, Subretinal fluid levels of topical, oral, and combined administered ciprofloxacin in humans, **1061**
subretinal haemorrhage, Central serous chorioretinopathy complicated by massive bilateral subretinal haemorrhage: *letter*, **936**
sub-Tenon, Sub-Tenon's local anaesthesia: the effect of hyaluronidase, **435**
sulphur hexafluoride gas, Therapy of subhyaloidal haemorrhage by intravitreal application of rtPA and SF_6 gas: *letter*, **1324**
surgery, Early surgery for infantile esotropia, **536**
surgery reinsertion, Role of reinsertion of the lower eyelid retractor on involutional entropion, **606**
surgical treatment, Surgical correction for lower lid epiblepharon in Asians, **1407**

surgically induced necrotising scleritis, Necrotising scleritis after bare sclera excision of pterygium, **1050**
survival, Histological features of ocular adnexal lymphoma (REAL classification) and their association with patient morbidity and survival, **907**
suture removal, Effect of disagreement between refractive, keratometric, and topographic determination of astigmatic axis on suture removal after penetrating keratoplasty, **837**
sympathetic ophthalmia, Prospective surveillance of sympathetic ophthalmia in the UK and Republic of Ireland, **259**
Sympathetic ophthalmia risk following vitrectomy: should we counsel patients?: *commentary,* **448**
synkinetic blinking, Reverse and converse ocular bobbing with synkinetic blinking and opsoclonus in a child with Epstein-Barr virus encephalitis after bone marrow transplant for MPS I: *letter,* **1207**

T cell, Both CD4+ and CD8+ T cells are involved in protection against HSV-1 induced corneal scarring, **408**
T lymphocytes, Relapses of CMV retinitis after 2 years of highly active antiretroviral therapy: *letter,* **1203**
Takayasu's disease, Scleritis as a presenting feature of Takayasu's disease: *letter,* **801**
Tanzania, Prevalence of eye diseases in primary school children in a rural area of Tanzania, **1291**
Tay-Sachs disease, Observations on time course changes of the cherry red spot in a patient with Tay-Sachs disease: *letter,* **1320**
tear film, Tear secretion and tear film function in insulin dependent diabetics, **19**
tear film function, Tear secretion and tear film function in insulin dependent diabetics: *letter,* **1210**
tear secretion, Tear secretion and tear film function in insulin dependent diabetics, **19**
Tear secretion and tear film function in insulin dependent diabetics: *letter,* **1210**
teardrop sign, The teardrop sign: a rare dermatological reaction to brimonidine: *letter,* **671**
telomerase, Telomerase expression in uveal melanoma, **217**
thelaziasis, Five cases of thelaziasis: *letter,* **441**
three dimensional ultrasonography, Usefulness of three dimensional ultrasonography for invisible fundus: *letter,* **1080**
thrombolysis, Local intra-arterial fibrinolysis for acute occlusion of the central retinal artery: a meta-analysis of the published data, **914**
thyroid eye disease, Thyroid eye disease associated with athyria: *letter,* **439**
thyroid ophthalmopathy, Immunology and thyroid ophthalmopathy: where will the footprints lead us?: *editorial,* **446**
timolol, Effects of glaucoma medications on the cardiorespiratory and intraocular pressure status of newly diagnosed glaucoma patients, **710**
timolol-pilocarpine, Comparison of the intraocular pressure lowering effect of latanoprost and a fixed combination of timolol-pilocarpine eye drops in patients insufficiently controlled with β adrenergic antagonists, **181**
TIMP-3 gene, Sorsby fundus dystrophy without a mutation in the TIMP-3 gene, **682**
tissue plasminogen activator, Local intra-arterial fibrinolysis for acute occlusion of the central retinal artery: a meta-analysis of the published data, **914**
Treatment of recent onset central retinal vein occlusion with intravitreal tissue plasminogen activator: a pilot study, **609**
Treatment of subhyaloid haemorrhage with intravitreal tissue plasminogen activator and C_3F_8 gas injection: *letter,* **1329**
Use of mitomycin C and r-tPA for the management of conjunctival membrane and cataracts in a child with conjunctivitis lignosa: *letter,* **1204**
topical analgesia, Topical analgesia during retinal laser photocoagulation: *letter,* **938**
topography, Effect of disagreement between refractive, keratometric, and topographic determination of astigmatic axis on suture removal after penetrating keratoplasty, **837**
trabecular meshwork, Membrane formation in the chamber angle after failure of argon laser trabeculoplasty: analysis of risk factors, **48**
Morphological variability of the trabecular meshwork in glaucoma patients: implications for non-perforating glaucoma surgery, **1354**
Responses of different cell lines from ocular tissues to elevated hydrostatic pressure, **423**
trabeculectomy, Anterior chamber flare after trabeculectomy and after phacoemulsification, **1056**
Glaucoma surgery with or without adjunctive antiproliferatives in normal tension glaucoma: 1 Intraocular pressure control and complications, **586**
Long term results of glaucoma surgery among participants in an east African population survey, **860**
Morphological variability of the trabecular meshwork in glaucoma patients: implications for non-perforating glaucoma surgery, **1354**
Risk factors for development of post-trabeculectomy endophthalmitis, **1349**
Trabeculectomy with mitomycin C for post-keratoplasty glaucoma, **714**
Urrets-Zavalia syndrome following trabeculectomy: *letter,* **338**
trachoma, Expression of gelatinase B in trachomatous conjunctivitis, **85**
transconjunctival decompression, Transconjunctival orbital decompression in Graves' ophthalmopathy: lateral wall approach ab interno, **775**
transforming growth factor β, Regulation of plasminogen activation by TGF-β in cultured human retinal endothelial cells, **417**
transgenic animal, The APOE3-Leiden mouse as an animal model for basal laminar deposit, **1415**
transpupillary thermotherapy, Failure of transpupillary thermotherapy (TTT) for choroidal melanoma: two cases with histopathological correlation: *letter,* **1075**
transscleral diode laser cyclophotocoagulation, Transscleral diode laser cyclophotocoagulation for the treatment of refractory glaucoma secondary to inflammatory eye diseases, **999**
trauma, Blunt trauma in Best's vitelliform macular dystrophy: *letter,* **1330**
treatment, Otolaryngological findings in congenital nasolacrimal duct obstruction and implications for prognosis, **917**
treatment outcome, A prospective study of cost, patient satisfaction, and outcome of treatment of chalazion by medical and nursing staff, **782**
tryptase, Anti-inflammatory and antiallergic effects of ketorolac tromethamine in the conjunctival provocation model, **1228**
tumour, Unusual presentation of diffuse melanoma of the iris: *letter,* **1076**
twins, Factors affecting pupil size after dilatation: the Twin Eye Study, **1173**

UK, Utility of predictive equations for estimating the prevalence and incidence of primary open angle glaucoma in the UK, **1159**
ultrasound biomicroscopy, Ultrasound biomicroscopic analysis of pseudophakic pupillary block glaucoma induced by Soemmering's ring, **1142**
Ultrasound biomicroscopy in the diagnosis of a foreign body simulating iris melanoma: *letter,* **546**
ultraviolet rays, Epidemiology of pterygium in Victoria, Australia, **289**
upper lid entropion, Report of a family with dominantly inherited upper lid entropion, **1303**
urokinase, Local intra-arterial fibrinolysis for acute occlusion of the central retinal artery: a meta-analysis of the published data, **914**
Urrets-Zavalia syndrome, Urrets-Zavalia syndrome following trabeculectomy: *letter,* **338**
uveal melanoma, Disease and "dis-ease" in patients with uveal melanoma: *editorial,* **343**
Effects of proton beam irradiation on uveal melanomas: a comparative study of Ki-67 expression in irradiated versus non-irradiated melanomas, **98**
Expression of vascular endothelial growth factor in uveal melanoma and its correlation with metastasis, **750**
Expression of VLA-2, VLA-3, and α_v integrin receptors in uveal melanoma: association with microvascular architecture of the tumour and prognostic value, **899**
Telomerase expression in uveal melanoma, **217**
uveitis, Apoptosis is a prominent feature of acute anterior uveitis in the Fischer 344 rat, **205**
Cataract extraction and intraocular lens implantation in children with uveitis, **791**
HLA-B27 typing in the categorisation of uveitis in a HLA-B27 rich population, **413**
Incidence of ocular side effects of topical β blockers in the Netherlands, **856**
Population based assessment of uveitis in an urban population in southern India, **706**
Soluble Fas ligand and soluble Fas in ocular fluid of patients with uveitis, **1130**
Transscleral diode laser cyclophotocoagulation for the treatment of refractory glaucoma secondary to inflammatory eye diseases, **999**
Uveitis in HIV positive patients: *editorial,* **233**
uveoscleral outflow, Effects of topical nipradilol, a β blocking agent with α blocking and nitroglycerin-like activities, on intraocular pressure and aqueous dynamics in humans, **293**

vancomycin, Intraocular penetration of vancomycin eye drops after application to the medial canthus with closed lids, **300**
Vancomycin and ceftazidime incompatibility upon intravitreal injection: *letter,* **117**
variable region, Variable R1 region in varicella zoster virus in fulminant type of acute retinal necrosis syndrome, **193**
varicella zoster virus, Detection of herpes simplex virus type 1, 2 and varicella zoster virus DNA in recipient corneal buttons, **1238**
Variable R1 region in varicella zoster virus in fulminant type of acute retinal necrosis syndrome, **193**
vascular endothelial growth factor, Expression of vascular endothelial growth factor in uveal melanoma and its correlation with metastasis, **750**
vascular patterns, Expression of VLA-2, VLA-3, and α_v integrin receptors in uveal melanoma: association with microvascular architecture of the tumour and prognostic value, **899**

vascular retina, Diode laser treatment of posterior retinopathy of prematurity, **1383**
vasculitis, No strong association between alleles of tumour necrosis factor alpha and interleukin-1 receptor antagonist and corneal melting associated with systemic vasculitis, **395**
vasoproliferative tumours, Vasoproliferative tumours of the retina, **1162**
vernal keratoconjunctivitis, Chemokines in the limbal form of vernal keratoconjunctivitis, **1360**
vertical nystagmus, Vertical or asymmetric nystagmus need not imply neurological disease, **175**
vertical optokinetic nystagmus, Abnormal vertical optokinetic nystagmus in infants and children, **451**
vigabatrin, A controlled study of vigabatrin and visual abnormalities, **499**
Contrast and glare sensitivity in epilepsy patients treated with vigabatrin or carbamazepine monotherapy compared with healthy volunteers, **622**
Long term changes in the visual fields of patients with temporal lobe epilepsy using vigabatrin, **788**
viscocanalostomy, Morphological variability of the trabecular meshwork in glaucoma patients: implications for non-perforating glaucoma surgery, **1354**
visual abnormalities, A controlled study of vigabatrin and visual abnormalities, **499**
visual acuity, Amblyopia: is visual loss permanent?, **952**
Comparison of visual field progression in patients with normal pressure glaucoma between eyes with and without visual field loss that threatens fixation, **1154**
Prevalence of eye diseases in primary school children in a rural area of Tanzania, **1291**
Visual acuity measurements in a national sample of British elderly people, **165**
Visual and anatomical results of surgery for long standing macular holes, **150**
visual disability, Macular degeneration: do conventional measurements of impaired visual function equate with visual disability?, **244**
visual field, Coffee and doughnut maculopathy: a cause of acute central ring scotomas, **158**
Use of a portable head mounted perimetry system to assess bedside visual fields, **1185**
visual field changes, Long term changes in the visual fields of patients with temporal lobe epilepsy using vigabatrin, **788**
visual field defects, Altitudinal visual field asymmetry is coupled with altered retinal circulation in patients with normal pressure glaucoma, **1008**
Prevention of visual field defects after macular hole surgery: *letter,* **1440**
visual field loss, Comparison of visual field progression in patients with normal pressure glaucoma between eyes with and without visual field loss that threatens fixation, **1154**
Prevention of visual field defects after macular hole surgery, **372**
visual function, Visual function after penetrating keratoplasty for keratoconus: a prospective longitudinal evaluation, **60**
visual functioning index, Macular degeneration: do conventional measurements of impaired visual function equate with visual disability?, **244**
visual impairment, Population based assessment of uveitis in an urban population in southern India, **706**
Use of vision tests in clinical decision making about cataract surgery: results of a national survey, **432**
visual loss, Acute visual loss by an Onodi cell: *letter,* **801**
visual maturation, Efficacy of occlusion for strabismic amblyopia: can an optimal duration be identified?, **572**
visual outcome, Coats' syndrome: long term follow up, **37**
Effect of age on visual outcome following cataract extraction, **1380**
visual pathways, Anatomy of optic nerve radiations as assessed by static perimetry and MRI after tailored temporal lobectomy, **884**
visual perception, Visual experience during phacoemulsification cataract surgery under topical anaesthesia, **13**
visual recovery, Variable pattern of visual recovery of Leber's hereditary optic neuropathy, **534**
vitamin A, Acute sixth nerve palsy in vitamin A treatment of xerophthalmia: *letter,* **931**
vitamin A deficiency, Vitamin A deficiency in coeliac disease: *letter,* **1079**
vitrectomy, Endoillumination during vitrectomy and phototoxicity thresholds, **1372**
Fibrovascular ingrowth and recurrent haemorrhage following diabetic vitrectomy, **822**
Foveal relocation by redistribution of the neurosensory retina, **352**
Prophylactic scleral buckle for prevention of retinal detachment following vitrectomy for macular hole: *letter,* **673**
Risk factors for proliferative vitreoretinopathy after primary vitrectomy: a prospective study, **506**
Sympathetic ophthalmia risk following vitrectomy: should we counsel patients?: *commentary,* **448**
Visual and anatomical results of surgery for long standing macular holes, **150**
vitreoretinal eye diseases, Matrix metalloproteinase biology applied to vitreoretinal disorders: *editorial,* **654**
vitreoretinopathy, Genetic heterogeneity in familial exudative vitreoretinopathy; exclusion of the EVR1 locus on chromosome 11q in a large autosomal dominant pedigree, **358**
vitreous, Acute posterior vitreous detachment: the predictive value of vitreous pigment and symptomatology, **1264**
COL2A1 exon 2 mutations: relevance to the Stickler and Wagner syndromes, **364**
Hepatocyte growth factor in vitreous and serum from patients with proliferative diabetic retinopathy, **732**
Macrophage migration inhibitory factor levels in the vitreous of patients with proliferative diabetic retinopathy, **636**
vitreous basket sign, Vitreous basket sign in dislocation of the lens: *letter,* **549**
Vogt–Koyanagi–Harada disease, Serum antibodies to HSC71 in Vogt–Koyanagi–Harada disease: *letter,* **1434**
volumetric analysis, Improvement of reproducibility of macular volume measurements using the Heidelberg retinal tomograph, **1194**
voriconazole, Successful treatment of ocular invasive mould infection (fusariosis) with the new antifungal agent voriconazole: *letter,* **932**

Wagner syndrome, COL2A1 exon 2 mutations: relevance to the Stickler and Wagner syndromes, **364**
waiting list time, What factors influence cataract waiting list time?, **429**
warfarin, Aspirin and warfarin therapy in oculoplastic surgery, **1426**
Wegener's granulomatosis, Lacrimal drainage surgery in Wegener's granulomatosis, **329**

xerophthalmia, Acute sixth nerve palsy in vitamin A treatment of xerophthalmia: *letter,* **931**

YAG laser iridotomy, YAG laser iridotomy treatment for primary angle closure in east Asian eyes, **1255**